



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.06	280.0	1.8	6.2	5	NMRV025	56A4	439	280
	186.7	2.6	4.2	7.5			503	
	140.0	3.4	3.5	10			553	
	93.3	4.9	2.5	15			633	
	70.0	6.1	2.0	20			697	
	46.7	8.2	1.6	30			798	
	35.0	10	1.3	40			878	
	28.0	12	0.9	50			946	
23.3	14	0.7	60	1006				
	180.0	2.7	4.8	5	NMRV025	56B6	509	280
	120.0	4.0	3.2	7.5			583	
	90.0	5.2	2.7	10			641	
	60.0	7.4	1.9	15			734	
	45.0	9.3	1.4	20			808	
	30.0	12	1.2	30			925	
	22.5	15	0.9	40			1018	
	18.0	18	0.7	50			1096	
	280.0	1.8	10.1	5	NMRV030	56A4	597	281
	186.7	2.6	6.9	7.5			683	
	140.0	3.4	5.4	10			752	
	93.3	4.7	3.8	15			861	
	70.0	6.0	3.0	20			948	
	56.0	7.0	3.0	25			1021	
	46.7	8.0	2.5	30			1085	
	35.0	9.7	1.9	40			1194	
	28.0	11	1.5	50			1286	
	23.3	13	1.3	60			1367	
	17.5	14	0.9	80	1504			
	15.0	18	0.9	60	NMRV030	56B6	1583	281
	14.0	25	1.3	100				
	9.3	32	0.9	150	NMRV025/030	56A4	1620	296
	7.0	41	0.7	200			1830	
	5.6	44	0.8	250			1830	
	18.0	18	2.3	50	NMRV040	56B6	2868	282
	15.0	21	1.9	60			3047	
	11.3	24	1.4	80			3354	
	9.0	27	1.2	100			3490	
	4.7	59	1.2	300	NMRV025/040	56A4	3490	296
	3.5	71	0.9	400			3490	
	2.8	82	0.7	500			3490	
	2.3	101	0.6	600			3490	
	1.9	116	0.5	750			3490	
	1.6	143	0.5	900			3490	
	1.2	171	0.4	1200			3490	
	0.9	197	0.3	1500			3490	
	0.8	217	0.3	1800			3490	
	0.6	268	0.2	2400			3490	
	0.5	324	0.2	3000			3490	
	0.4	294	0.1	4000			3490	
	0.3	356	0.1	5000			3490	
	4.7	57	1.3	300	NMRV030/040	56A4	3490	297
	3.5	70	0.9	400			3490	
	2.8	96	0.6	500			3490	
	2.3	104	0.7	600			3490	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)				
0.06	1.9	121	0.6	750	NMRV030/040	56A4	3490	297			
	1.6	139	0.5	900			3490				
	1.2	166	0.4	1200			3490				
	0.9	196	0.4	1500			3490				
	0.8	218	0.3	1800			3490				
	0.58	261	0.2	2400			3490				
	0.4	300	0.2	3200			3490				
	0.4	279	0.1	4000			3490				
	0.28	338	0.1	5000			3490				
	1.6	141	1.0	900	NMRV030/050	56A4	4840	297			
	1.2	169	0.7	1200			4840				
	0.93	199	0.7	1500			4840				
	0.78	222	0.7	1800			4840				
	0.6	266	0.5	2400			4840				
	0.5	307	0.4	3000			4840				
	0.35	288	0.3	4000			4840				
	0.29	311	0.3	4800			4840				
		0.9	204	1.1			1500		NMRV030/063	56A4	6270
0.78		225	0.9	1800	6270						
0.58		276	0.8	2400	6270						
0.47		319	0.7	3000	6270						
0.35		306	0.6	4000	6270						
0.28		360	0.4	5000	6270						
	0.6	330	1.1	2400	NMRV040/075	56A4	7380	298			
	0.47	377	0.8	3000			7380				
	0.35	355	0.7	4000			7380				
	0.28	419	0.5	5000			7380				
	0.5	406	1.4	3000	NMRV040/090	56A4	8180	298			
	0.35	365	1.3	4000			8180				
	0.28	431	1.0	5000			8180				
0.09	560.0	1.4	5.9	5	NMRV025	56A2	349	280			
	373.3	2.0	3.9	7.5			399				
	280.0	2.6	3.4	10			439				
	186.7	3.8	2.4	15			503				
	140.0	4.9	1.9	20			553				
	93.3	6.7	1.3	30			633				
	70.0	8.3	1.1	40			697				
	56.0	10	0.9	50			751				
	280.0	2.7	4.1	5			NMRV025		56B4	439	280
	186.7	3.9	2.8	7.5						503	
	140.0	5.1	2.4	10						553	
	93.3	7.3	1.6	15						633	
70.0	9.2	1.3	20	697							
46.7	12	1.1	30	798							
35.0	15	0.9	40	878							
560.0	1.4	8.8	5	NMRV030	56A2	474	281				
373.3	2.0	6.5	7.5			542					
280.0	2.6	5.0	10			597					
186.7	3.7	3.5	15			683					
140.0	4.8	2.5	20			752					
112.0	5.7	2.8	25			810					
93.3	6.5	2.3	30			861					
70.0	8.1	1.7	40			948					
56.0	10	1.4	50	1021							




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.09	46.7	11	1.1	60	NMRV030	56A2	1085	281
	35.0	13	0.9	80			1194	
	280.0	2.7	6.7	5	NMRV030	56B4	597	281
	186.7	3.9	4.6	7.5			683	
	140.0	5.0	3.6	10			752	
	93.3	7.1	2.5	15			861	
	70.0	9.0	2.0	20			948	
	56.0	10	2.0	25			1021	
	46.7	12	1.7	30			1085	
	35.0	14	1.2	40			1194	
28.0	17	1.0	50	1286				
23.3	19	0.9	60	1367				
180.0	4.1	4.9	5	NMRV030	63A6	692	281	
120.0	5.9	3.4	7.5			792		
90.0	7.6	2.6	10			871		
60.0	11	1.9	15			997		
45.0	13	1.5	20			1098		
36.0	15	1.5	25			1183		
30.0	17	1.2	30			1257		
22.5	21	1.0	40			1383		
18.0	24	0.7	50			1490		
28.0	20	1.6	100			NMRV025/030		56A2
18.7	25	1.1	150	1472				
14.0	33	0.9	200	1620				
14.0	38	0.8	100	NMRV025/030	56B4	1620	296	
9.3	49	0.6	150			1830		
7.0	62	0.5	200			1830		
5.6	66	0.5	250			1830		
4.7	75	0.4	300			1830		
3.5	107	0.3	400			1830		
2.8	115	0.3	500			1830		
2.3	135	0.2	600			1830		
1.9	151	0.2	750			1830		
1.6	178	0.2	900			1830		
1.2	212	0.1	1200			1830		
0.9	247	0.1	1500			1830		
0.78	304	0.1	1800			1830		
0.58	340	0.1	2400			1830		
0.47	405	0.1	3000			1830		
28.0	19	2.0	50	NMRV040	56B4	2475	282	
23.3	21	1.7	60			2630		
17.5	26	1.3	80			2895		
14.0	29	1.0	100			3118		
30.0	19	2.6	30	NMRV040	63A6	2419	282	
22.5	24	1.9	40			2662		
18.0	27	1.5	50			2868		
15.0	31	1.3	60			3047		
11.3	37	1.0	80			3354		
9.0	41	0.8	100			3490		
12.0	47	1.3	75			PC063+NMRV040		63A6
10.0	51	1.4	90	3488				
7.5	62	1.1	120	3490				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)																																																																																																																																																																																																																																																																														
0.09	6.0	72	0.8	150	PC063+NMRV040	63A6	3490	291																																																																																																																																																																																																																																																																													
	5.0	79	0.7	180			3490		9.3	45	1.6	300	NMRV025/040	56A2	3490	296	7.0	54	1.2	400	3490	5.6	77	0.8	500	3490	4.7	88	0.8	300	NMRV030/040	56B4	3490	297	15.0	32	2.3	60	NMRV050	63A6	4183	283	11.3	37	1.8	80	4604	9.0	42	1.3	100	4840	6.0	73	1.6	150	PC063+NMRV050	63A6	4840	291	5.0	81	1.3	180	4840	3.8	94	0.9	240	4840	3.0	106	0.7	300	4840	3.5	107	1.2	400	NMRV030/050	56B4	4840	297	2.8	123	1.0	500	4840	2.3	159	0.9	600	4840	1.9	185	0.8	750	4840	1.6	212	0.7	900	4840	3.8	99	1.7	240	PC063+NMRV063	63A6	6270	292	3.0	109	1.4	300	6270	1.6	200	1.0	900	NMRV030/063	56B4	6270	297	1.2	263	0.9	1200	6270	0.93	305	0.7	1500	6270	0.9	360	1.1	1500	NMRV040/075	56B4	7380	298	0.78	404	1.0	1800	7380	0.58	496	0.7	2400	7380	0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	0.35	548	0.8	4000	8180	0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280	373.3	2.7	3.0	7.5	399	280.0	3.5	2.6	10	439	186.7	5.0	1.8	15	503	140.0	6.5	1.4	20	553	93.3	9.0	1.0	30	633	70.0	11	0.8	40	697	280.0	3.6	5.1	5	NMRV030	63A4	597	281	186.7	5.2	3.4	7.5	683	140.0	6.7	2.7	10	752	93.3	9.5	1.9	15	861	70.0	12	1.5	20	948	56.0	14	1.5	25	1021	46.7	16	1.3	30	1085	35.0	19	0.9	40	1194	28.0	23	0.8	50	1286	180.0	5.4	3.7	5	NMRV030	63B6	692	281	120.0	7.9	2.5	7.5	792	90.0	10	2.0	10	871	60.0	14	1.4	15	997	45.0	18
	9.3	45	1.6	300	NMRV025/040	56A2	3490	296																																																																																																																																																																																																																																																																													
	7.0	54	1.2	400			3490																																																																																																																																																																																																																																																																														
	5.6	77	0.8	500			3490		4.7	88	0.8	300	NMRV030/040	56B4	3490	297	15.0	32	2.3	60	NMRV050	63A6	4183	283	11.3	37	1.8	80	4604	9.0	42	1.3	100	4840	6.0	73	1.6	150	PC063+NMRV050	63A6	4840	291	5.0	81	1.3	180	4840	3.8	94	0.9	240	4840	3.0	106	0.7	300			4840		3.5	107	1.2	400	NMRV030/050	56B4	4840	297	2.8	123	1.0	500	4840	2.3	159	0.9	600	4840	1.9			185		0.8	750	4840	1.6	212	0.7	900	4840	3.8	99	1.7	240	PC063+NMRV063	63A6	6270	292	3.0	109	1.4	300	6270	1.6	200	1.0	900	NMRV030/063	56B4	6270	297	1.2	263	0.9	1200	6270	0.93	305	0.7	1500	6270	0.9	360	1.1	1500	NMRV040/075	56B4	7380	298	0.78	404	1.0	1800	7380	0.58	496	0.7	2400	7380	0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	0.35	548	0.8	4000	8180	0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280	373.3	2.7	3.0		7.5	399	280.0	3.5			2.6		10	439	186.7	5.0	1.8	15	503	140.0	6.5	1.4	20	553	93.3	9.0	1.0	30	633	70.0	11	0.8	40	697	280.0	3.6	5.1	5	NMRV030	63A4	597	281	186.7	5.2	3.4	7.5			683		140.0	6.7	2.7	10	752	93.3	9.5	1.9	15	861	70.0	12	1.5	20	948	56.0	14	1.5	25	1021	46.7	16	1.3	30	1085	35.0	19	0.9	40	1194	28.0	23	0.8	50	1286	180.0	5.4	3.7	5	NMRV030	63B6	692	281	120.0			7.9		2.5	7.5	792	90.0	10	2.0	10	871	60.0	14	1.4	15	997	45.0	18	1.1	20
	4.7	88	0.8	300	NMRV030/040	56B4	3490	297																																																																																																																																																																																																																																																																													
	15.0	32	2.3	60			NMRV050		63A6	4183	283																																																																																																																																																																																																																																																																										
	11.3	37	1.8	80	4604																																																																																																																																																																																																																																																																																
	9.0	42	1.3	100	4840	6.0		73		1.6		150	PC063+NMRV050	63A6	4840	291	5.0	81	1.3	180	4840	3.8	94	0.9	240	4840	3.0	106	0.7	300	4840	3.5	107	1.2	400	NMRV030/050	56B4	4840	297	2.8	123	1.0	500	4840	2.3	159	0.9	600	4840	1.9	185	0.8	750	4840	1.6	212	0.7	900	4840	3.8	99	1.7	240	PC063+NMRV063			63A6		6270	292	3.0	109	1.4	300	6270	1.6	200	1.0	900	NMRV030/063	56B4	6270	297	1.2	263	0.9	1200	6270	0.93	305	0.7	1500	6270	0.9	360	1.1	1500	NMRV040/075	56B4	7380	298	0.78	404	1.0	1800	7380	0.58	496	0.7	2400	7380	0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	0.35	548	0.8	4000	8180	0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280	373.3	2.7	3.0	7.5	399	280.0	3.5	2.6	10	439	186.7	5.0	1.8	15	503	140.0	6.5	1.4	20	553		93.3	9.0	1.0	30			633		70.0	11	0.8		40	697	280.0	3.6			5.1		5	NMRV030	63A4	597	281	186.7	5.2	3.4	7.5	683	140.0	6.7	2.7	10	752	93.3	9.5	1.9	15	861	70.0	12	1.5	20	948	56.0			14		1.5	25	1021	46.7			16		1.3	30	1085	35.0	19	0.9	40	1194	28.0	23	0.8	50	1286	180.0	5.4	3.7	5	NMRV030	63B6	692	281	120.0	7.9	2.5	7.5	792	90.0	10	2.0	10	871	60.0	14	1.4	15	997	45.0	18	1.1			20		1098																					
	6.0	73	1.6	150	PC063+NMRV050	63A6	4840	291																																																																																																																																																																																																																																																																													
	5.0	81	1.3	180			4840																																																																																																																																																																																																																																																																														
	3.8	94	0.9	240			4840																																																																																																																																																																																																																																																																														
	3.0	106	0.7	300			4840		3.5	107	1.2	400	NMRV030/050	56B4	4840	297	2.8	123	1.0	500	4840	2.3	159	0.9	600	4840	1.9	185	0.8	750	4840	1.6	212	0.7	900			4840		3.8	99	1.7	240	PC063+NMRV063	63A6	6270	292	3.0	109	1.4	300	6270	1.6	200	1.0	900	NMRV030/063	56B4	6270	297	1.2	263	0.9	1200	6270	0.93	305	0.7	1500	6270	0.9	360	1.1	1500	NMRV040/075	56B4	7380	298	0.78	404	1.0	1800	7380	0.58	496	0.7	2400	7380	0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	0.35	548	0.8	4000	8180	0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280	373.3	2.7	3.0	7.5	399	280.0	3.5	2.6	10	439	186.7	5.0	1.8	15		503	140.0	6.5	1.4			20		553	93.3	9.0	1.0	30	633	70.0	11	0.8	40	697	280.0	3.6	5.1	5	NMRV030	63A4	597	281	186.7		5.2	3.4	7.5	683			140.0		6.7	2.7	10		752	93.3	9.5	1.9	15	861	70.0	12	1.5			20		948	56.0	14	1.5	25	1021	46.7	16	1.3	30	1085	35.0	19	0.9	40	1194	28.0	23	0.8	50	1286			180.0		5.4	3.7	5	NMRV030	63B6	692	281	120.0	7.9	2.5	7.5	792	90.0	10	2.0	10	871	60.0	14	1.4	15	997	45.0	18	1.1			20		1098																																											
	3.5	107	1.2	400	NMRV030/050	56B4	4840	297																																																																																																																																																																																																																																																																													
	2.8	123	1.0	500			4840																																																																																																																																																																																																																																																																														
	2.3	159	0.9	600			4840																																																																																																																																																																																																																																																																														
	1.9	185	0.8	750			4840																																																																																																																																																																																																																																																																														
	1.6	212	0.7	900			4840		3.8	99	1.7	240	PC063+NMRV063	63A6	6270	292	3.0	109	1.4	300	6270	1.6	200	1.0	900	NMRV030/063	56B4	6270	297	1.2	263	0.9	1200	6270	0.93	305	0.7	1500	6270	0.9	360	1.1	1500	NMRV040/075	56B4	7380	298	0.78	404	1.0	1800	7380	0.58	496	0.7	2400	7380	0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	0.35	548	0.8	4000	8180	0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280	373.3	2.7	3.0	7.5	399	280.0	3.5	2.6	10	439	186.7	5.0	1.8	15	503	140.0	6.5	1.4	20	553	93.3	9.0		1.0	30	633	70.0			11		0.8	40	697	280.0	3.6	5.1	5	NMRV030	63A4	597	281	186.7	5.2	3.4		7.5	683	140.0	6.7	2.7	10	752	93.3	9.5	1.9	15	861	70.0	12	1.5	20	948	56.0	14	1.5	25	1021	46.7			16		1.3		30	1085	35.0	19	0.9	40	1194	28.0	23	0.8	50		1286	180.0	5.4	3.7	5	NMRV030	63B6	692	281	120.0	7.9	2.5	7.5	792	90.0	10	2.0	10	871	60.0	14	1.4	15	997	45.0	18	1.1	20	1098																																																																																		
3.8	99	1.7	240	PC063+NMRV063	63A6	6270	292																																																																																																																																																																																																																																																																														
3.0	109	1.4	300			6270		1.6	200	1.0	900	NMRV030/063	56B4	6270	297	1.2	263	0.9	1200	6270	0.93	305	0.7	1500	6270			0.9		360	1.1	1500	NMRV040/075	56B4	7380	298	0.78	404	1.0	1800	7380	0.58	496			0.7		2400	7380	0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	0.35	548	0.8	4000	8180	0.12	560.0	1.8	4.4	5	NMRV025	56B2	349		280	373.3	2.7	3.0			7.5		399	280.0	3.5	2.6	10	439	186.7	5.0	1.8	15	503	140.0	6.5	1.4	20	553	93.3	9.0	1.0	30	633	70.0		11	0.8	40	697			280.0		3.6	5.1	5	NMRV030	63A4	597	281			186.7		5.2	3.4	7.5		683	140.0	6.7	2.7	10	752	93.3	9.5	1.9	15	861	70.0	12	1.5	20	948	56.0	14	1.5	25	1021	46.7	16			1.3		30		1085	35.0	19	0.9	40	1194	28.0	23	0.8	50	1286		180.0	5.4	3.7	5	NMRV030			63B6		692	281	120.0	7.9	2.5	7.5	792	90.0	10	2.0	10	871	60.0	14	1.4	15	997	45.0	18	1.1	20	1098																																																																																
1.6	200	1.0	900	NMRV030/063	56B4	6270	297																																																																																																																																																																																																																																																																														
1.2	263	0.9	1200			6270																																																																																																																																																																																																																																																																															
0.93	305	0.7	1500			6270		0.9	360	1.1	1500	NMRV040/075	56B4	7380	298	0.78	404	1.0	1800	7380	0.58	496	0.7	2400	7380	0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	0.35	548	0.8	4000	8180	0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280	373.3	2.7	3.0	7.5	399	280.0	3.5	2.6	10	439	186.7	5.0	1.8	15	503		140.0	6.5	1.4	20			553			93.3	9.0	1.0			30		633	70.0	11	0.8	40	697	280.0	3.6	5.1	5	NMRV030	63A4	597	281	186.7	5.2	3.4	7.5	683	140.0	6.7	2.7		10	752	93.3	9.5	1.9	15	861	70.0	12	1.5	20			948				56.0		14	1.5	25		1021	46.7	16	1.3	30	1085	35.0	19	0.9	40	1194	28.0	23	0.8	50	1286	180.0	5.4	3.7	5	NMRV030	63B6	692	281	120.0	7.9	2.5	7.5		792	90.0	10	2.0	10	871	60.0	14	1.4	15	997		45.0	18	1.1	20		1098																																																																																																									
0.9	360	1.1	1500	NMRV040/075	56B4	7380	298																																																																																																																																																																																																																																																																														
0.78	404	1.0	1800			7380																																																																																																																																																																																																																																																																															
0.58	496	0.7	2400			7380		0.5	609	0.9	3000	NMRV040/090	56B4	8180	298	0.35	548	0.8	4000	8180	0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280	373.3	2.7	3.0	7.5	399	280.0	3.5	2.6	10		439	186.7	5.0	1.8			15		503	140.0	6.5	1.4	20	553	93.3	9.0	1.0	30	633	70.0	11	0.8	40		697	280.0	3.6	5.1			5			NMRV030	63A4	597			281		186.7	5.2	3.4	7.5	683	140.0	6.7	2.7	10	752			93.3		9.5	1.9	15	861	70.0	12	1.5	20		948	56.0	14	1.5	25	1021	46.7	16	1.3	30	1085			35.0				19		0.9	40	1194		28.0	23	0.8	50	1286	180.0	5.4	3.7	5	NMRV030	63B6	692	281	120.0	7.9	2.5	7.5	792	90.0	10			2.0		10	871	60.0	14		1.4	15	997	45.0	18	1.1	20	1098																																																																																																																			
0.5	609	0.9	3000	NMRV040/090	56B4	8180	298																																																																																																																																																																																																																																																																														
0.35	548	0.8	4000			8180		0.12	560.0	1.8	4.4	5	NMRV025	56B2	349	280	373.3	2.7	3.0	7.5		399	280.0	3.5	2.6			10		439	186.7	5.0	1.8	15	503	140.0	6.5	1.4		20	553	93.3	9.0			1.0		30	633	70.0	11	0.8	40	697	280.0	3.6	5.1	5	NMRV030	63A4	597	281		186.7	5.2	3.4	7.5			683					140.0	6.7	2.7		10	752	93.3	9.5	1.9	15	861	70.0	12	1.5	20			948		56.0	14	1.5	25	1021	46.7	16	1.3		30	1085	35.0	19	0.9	40	1194	28.0	23	0.8	50			1286		180.0	5.4	3.7	5	NMRV030	63B6	692		281	120.0	7.9	2.5	7.5	792	90.0	10	2.0			10		871	60.0	14	1.4	15	997	45.0	18	1.1	20	1098																																																																																																																																
0.12	560.0	1.8	4.4	5	NMRV025	56B2	349		280																																																																																																																																																																																																																																																																												
	373.3	2.7	3.0	7.5			399																																																																																																																																																																																																																																																																														
	280.0	3.5	2.6	10			439																																																																																																																																																																																																																																																																														
	186.7	5.0	1.8	15			503																																																																																																																																																																																																																																																																														
	140.0	6.5	1.4	20			553																																																																																																																																																																																																																																																																														
	93.3	9.0	1.0	30			633																																																																																																																																																																																																																																																																														
	70.0	11	0.8	40			697																																																																																																																																																																																																																																																																														
	280.0	3.6	5.1	5			NMRV030			63A4	597	281																																																																																																																																																																																																																																																																									
	186.7	5.2	3.4	7.5							683																																																																																																																																																																																																																																																																										
	140.0	6.7	2.7	10	752																																																																																																																																																																																																																																																																																
	93.3	9.5	1.9	15	861																																																																																																																																																																																																																																																																																
	70.0	12	1.5	20	948																																																																																																																																																																																																																																																																																
	56.0	14	1.5	25	1021																																																																																																																																																																																																																																																																																
	46.7	16	1.3	30	1085																																																																																																																																																																																																																																																																																
	35.0	19	0.9	40	1194																																																																																																																																																																																																																																																																																
	28.0	23	0.8	50	1286																																																																																																																																																																																																																																																																																
	180.0	5.4	3.7	5	NMRV030	63B6	692		281																																																																																																																																																																																																																																																																												
	120.0	7.9	2.5	7.5			792																																																																																																																																																																																																																																																																														
	90.0	10	2.0	10			871																																																																																																																																																																																																																																																																														
	60.0	14	1.4	15			997																																																																																																																																																																																																																																																																														
	45.0	18	1.1	20			1098																																																																																																																																																																																																																																																																														




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)																																																																																																																																																																																																																																																																																	
0.12	36.0	20	1.1	25	NMRV030	63B6	1183	281																																																																																																																																																																																																																																																																																
	30.0	23	0.9	30			1257			46.7	17	2.6	30	NMRV040	63A4	2087	282		35.0	21	1.9	40	2298		28.0	25	1.5	50	2475		23.3	28	1.3	60	2630		17.5	34	1.0	80	2895		14.0	38	0.8	100	3118		30.0	25	1.9	30	NMRV040	63B6	2419	282		22.5	32	1.4	40	2662		18.0	36	1.2	50	2868		15.0	41	0.9	60	3047		18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180	3490		12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7
	46.7	17	2.6	30	NMRV040	63A4	2087	282																																																																																																																																																																																																																																																																																
	35.0	21	1.9	40			2298																																																																																																																																																																																																																																																																																	
	28.0	25	1.5	50			2475																																																																																																																																																																																																																																																																																	
	23.3	28	1.3	60			2630																																																																																																																																																																																																																																																																																	
	17.5	34	1.0	80			2895																																																																																																																																																																																																																																																																																	
	14.0	38	0.8	100			3118			30.0	25	1.9	30	NMRV040	63B6	2419	282		22.5	32	1.4	40	2662		18.0	36	1.2	50	2868		15.0	41	0.9	60	3047		18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180	3490		12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300			NMRV030/050		63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																
	30.0	25	1.9	30	NMRV040	63B6	2419	282																																																																																																																																																																																																																																																																																
	22.5	32	1.4	40			2662																																																																																																																																																																																																																																																																																	
	18.0	36	1.2	50			2868																																																																																																																																																																																																																																																																																	
	15.0	41	0.9	60			3047			18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291		15.6	46	1.2	90	3011		11.7	57	0.9	120	3314		9.3	66	0.7	150	3490		7.8	74	0.6	180			3490			12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0			56		1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150			4840			5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																					
	18.7	42	1.2	75	PC063+NMRV040	63A4	2833	291																																																																																																																																																																																																																																																																																
	15.6	46	1.2	90			3011																																																																																																																																																																																																																																																																																	
	11.7	57	0.9	120			3314																																																																																																																																																																																																																																																																																	
	9.3	66	0.7	150			3490																																																																																																																																																																																																																																																																																	
	7.8	74	0.6	180			3490			12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291		10.0	68	1.1	90	3488		7.5	83	0.8	120	3490		23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80	4604		9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840			291			7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300	4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7			119		1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																									
	12.0	62	1.0	75	PC063+NMRV040	63B6	3283	291																																																																																																																																																																																																																																																																																
	10.0	68	1.1	90			3488																																																																																																																																																																																																																																																																																	
	7.5	83	0.8	120			3490			23.3	29	2.3	60	NMRV050	63A4	3610	283		17.5	35	1.9	80	3973		14.0	40	1.4	100	4280		22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80			4604			9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7			98	0.7	300		4840		12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0			97		1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																											
	23.3	29	2.3	60	NMRV050	63A4	3610	283																																																																																																																																																																																																																																																																																
	17.5	35	1.9	80			3973																																																																																																																																																																																																																																																																																	
	14.0	40	1.4	100			4280			22.5	32	2.6	40	NMRV050	63B6	3654	283		18.0	38	2.0	50	3936		15.0	42	1.7	60	4183		11.3	50	1.4	80			4604			9.0	56	1.0	100	4840		9.3	68	1.3	150	PC063+NMRV050	63A4	4840	291		7.8	75	1.1	180	4840		5.8	88	0.8	240	4840		4.7	98	0.7	300			4840			12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150			4840			5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7			119		1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																																													
	22.5	32	2.6	40	NMRV050	63B6	3654	283																																																																																																																																																																																																																																																																																
	18.0	38	2.0	50			3936																																																																																																																																																																																																																																																																																	
	15.0	42	1.7	60			4183																																																																																																																																																																																																																																																																																	
	11.3	50	1.4	80			4604																																																																																																																																																																																																																																																																																	
	9.0	56	1.0	100			4840																																																																																																																																																																																																																																																																																	
	9.3	68	1.3	150			PC063+NMRV050		63A4	4840	291																																																																																																																																																																																																																																																																													
	7.8	75	1.1	180	4840																																																																																																																																																																																																																																																																																			
	5.8	88	0.8	240	4840																																																																																																																																																																																																																																																																																			
	4.7	98	0.7	300	4840			12.0		63		1.7	75	PC063+NMRV050	63B6	4506	291		10.0	70	2.1	90	4788		7.5	84	1.5	120	4840		6.0	97	1.2	150	4840		5.0	108	1.0	180	4840		3.8	125	0.7	240	4840		4.7	119	1.2	300	NMRV030/050	63A4	4840	297		3.5	142	0.9	400	4840		2.8	164	0.7	500	4840		5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																																																																																																																					
	12.0	63	1.7	75	PC063+NMRV050	63B6	4506	291																																																																																																																																																																																																																																																																																
	10.0	70	2.1	90			4788																																																																																																																																																																																																																																																																																	
	7.5	84	1.5	120			4840																																																																																																																																																																																																																																																																																	
	6.0	97	1.2	150			4840																																																																																																																																																																																																																																																																																	
	5.0	108	1.0	180			4840																																																																																																																																																																																																																																																																																	
	3.8	125	0.7	240			4840																																																																																																																																																																																																																																																																																	
	4.7	119	1.2	300			NMRV030/050		63A4	4840	297																																																																																																																																																																																																																																																																													
	3.5	142	0.9	400	4840																																																																																																																																																																																																																																																																																			
	2.8	164	0.7	500	4840			5.8		92		1.5	240	PC063+NMRV063	63A4	6270	292		4.7	103	1.2	300	6270																																																																																																																																																																																																																																																																	
	5.8	92	1.5	240	PC063+NMRV063	63A4	6270	292																																																																																																																																																																																																																																																																																
	4.7	103	1.2	300			6270																																																																																																																																																																																																																																																																																	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.12	6.0	101	2.1	150	PC063+NMRV063	63B6	6270	292
	5.0	112	1.8	180			6270	
	3.8	131	1.3	240			6270	
	3.0	145	1.0	300			6270	
	2.8	171	1.3	500	NMRV030/063	63A4	6270	297
	2.3	208	1.1	600			6270	
	1.9	241	0.9	750			6270	
	1.6	325	1.2	900	NMRV040/075	63A4	7380	298
	1.2	399	0.9	1200			7380	
	0.8	547	0.9	1800	NMRV040/090	63A4	8180	298
	0.58	695	0.9	2400			8180	
	0.5	884	1.1	3000	NMRV050/105	63A4	10320	298
0.35	784	1.0	4000	10320				
0.28	928	0.76	5000	10320				
0.5	884	1.2	3000	NMRV050/110	63A4	10320	299	
0.35	784	1.0	4000			10320		
0.28	928	0.80	5000			10320		
0.15	180.0	7	3.0	5	NMRV030	63C6	692	281
	120.0	10	2.0	7.5			792	
	90.0	13	1.6	10			871	
	60.0	18	1.1	15			997	
	45.0	22	0.9	20			1098	
	60.0	19	2.4	15	NMRV040	63C6	1920	282
	45.0	24	1.8	20			2113	
	36.0	29	1.5	25			2276	
	30.0	32	1.6	30			2419	
	22.5	39	1.1	40			2662	
	18.0	45	0.9	50			2868	
	18.0	47	1.6	50	NMRV050	63C6	3936	283
	15.0	53	1.4	60			4183	
	11.3	62	1.1	80			4604	
	10.0	87	1.7	90	PC063+NMRV050	63C6	4788	291
	7.5	105	1.2	120			4840	
	6.0	127	1.7	150	PC063+NMRV063	63C6	6270	292
	5.0	140	1.4	180			6270	
0.18	560.0	2.7	4.4	5	NMRV030	63A2	474	281
	373.3	4.0	3.2	7.5			542	
	280.0	5.2	2.5	10			597	
	186.7	7.5	1.7	15			683	
	140.0	10	1.3	20			752	
	112.0	11	1.4	25			810	
	93.3	13	1.1	30			861	
	70.0	16	0.9	40			948	
	280.0	5.3	3.4	5	NMRV030	63B4	597	281
	186.7	7.8	2.3	7.5			683	
	140.0	10	1.8	10			752	
	93.3	14	1.3	15			861	
	70.0	18	1.0	20			948	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	56.0	21	1.0	25	NMRV030	63B4	1021	281
	46.7	24	0.8	30			1085	
	93.3	14	2.4	30	NMRV040	63A2	1657	282
	70.0	18	1.8	40			1824	
	56.0	21	1.4	50			1964	
	70.0	19	2.0	20	NMRV040	63B4	1824	282
	56.0	23	1.7	25			1964	
	46.7	26	1.7	30			2087	
	35.0	32	1.3	40			2298	
	28.0	38	1.0	50			2475	
	23.3	43	0.8	60			2630	
	45.0	29	1.5	20			NMRV040	
	36.0	34	1.3	25	2276			
	30.0	38	1.3	30	2419			
	22.5	47	1.0	40	2662			
	18.7	64	0.8	75	PC063+NMRV040	63B4	2833	291
	15.6	70	0.8	90			3011	
	11.7	85	0.6	120			3314	
46.7	24	2.1	60	NMRV050	63A2	2865	283	
35.0	30	1.5	80			3153		
28.0	34	1.2	100			3397		
35.0	33	2.3	40	NMRV050	63B4	3153	283	
28.0	39	1.9	50			3397		
23.3	43	1.6	60			3610		
17.5	52	1.2	80			3973		
14.0	60	0.9	100			4280		
18.0	56	1.4	50			NMRV050		71A6
15.0	63	1.1	60	4183				
11.3	75	0.9	80	4604				
18.7	64	1.4	75	PC063+NMRV050	63B4	3889	291	
15.6	71	1.5	90			4132		
11.7	87	1.1	120			4548		
9.3	101	0.9	150			4840		
7.8	113	0.7	180			4840		
5.8	133	0.6	240			4840		
12.0	95	1.2	75			PC071+NMRV050		71A6
10.0	105	1.4	90	4788				
7.5	126	1.0	120	4840				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.18	15.0	66	2.1	60	NMRV063	71A6	5467	284
	11.3	79	1.6	80			6018	
	9.0	90	1.4	100			6270	
	9.3	103	1.7	150	PC063+NMRV063	63B4	6270	292
	7.8	117	1.4	180			6270	
	5.8	139	1.0	240			6270	
	4.7	155	0.8	300			6270	
	12.0	97	2.2	75	PC071+NMRV063	71A6	5889	292
	10.0	107	2.4	90			6259	
	7.5	131	1.8	120			6270	
	6.0	152	1.4	150			6270	
	5.0	168	1.2	180			6270	
	3.8	197	0.9	240			6270	
	3.0	218	0.7	300			6270	
	3.5	222	1.0	400	NMRV030/063	63B4	6270	297
	2.8	257	0.8	500			6270	
	5.0	179	1.7	180	PC071+NMRV075	71A6	7380	293
	3.8	211	1.2	240			7380	
3.0	235	1.0	300	7380				
2.3	362	1.1	600	NMRV040/075	63B4	7380	298	
1.9	435	0.9	750			7380		
1.6	487	0.8	900			7380		
1.2	629	1.0	1200	NMRV040/090	63B4	8180	298	
0.93	735	0.8	1500			8180		
0.8	861	1.3	1800	NMRV050/105	63B4	10320	298	
0.58	1113	0.9	2400			10320		
0.8	861	1.5	1800	NMRV050/110	63B4	10320	299	
0.58	1113	1.1	2400			10320		
0.22	280.0	7	2.8	5	NMRV030	63C4	597	281
	186.7	10	1.9	7.5			683	
	140.0	12	1.5	10			752	
	93.3	17	1.0	15			861	
	70.0	22	0.8	20			948	
	93.3	18	2.2	15	NMRV040	63C4	1657	282
	70.0	23	1.7	20			1824	
	56.0	28	1.4	25			1964	
	46.7	32	1.4	30			2087	
	35.0	39	1.1	40			2298	
	28.0	47	0.8	50			2475	
	28.0	47	1.5	50	NMRV050	63C4	3397	283
	23.3	53	1.3	60			3610	
	17.5	64	1.0	80			3973	
	18.7	78	1.2	75	PC063+NMRV050	63C4	3889	291
	15.6	86	1.2	90			4132	
	11.7	106	0.9	120			4548	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.22	9.3	126	1.4	150	PC063+NMRV063	63C4	6270	292
	7.8	143	1.1	180			6270	
	4.7	210	1.1	300	NMRV030/063	63C4	6270	297
	3.5	271	0.8	400			6270	
0.25	560.0	3.8	3.2	5	NMRV030	63B2	474	281
	373.3	5.6	2.3	7.5			542	
	280.0	7.2	1.8	10			597	
	186.7	10	1.3	15			683	
	140.0	13	0.9	20			752	
	112.0	16	1.0	25			810	
	93.3	18	0.8	30			861	
	280.0	8	4.5	5			NMRV040	
	186.7	11	3.6	7.5	1315			
	140.0	14	2.8	10	1447			
	93.3	21	1.9	15	1657			
	70.0	27	1.5	20	1824			
	56.0	32	1.2	25	1964			
	46.7	36	1.3	30	2087			
	35.0	44	0.9	40	2298			
	180.0	12	3.5	5	NMRV040	71B6	1331	282
	120.0	17	2.6	7.5			1524	
	90.0	22	2.0	10			1677	
	60.0	31	1.4	15			1920	
	45.0	40	1.1	20			2113	
	36.0	48	0.9	25			2276	
	30.0	53	0.9	30			2419	
	35.0	42	1.1	80			NMRV050	
	28.0	48	0.8	100	3397			
	70.0	27	2.7	20	NMRV050	71A4	2503	283
	56.0	32	2.2	25			2696	
	46.7	37	2.3	30			2865	
	35.0	46	1.7	40			3153	
28.0	54	1.4	50	3397				
23.3	60	1.1	60	3610				
17.5	72	0.9	80	3973				
45.0	40	1.9	20	NMRV050			71B6	
36.0	48	1.5	25		3124			
30.0	54	1.7	30		3320			
22.5	67	1.2	40		3654			
18.0	78	1.0	50		3936			
15.0	88	0.8	60		4183			



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.25	18.7	88	1.0	75	PC071+NMRV050	71A4	3889	292
	15.6	98	1.1	90			4132	
	11.7	121	0.8	120			4548	
	28.0	56	2.4	50	NMRV063	71A4	4440	284
	23.3	63	2.0	60			4719	
	17.5	78	1.6	80			5193	
	14.0	87	1.4	100			5595	
	18.0	81	1.8	50	NMRV063	71B6	5145	284
	15.0	92	1.5	60			5467	
	11.3	110	1.2	80			6018	
	9.0	125	1.0	100			6270	
	18.7	91	1.8	75	PC071+NMRV063	71A4	5083	292
	15.6	100	2.0	90			5401	
	11.7	125	1.5	120			5945	
	9.3	143	1.2	150			6270	
	7.8	163	1.0	180			6270	
	5.8	192	0.7	240			6270	
	4.7	215	0.6	300			6270	
	12.0	135	1.6	75			PC071+NMRV063	
	10.0	148	1.8	90	6259			
	7.5	181	1.3	120	6270			
	6.0	211	1.0	150	6270			
	7.0	159	1.4	400	NMRV030/063	63B2	6270	297
	5.6	185	1.2	500			6270	
	17.5	82	2.3	80	NMRV075	71A4	6130	285
	14.0	94	1.9	100			6603	
	11.3	117	1.7	80	NMRV075	71B6	7103	285
	9.0	133	1.4	100			7380	
	9.3	151	1.7	150	PC071+NMRV075	71A4	7380	293
	7.8	172	1.4	180			7380	
	5.8	201	1.1	240			7380	
	4.7	230	0.9	300			7380	
	12.0	139	2.4	75	PC071+NMRV075	71B6	6952	293
	10.0	155	2.5	90			7380	
	7.5	191	1.9	120			7380	
	6.0	219	1.5	150			7380	
	5.0	248	1.2	180			7380	
	3.5	336	1.1	400			NMRV040/075	
	2.8	384	0.8	500	7380			
	5.0	263	1.9	180	PC071+NMRV090	71B6	8180	293
	3.8	318	1.4	240			8180	
	3.0	358	1.1	300			8180	
	2.3	512	1.2	600	NMRV040/090	71A4	8180	298
	1.9	598	0.9	750			8180	
	1.6	667	0.8	900			8180	
	1.2	943	1.1	1200	NMRV050/105	71A4	10320	298
	0.93	1064	1.0	1500			10320	
	0.78	1195	0.9	1800			10320	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)		
0.25	1.2	943	1.3	1200	NMRV050/110	71A4	10320	299	
	0.93	1064	1.2	1500			10320		
	0.78	1195	1.1	1800			10320		
		0.6	1624	1.0	2400	NMRV063/130	71A4	13500	299
		0.47	1935	0.8	3000			13500	
		0.35	2046	0.6	4000			13500	
		0.28	2430	0.5	5000			13500	
		0.8	1199	1.8	1800	NMRV063/150	71A4	18000	299
		0.6	1446	1.8	2400			18000	
		0.5	1713	1.4	3000			18000	
		0.4	2026	0.9	4000			18000	
		0.3	2251	0.7	5000			18000	
0.37	560.0	5.6	2.1	5	NMRV030	63C2	474	281	
	373.3	8.2	1.6	7.5			542		
	280.0	11	1.2	10			597		
	186.7	15	0.8	15			683		
		560.0	5.7	4.2	5	NMRV040	71A2	912	282
		373.3	8.4	3.3	7.5			1044	
		280.0	11	2.6	10			1149	
		186.7	16	1.9	15			1315	
		140.0	21	1.4	20			1447	
		112.0	25	1.1	25			1559	
		280.0	11	3.0	5	NMRV040	71B4	1149	282
		186.7	16	2.4	7.5			1315	
140.0		21	1.9	10	1447				
93.3		31	1.3	15	1657				
70.0		39	1.0	20	1824				
56.0		47	0.8	25	1964				
46.7		53	0.8	30	2087				
		112.0	25	2.0	25			NMRV050	
	93.3	29	2.2	30	2274				
	70.0	37	1.6	40	2503				
	56.0	44	1.2	50	2696				
	46.7	50	1.0	60	2865				
	35.0	62	0.7	80	3153				
		140.0	22	3.3	10	NMRV050	71B4		1987
93.3		31	2.4	15	2274				
70.0		40	1.8	20	2503				
56.0		48	1.5	25	2696				
46.7		55	1.5	30	2865				
35.0		68	1.1	40	3153				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)																																																																																																																																																																																																																																																																																																						
0.37	28.0	80	0.9	50	NMRV050	71B4	3397	283																																																																																																																																																																																																																																																																																																					
	23.3	89	0.8	60			3610			180.0	17	4.3	5	NMRV050	80A6	1827	283		120.0	25	3.3	7.5	2091		90.0	33	2.5	10	2302		60.0	47	1.8	15	2635		45.0	60	1.3	20	2900		36.0	72	1.0	25	3124		30.0	80	1.1	30	3320		35.0	71	2.1	40	NMRV063	71B4	4122	284		28.0	83	1.6	50	4440		23.3	94	1.4	60	4719		17.5	115	1.1	80	5193		14.0	129	0.9	100	5595		45.0	60	2.4	20	NMRV063	80A6	3791	284		36.0	74	1.9	25	4084		30.0	82	2.1	30	4339		22.5	102	1.6	40	4776		18.0	120	1.2	50	5145		15.0	137	1.0	60	5467		18.7	134	1.2	75	PC071+NMRV063	71B4	5083	292		15.6	148	1.4	90	5401		11.7	185	1.0	120	5945		9.3	212	0.8	150	6270		9.3	181	1.3	300	NMRV030/063	63C2	6270	297		7.0	236	1.0	400	6270		23.3	98	2.0	60	NMRV075	71B4	5569	285		17.5	121	1.6	80	6130		14.0	139	1.3	100	6603		18.0	126	1.8	50	NMRV075	80A6	6073	285		15.0	144	1.5	60	6453		11.3	173	1.2	80	7103		9.0	196	1.0	100	7380		18.7	138	1.8	75	PC071+NMRV075	71B4	6000	293		15.6	154	1.9	90	6375		11.7	191	1.5	120	7017		9.3	223	1.1	150	7380		7.8	254	0.9	180	7380		12.0	206	1.6	75	PC080+NMRV075	80A6	6952	293		10.0	230	1.7	90	7380		7.5	283	1.3	120	7380		6.0	324	1.0	150	7380		4.7	405	1.0	300	NMRV040/075	71B4	7380	298		3.5	498	0.7	400	7380		11.3	185	1.7	80	NMRV090	80A6	7859	286		9.0
	180.0	17	4.3	5	NMRV050	80A6	1827	283																																																																																																																																																																																																																																																																																																					
	120.0	25	3.3	7.5			2091																																																																																																																																																																																																																																																																																																						
	90.0	33	2.5	10			2302																																																																																																																																																																																																																																																																																																						
	60.0	47	1.8	15			2635																																																																																																																																																																																																																																																																																																						
	45.0	60	1.3	20			2900																																																																																																																																																																																																																																																																																																						
	36.0	72	1.0	25			3124																																																																																																																																																																																																																																																																																																						
	30.0	80	1.1	30			3320																																																																																																																																																																																																																																																																																																						
	35.0	71	2.1	40			NMRV063		71B4	4122	284																																																																																																																																																																																																																																																																																																		
	28.0	83	1.6	50	4440																																																																																																																																																																																																																																																																																																								
	23.3	94	1.4	60	4719																																																																																																																																																																																																																																																																																																								
	17.5	115	1.1	80	5193																																																																																																																																																																																																																																																																																																								
	14.0	129	0.9	100	5595																																																																																																																																																																																																																																																																																																								
	45.0	60	2.4	20	NMRV063	80A6	3791	284																																																																																																																																																																																																																																																																																																					
	36.0	74	1.9	25			4084																																																																																																																																																																																																																																																																																																						
	30.0	82	2.1	30			4339																																																																																																																																																																																																																																																																																																						
	22.5	102	1.6	40			4776																																																																																																																																																																																																																																																																																																						
	18.0	120	1.2	50			5145																																																																																																																																																																																																																																																																																																						
	15.0	137	1.0	60			5467																																																																																																																																																																																																																																																																																																						
	18.7	134	1.2	75	PC071+NMRV063	71B4	5083	292																																																																																																																																																																																																																																																																																																					
	15.6	148	1.4	90			5401																																																																																																																																																																																																																																																																																																						
	11.7	185	1.0	120			5945																																																																																																																																																																																																																																																																																																						
	9.3	212	0.8	150			6270																																																																																																																																																																																																																																																																																																						
	9.3	181	1.3	300	NMRV030/063	63C2	6270	297																																																																																																																																																																																																																																																																																																					
	7.0	236	1.0	400			6270																																																																																																																																																																																																																																																																																																						
	23.3	98	2.0	60	NMRV075	71B4	5569	285																																																																																																																																																																																																																																																																																																					
	17.5	121	1.6	80			6130																																																																																																																																																																																																																																																																																																						
	14.0	139	1.3	100			6603																																																																																																																																																																																																																																																																																																						
	18.0	126	1.8	50	NMRV075	80A6	6073	285																																																																																																																																																																																																																																																																																																					
	15.0	144	1.5	60			6453																																																																																																																																																																																																																																																																																																						
	11.3	173	1.2	80			7103																																																																																																																																																																																																																																																																																																						
	9.0	196	1.0	100			7380																																																																																																																																																																																																																																																																																																						
	18.7	138	1.8	75	PC071+NMRV075	71B4	6000	293																																																																																																																																																																																																																																																																																																					
	15.6	154	1.9	90			6375																																																																																																																																																																																																																																																																																																						
	11.7	191	1.5	120			7017																																																																																																																																																																																																																																																																																																						
	9.3	223	1.1	150			7380																																																																																																																																																																																																																																																																																																						
	7.8	254	0.9	180			7380																																																																																																																																																																																																																																																																																																						
	12.0	206	1.6	75	PC080+NMRV075	80A6	6952	293																																																																																																																																																																																																																																																																																																					
	10.0	230	1.7	90			7380																																																																																																																																																																																																																																																																																																						
	7.5	283	1.3	120			7380																																																																																																																																																																																																																																																																																																						
	6.0	324	1.0	150			7380																																																																																																																																																																																																																																																																																																						
	4.7	405	1.0	300	NMRV040/075	71B4	7380	298																																																																																																																																																																																																																																																																																																					
	3.5	498	0.7	400			7380																																																																																																																																																																																																																																																																																																						
	11.3	185	1.7	80	NMRV090	80A6	7859	286																																																																																																																																																																																																																																																																																																					
	9.0	212	1.3	100			8180																																																																																																																																																																																																																																																																																																						




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.37	7.8	268	1.5	180	PC071+NMRV090	71B4	8180	293
	5.8	321	1.1	240			8180	
	4.7	371	0.9	300			8180	
	6.0	347	1.6	150	PC080+NMRV090	80A6	8180	294
	5.0	389	1.3	180			8180	
	3.8	471	1.0	240			8180	
	4.7	402	1.5	300	NMRV040/090	71B4	8180	298
	3.5	523	1.2	400			8180	
	2.8	611	0.9	500			8180	
	2.3	757	0.8	600			8180	
	3.8	509	1.5	240	PC080+NMRV105	80A6	10320	294
	3.0	577	1.2	300			10320	
	1.9	950	1.2	750	NMRV050/105	71B4	10320	298
	1.6	1079	1.0	900			10320	
	1.2	1396	0.7	1200			10320	
	3.8	509	1.6	240	PC080+NMRV110	80A6	10320	294
	3.0	577	1.3	300			10320	
	1.9	950	1.3	750	NMRV050/110	71B4	10320	299
1.6	1079	1.2	900	10320				
1.2	1396	0.8	1200	10320				
0.9	1674	1.1	1500	NMRV063/130	71B4	13500	299	
0.78	1887	0.9	1800			13500		
0.8	1775	1.2	1800	NMRV063/150	71B4	18000	299	
0.6	2141	1.2	2400			18000		
0.5	2535	0.9	3000			18000		
0.55	560.0	8.4	2.8	5	NMRV040	71B2	912	282
	373.3	13	2.2	7.5			1044	
	280.0	17	1.8	10			1149	
	186.7	24	1.3	15			1315	
	140.0	31	0.9	20			1447	
	112.0	37	0.8	25			1559	
	280.0	17	2.0	5			NMRV040	
	186.7	24	1.6	7.5	1315			
	140.0	32	1.3	10	1447			
	93.3	46	0.9	15	1657			
	140.0	31	1.7	20	NMRV050	71B2	1987	283
	112.0	38	1.4	25			2140	
	93.3	43	1.5	30			2274	
	70.0	55	1.1	40			2503	
	56.0	65	0.8	50			2696	
	46.7	74	0.7	60			2865	
	280.0	17	3.7	5			NMRV050	
	186.7	25	2.9	7.5	1805			



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	140.0	32	2.2	10	NMRV050	80A4	1987	283
	93.3	46	1.6	15			2274	
	70.0	59	1.2	20			2503	
	56.0	71	1.0	25			2696	
	46.7	81	1.0	30			2865	
	120.0	38	2.2	7.5	NMRV050	80B6	2091	283
	90.0	49	1.7	10			2302	
	60.0	69	1.2	15			2635	
	45.0	89	0.9	20			2900	
	70.0	56	1.9	40	NMRV063	71B2	3272	284
	56.0	67	1.5	50			3524	
	46.7	77	1.2	60			3745	
	35.0	95	0.9	80			4122	
	28.0	109	0.7	100			4440	
	70.0	61	2.2	20	NMRV063	80A4	3272	284
	56.0	73	1.8	25			3524	
	46.7	83	1.9	30			3745	
	35.0	105	1.4	40			4122	
	28.0	124	1.1	50			4440	
	23.3	140	0.9	60	4719			
	60.0	71	2.2	15	NMRV063	80B6	3444	284
	45.0	90	1.6	20			3791	
	36.0	109	1.3	25			4084	
	30.0	123	1.4	30			4339	
	22.5	152	1.1	40			4776	
	18.7	200	0.8	75	PC071+NMRV063	71C4	5083	292
	15.6	219	0.9	90			5401	
	35.0	99	1.3	80	NMRV075	71B2	4865	285
	28.0	114	1.0	100			5241	
	35.0	108	2.0	40	NMRV075	80A4	4865	285
	28.0	129	1.6	50			5241	
	23.3	146	1.4	60			5569	
	17.5	180	1.1	80			6130	
	14.0	206	0.9	100			6603	
	30.0	128	2.0	30	NMRV075	80B6	5122	285
	22.5	159	1.5	40			5637	
	18.0	187	1.2	50			6073	
	15.0	214	1.0	60			6453	
	18.7	205	1.2	75	PC071+NMRV075	71C4	6000	293
	15.6	230	1.3	90			6375	
	11.7	284	1.0	120			7017	
	18.7	205	1.2	75	PC080+NMRV075	80A4	6000	293
	15.6	230	1.3	90			6375	
	11.7	284	1.0	120			7017	
	9.3	332	0.8	150			7380	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)																																																																																																																																																																																																																																																																									
0.55	12.0	306	1.1	75	PC080+NMRV075	80B6	6952	293																																																																																																																																																																																																																																																																								
	10.0	341	1.1	90			7380		17.5	189	1.5	80	NMRV090	80A4	6783	286	14.0	221	1.2	100	7306	18.0	198	2.0	50	NMRV090	80B6	6719	286	15.0	224	1.6	60	7140	11.3	275	1.1	80	7859	9.0	315	0.9	100	8180	15.6	240	2.3	90	PC080+NMRV090	80A4	7054	294	11.7	297	1.6	120	7764	9.3	355	1.3	150	8180	7.8	398	1.0	180	8180	10.0	357	2.0	90	PC080+NMRV090	80B6	8174	294	7.5	441	1.4	120	8180	6.0	516	1.1	150	8180	5.0	578	0.9	180	8180	9.3	306	2.0	300	NMRV040/090	71B2	8180	298	7.0	403	1.5	400	8180	5.6	470	1.2	500	8180	17.5	201	2.4	80	NMRV105	80A4	8571	287	14.0	236	1.9	100	9232	11.3	294	1.8	80	NMRV105	80B6	9931	287	9.0	338	1.4	100	10320	7.8	425	1.7	180	PC080+NMRV105	80A4	10320	294	5.8	513	1.2	240	10320	4.7	597	1.0	300	10320	7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294	6.0	552	1.8	150	10320	5.0	620	1.5	180	10320	3.8	756	1.0	240	10320	4.7	639	1.7	300	NMRV050/105	80A4	10320	298	3.5	826	1.2	400	10320	2.8	984	1.0	500	10320	2.3	1181	0.9	600	10320	1.9	1411	0.8	750	10320	17.5	201	2.6	80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7	597	1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180	10320	3.8	756	1.1	240	10320		
	17.5	189	1.5	80	NMRV090	80A4	6783	286																																																																																																																																																																																																																																																																								
	14.0	221	1.2	100			7306		18.0	198	2.0	50	NMRV090	80B6	6719	286	15.0	224	1.6	60	7140	11.3	275	1.1	80			7859		9.0	315	0.9	100	8180	15.6	240	2.3	90	PC080+NMRV090	80A4	7054	294	11.7	297	1.6	120	7764	9.3			355		1.3	150	8180	7.8	398	1.0	180	8180	10.0	357	2.0	90	PC080+NMRV090	80B6	8174	294	7.5	441	1.4			120		8180	6.0	516	1.1	150	8180	5.0	578	0.9	180	8180	9.3	306	2.0	300	NMRV040/090	71B2	8180	298			7.0		403	1.5	400	8180	5.6	470	1.2	500	8180	17.5	201	2.4	80	NMRV105	80A4	8571	287	14.0	236	1.9	100	9232	11.3	294	1.8	80	NMRV105	80B6	9931	287	9.0	338	1.4	100	10320	7.8	425	1.7	180	PC080+NMRV105			80A4		10320	294	5.8	513	1.2	240	10320	4.7	597	1.0	300	10320	7.5	462			2.2		120	PC080+NMRV105	80B6	10320	294	6.0	552	1.8	150	10320	5.0	620	1.5	180	10320	3.8	756	1.0	240			10320		4.7	639	1.7	300	NMRV050/105	80A4	10320	298	3.5	826	1.2	400	10320	2.8	984	1.0	500	10320	2.3	1181	0.9	600	10320	1.9	1411	0.8	750	10320	17.5	201	2.6	80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0			338		1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3			240		10320	4.7	597	1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0
	18.0	198	2.0	50	NMRV090	80B6	6719	286																																																																																																																																																																																																																																																																								
	15.0	224	1.6	60			7140																																																																																																																																																																																																																																																																									
	11.3	275	1.1	80			7859																																																																																																																																																																																																																																																																									
	9.0	315	0.9	100			8180																																																																																																																																																																																																																																																																									
	15.6	240	2.3	90			PC080+NMRV090		80A4	7054	294																																																																																																																																																																																																																																																																					
	11.7	297	1.6	120	7764																																																																																																																																																																																																																																																																											
	9.3	355	1.3	150	8180																																																																																																																																																																																																																																																																											
	7.8	398	1.0	180	8180	10.0		357		2.0		90	PC080+NMRV090	80B6	8174	294	7.5	441	1.4	120	8180	6.0	516	1.1	150	8180	5.0	578	0.9	180	8180	9.3	306	2.0	300	NMRV040/090	71B2	8180	298	7.0	403	1.5	400	8180	5.6	470	1.2	500	8180	17.5	201	2.4	80	NMRV105	80A4	8571	287	14.0	236	1.9	100	9232	11.3	294	1.8	80	NMRV105	80B6	9931	287	9.0	338	1.4	100	10320	7.8	425	1.7	180	PC080+NMRV105	80A4	10320	294	5.8	513	1.2	240	10320	4.7	597	1.0	300	10320	7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294	6.0	552	1.8	150	10320	5.0	620	1.5	180	10320	3.8	756	1.0	240	10320	4.7	639	1.7	300	NMRV050/105	80A4	10320	298	3.5	826	1.2	400	10320	2.8	984	1.0	500	10320	2.3	1181	0.9	600	10320	1.9	1411	0.8	750	10320	17.5	201	2.6	80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7	597	1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180	10320	3.8	756	1.1	240	10320																																																													
	10.0	357	2.0	90	PC080+NMRV090	80B6	8174	294																																																																																																																																																																																																																																																																								
	7.5	441	1.4	120			8180																																																																																																																																																																																																																																																																									
	6.0	516	1.1	150			8180																																																																																																																																																																																																																																																																									
	5.0	578	0.9	180			8180																																																																																																																																																																																																																																																																									
9.3	306	2.0	300	NMRV040/090			71B2		8180	298																																																																																																																																																																																																																																																																						
7.0	403	1.5	400		8180																																																																																																																																																																																																																																																																											
5.6	470	1.2	500		8180	17.5		201	2.4		80	NMRV105	80A4	8571	287	14.0	236	1.9	100	9232	11.3	294	1.8	80	NMRV105	80B6	9931	287	9.0	338	1.4	100	10320	7.8	425	1.7	180	PC080+NMRV105	80A4	10320	294	5.8	513	1.2	240	10320	4.7	597	1.0	300	10320	7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294	6.0	552	1.8	150	10320	5.0	620	1.5	180	10320	3.8	756	1.0	240	10320	4.7	639	1.7	300	NMRV050/105	80A4	10320	298	3.5	826	1.2	400	10320	2.8	984	1.0	500	10320	2.3	1181	0.9	600	10320	1.9	1411	0.8	750	10320	17.5	201	2.6	80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7	597	1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180	10320	3.8	756	1.1	240	10320																																																																																																							
17.5	201	2.4	80	NMRV105	80A4	8571	287																																																																																																																																																																																																																																																																									
14.0	236	1.9	100			9232		11.3	294	1.8	80	NMRV105	80B6	9931	287	9.0	338	1.4	100	10320	7.8	425	1.7	180	PC080+NMRV105	80A4	10320	294	5.8	513	1.2	240	10320	4.7	597	1.0	300			10320		7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294	6.0	552	1.8	150	10320	5.0			620		1.5	180	10320	3.8	756	1.0	240	10320	4.7	639	1.7	300	NMRV050/105	80A4	10320	298	3.5	826	1.2			400		10320	2.8	984	1.0	500	10320	2.3	1181	0.9	600	10320	1.9	1411	0.8	750	10320	17.5	201	2.6	80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294			5.8		513	1.3	240	10320	4.7	597	1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110			80B6		10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180	10320	3.8	756	1.1	240	10320																																																																																																					
11.3	294	1.8	80	NMRV105	80B6	9931	287																																																																																																																																																																																																																																																																									
9.0	338	1.4	100			10320		7.8	425	1.7	180	PC080+NMRV105	80A4	10320	294	5.8	513	1.2	240	10320	4.7	597	1.0	300			10320		7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294	6.0	552	1.8	150	10320	5.0	620	1.5	180			10320		3.8	756	1.0	240	10320	4.7	639	1.7	300	NMRV050/105	80A4	10320	298	3.5	826	1.2	400	10320	2.8	984	1.0	500			10320		2.3	1181	0.9			600		10320	1.9	1411	0.8	750	10320	17.5	201	2.6	80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7			597		1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0		620	1.6		180	10320		3.8	756	1.1	240	10320																																																																																																															
7.8	425	1.7	180	PC080+NMRV105	80A4	10320	294																																																																																																																																																																																																																																																																									
5.8	513	1.2	240			10320																																																																																																																																																																																																																																																																										
4.7	597	1.0	300			10320		7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294	6.0	552	1.8	150	10320	5.0	620	1.5	180	10320	3.8	756	1.0	240	10320	4.7	639			1.7		300	NMRV050/105	80A4	10320	298	3.5	826	1.2	400	10320	2.8	984	1.0	500	10320	2.3	1181	0.9	600	10320	1.9	1411			0.8		750	10320	17.5	201	2.6	80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7	597	1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180	10320	3.8	756	1.1	240	10320																																																																																																																																													
7.5	462	2.2	120	PC080+NMRV105	80B6	10320	294																																																																																																																																																																																																																																																																									
6.0	552	1.8	150			10320																																																																																																																																																																																																																																																																										
5.0	620	1.5	180			10320																																																																																																																																																																																																																																																																										
3.8	756	1.0	240			10320		4.7	639	1.7	300	NMRV050/105	80A4	10320	298	3.5	826	1.2	400	10320	2.8	984	1.0	500	10320	2.3	1181	0.9	600	10320	1.9	1411	0.8	750	10320	17.5	201			2.6		80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7	597	1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180	10320	3.8	756	1.1	240	10320																																																																																																																																																																							
4.7	639	1.7	300	NMRV050/105	80A4	10320	298																																																																																																																																																																																																																																																																									
3.5	826	1.2	400			10320																																																																																																																																																																																																																																																																										
2.8	984	1.0	500			10320																																																																																																																																																																																																																																																																										
2.3	1181	0.9	600			10320																																																																																																																																																																																																																																																																										
1.9	1411	0.8	750			10320		17.5	201	2.6	80	NMRV110	80A4	8571	288	14.0	236	2.0	100	9232	11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7	597	1.0	300	10320	7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180	10320	3.8	756	1.1	240	10320																																																																																																																																																																																																						
17.5	201	2.6	80	NMRV110	80A4	8571	288																																																																																																																																																																																																																																																																									
14.0	236	2.0	100			9232		11.3	294	1.9	80	NMRV110	80B6	9931	288	9.0	338	1.5	100	10320	7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7	597	1.0	300			10320		7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0			620		1.6	180	10320	3.8	756	1.1	240	10320																																																																																																																																																																																																													
11.3	294	1.9	80	NMRV110	80B6	9931	288																																																																																																																																																																																																																																																																									
9.0	338	1.5	100			10320		7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294	5.8	513	1.3	240	10320	4.7	597	1.0	300			10320		7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180			10320		3.8	756	1.1	240	10320																																																																																																																																																																																																																										
7.8	425	1.8	180	PC080+NMRV110	80A4	10320	294																																																																																																																																																																																																																																																																									
5.8	513	1.3	240			10320																																																																																																																																																																																																																																																																										
4.7	597	1.0	300			10320		7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294	6.0	552	2.0	150	10320	5.0	620	1.6	180	10320	3.8	756	1.1	240	10320																																																																																																																																																																																																																																																		
7.5	462	2.6	120	PC080+NMRV110	80B6	10320	294																																																																																																																																																																																																																																																																									
6.0	552	2.0	150			10320																																																																																																																																																																																																																																																																										
5.0	620	1.6	180			10320																																																																																																																																																																																																																																																																										
3.8	756	1.1	240			10320																																																																																																																																																																																																																																																																										



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.55	4.7	639	2.0	300	NMRV050/110	80A4	10320	299
	3.5	826	1.4	400			10320	
	2.8	984	1.1	500			10320	
	2.3	1181	1.0	600			10320	
	1.9	1411	0.9	750			10320	
	3.8	756	1.6	240	PC080+NMRV130	80B6	13500	295
	3.0	858	1.3	300			13500	
	2.8	996	1.6	500	NMRV063/130	80A4	13500	299
	1.9	1471	1.2	750			13500	
	1.2	2132	0.8	1200			13500	
0.8	2638	0.8	1800	NMRV063/150	80A4	18000	299	
0.6	3182	0.8	2400			18000		
0.75	560.0	12	2.1	5	NMRV040	71C2	912	282
	373.3	17	1.6	7.5			1044	
	280.0	23	1.3	10			1149	
	186.7	32	1.0	15			1315	
	560.0	12	3.9	5	NMRV050	80A2	1251	283
	373.3	17	3.0	7.5			1433	
	280.0	23	2.4	10			1577	
	186.7	33	1.7	15			1805	
	140.0	42	1.3	20			1987	
	112.0	51	1.0	25			2140	
	93.3	58	1.1	30			2274	
	280.0	23	2.7	5			NMRV050	
	186.7	34	2.1	7.5	1805			
	140.0	44	1.6	10	1987			
	93.3	63	1.2	15	2274			
	70.0	81	0.9	20	2503			
	140.0	43	2.3	20	NMRV063	80A2	2597	284
	112.0	52	1.8	25			2797	
	93.3	60	2.0	30			2973	
	70.0	77	1.4	40			3272	
	56.0	91	1.1	50			3524	
	46.7	104	0.9	60			3745	
	93.3	64	2.2	15			NMRV063	
	70.0	83	1.6	20	3272			
	56.0	100	1.3	25	3524			
	46.7	114	1.4	30	3745			
	35.0	143	1.0	40	4122			




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.75	120.0	52	2.9	7.5	NMRV063	90S6	2734	284
	90.0	68	2.3	10			3009	
	60.0	97	1.6	15			3444	
	45.0	123	1.2	20			3791	
	36.0	149	0.9	25			4084	
	30.0	167	1.0	30			4339	
46.7	109	1.3	60	NMRV075	80A2	4421	285	
28.0	156	0.8	100			5241		
56.0	102	2.0	25	NMRV075	80B4	4160	285	
46.7	117	2.0	30			4421		
35.0	147	1.5	40			4865		
28.0	177	1.2	50			5241		
23.3	200	1.0	60			5569		
60.0	98	2.4	15	NMRV075	90S6	4065	285	
45.0	126	1.9	20			4474		
36.0	153	1.4	25			4820		
30.0	174	1.5	30			5122		
22.5	216	1.1	40			5637		
18.7	280	0.9	75	PC080+NMRV075	80B4	6000	293	
15.6	313	1.0	90			6375		
35.0	141	1.6	80	NMRV090	80A2	5383	286	
28.0	166	1.2	100			5799		
28.0	184	1.8	50	NMRV090	80B4	5799	286	
23.3	212	1.5	60			6163		
17.5	258	1.1	80			6783		
14.0	302	0.9	100			7306		
30.0	179	2.6	30	NMRV090	90S6	5667	286	
22.5	226	1.8	40			6238		
18.0	271	1.4	50			6719		
15.0	306	1.1	60			7140		
15.6	327	1.7	90	PC080+NMRV090	80B4	7054	294	
11.7	405	1.2	120			7764		
9.3	483	0.9	150			8180		
7.8	543	0.7	180			8180		
7.0	549	1.1	400	NMRV040/090	71C2	8180	298	
5.6	642	0.9	500			8180		
17.5	274	1.8	80	NMRV105	80B4	8571	287	
14.0	322	1.4	100			9232		
15.0	325	1.9	60	NMRV105	90S6	9023	287	
11.3	401	1.3	80			9931		
9.0	462	1.1	100			10320		
11.7	430	1.9	120	PC080+NMRV105	80B4	9811	294	
9.3	506	1.6	150			10320		
7.8	580	1.2	180			10320		
5.8	700	0.9	240			10320		
12.4	393	2.8	73	PC090+NMRV105	90S6	9614	294	
9.3	508	2.0	96.8			10320		
7.4	607	1.6	121			10320		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)																																																																																																																																																																																																																																																																																																						
0.75	6.2	682	1.3	145.2	PC090+NMRV105	90S6	10320	294																																																																																																																																																																																																																																																																																																					
	4.6	832	0.9	193.6			10320			9.3	446	2.5	300	NMRV050/105	80A2	10320	298		7.0	563	1.8	400	10320		5.6	687	1.5	500	10320		4.7	871	1.3	300	NMRV050/105	80B4	10320	298		3.5	1126	0.9	400	10320		17.5	274	1.9	80	NMRV110	80B4	8571	288		14.0	322	1.5	100	9232		15.0	325	2.1	60	NMRV110	90S6	9023	288		11.3	401	1.4	80	9931		9.0	462	1.1	100	10320		11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294		9.3	506	1.7	150	10320		7.8	580	1.3	180	10320		5.8	700	0.9	240	10320		12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2	682	1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3	446	2.8	300	NMRV050/110	80A2	10320	299		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2
	9.3	446	2.5	300	NMRV050/105	80A2	10320	298																																																																																																																																																																																																																																																																																																					
	7.0	563	1.8	400			10320																																																																																																																																																																																																																																																																																																						
	5.6	687	1.5	500			10320			4.7	871	1.3	300	NMRV050/105	80B4	10320	298		3.5	1126	0.9	400	10320		17.5	274	1.9	80	NMRV110	80B4	8571	288		14.0	322	1.5	100	9232		15.0	325	2.1	60	NMRV110	90S6	9023	288		11.3	401	1.4	80	9931		9.0	462	1.1	100	10320		11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294		9.3	506	1.7	150	10320		7.8	580	1.3	180	10320		5.8	700	0.9	240			10320			12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2			682		1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3	446	2.8	300	NMRV050/110	80A2	10320	299		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121			13500			6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9			2005		0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600			18000			1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000		
	4.7	871	1.3	300	NMRV050/105	80B4	10320	298																																																																																																																																																																																																																																																																																																					
	3.5	1126	0.9	400			10320			17.5	274	1.9	80	NMRV110	80B4	8571	288		14.0	322	1.5	100	9232		15.0	325	2.1	60	NMRV110	90S6	9023	288		11.3	401	1.4	80	9931		9.0	462	1.1	100			10320			11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294		9.3	506	1.7	150	10320		7.8			580		1.3	180	10320		5.8	700	0.9	240	10320		12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294		9.3	508	2.3	96.8	10320		7.4			607		1.8	121	10320		6.2	682	1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3	446	2.8	300	NMRV050/110	80A2	10320	299		7.0	563	2.1	400	10320		5.6			687		1.6	500	10320		4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8			13500			7.4	607	2.6	121	13500		6.2	682	2.1	145.2			13500			4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3			1631		1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3			1529		1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000								
	17.5	274	1.9	80	NMRV110	80B4	8571	288																																																																																																																																																																																																																																																																																																					
	14.0	322	1.5	100			9232			15.0	325	2.1	60	NMRV110	90S6	9023	288		11.3	401	1.4	80	9931		9.0	462	1.1	100			10320			11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294		9.3	506	1.7	150	10320		7.8	580	1.3	180			10320			5.8	700	0.9	240	10320		12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294		9.3	508	2.3	96.8	10320		7.4	607	1.8	121			10320			6.2	682	1.5	145.2	10320		4.6			832		1.0	193.6	10320		9.3	446	2.8	300	NMRV050/110	80A2	10320	299		7.0	563	2.1	400	10320		5.6			687		1.6	500	10320		4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4			607		2.6	121	13500		6.2			682		2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9			2005		0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9			1783		1.3	750			18000			1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																	
	15.0	325	2.1	60	NMRV110	90S6	9023	288																																																																																																																																																																																																																																																																																																					
	11.3	401	1.4	80			9931																																																																																																																																																																																																																																																																																																						
	9.0	462	1.1	100			10320			11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294		9.3	506	1.7	150	10320		7.8	580	1.3	180	10320		5.8	700	0.9	240	10320		12.4			393		3.2	73	PC090+NMRV110	90S6	9614	294		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2	682	1.5	145.2	10320		4.6			832		1.0	193.6	10320		9.3	446	2.8	300	NMRV050/110	80A2	10320	299		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7			944		1.2	242	13500		2.8	1358	1.1	500			NMRV063/130		80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000			299			2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																					
	11.7	430	2.2	120	PC080+NMRV110	80B4	9811	294																																																																																																																																																																																																																																																																																																					
	9.3	506	1.7	150			10320																																																																																																																																																																																																																																																																																																						
	7.8	580	1.3	180			10320																																																																																																																																																																																																																																																																																																						
	5.8	700	0.9	240			10320			12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294		9.3	508	2.3	96.8	10320		7.4	607	1.8	121	10320		6.2	682	1.5	145.2	10320		4.6	832	1.0	193.6	10320		9.3			446		2.8	300	NMRV050/110	80A2	10320	299		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7			944		1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																									
	12.4	393	3.2	73	PC090+NMRV110	90S6	9614	294																																																																																																																																																																																																																																																																																																					
	9.3	508	2.3	96.8			10320																																																																																																																																																																																																																																																																																																						
	7.4	607	1.8	121			10320																																																																																																																																																																																																																																																																																																						
	6.2	682	1.5	145.2			10320																																																																																																																																																																																																																																																																																																						
	4.6	832	1.0	193.6			10320			9.3	446	2.8	300	NMRV050/110	80A2	10320	299		7.0	563	2.1	400	10320		5.6	687	1.6	500	10320		4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8			1358		1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																																																													
	9.3	446	2.8	300	NMRV050/110	80A2	10320	299																																																																																																																																																																																																																																																																																																					
	7.0	563	2.1	400			10320																																																																																																																																																																																																																																																																																																						
	5.6	687	1.6	500			10320			4.7	871	1.5	300	NMRV050/110	80B4	10320	299		3.5	1126	1.1	400	10320		11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121	13500		6.2	682	2.1	145.2			13500			4.6	832	1.5	193.6	13500		3.7	944	1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900			13500			2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6			2215		0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																																																																												
	4.7	871	1.5	300	NMRV050/110	80B4	10320	299																																																																																																																																																																																																																																																																																																					
	3.5	1126	1.1	400			10320			11.3	407	2.1	80	NMRV130	90S6	12989	289		9.0	470	1.7	100	13500		5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121			13500			6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6	13500		3.7	944	1.2	242			13500			2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9			2005		0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9			1783		1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																																																																																								
	11.3	407	2.1	80	NMRV130	90S6	12989	289																																																																																																																																																																																																																																																																																																					
	9.0	470	1.7	100			13500			5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295		4.7	813	1.1	300	13500		12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121			13500			6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6			13500			3.7	944	1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750			13500			1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750			18000			1.6	2215	0.9	900	18000		1.2			2680		1.0	1200	18000																																																																																																																																																																				
	5.8	712	1.4	240	PC080+NMRV130	80B4	13500	295																																																																																																																																																																																																																																																																																																					
	4.7	813	1.1	300			13500			12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295		9.3	508	3.2	96.8	13500		7.4	607	2.6	121			13500			6.2	682	2.1	145.2	13500		4.6	832	1.5	193.6			13500			3.7	944	1.2	242	13500		2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750			13500			1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750			18000			1.6	2215	0.9	900	18000		1.2	2680	1.0	1200			18000																																																																																																																																																																																				
	12.4	399	4.4	73	PC090+NMRV130	90S6	12575	295																																																																																																																																																																																																																																																																																																					
	9.3	508	3.2	96.8			13500																																																																																																																																																																																																																																																																																																						
	7.4	607	2.6	121			13500																																																																																																																																																																																																																																																																																																						
	6.2	682	2.1	145.2			13500																																																																																																																																																																																																																																																																																																						
	4.6	832	1.5	193.6			13500																																																																																																																																																																																																																																																																																																						
	3.7	944	1.2	242			13500			2.8	1358	1.1	500	NMRV063/130	80B4	13500	299		2.3	1631	1.0	600	13500		1.9	2005	0.9	750	13500		1.6	2283	0.8	900	13500		2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200	18000																																																																																																																																																																																																																																									
	2.8	1358	1.1	500	NMRV063/130	80B4	13500	299																																																																																																																																																																																																																																																																																																					
	2.3	1631	1.0	600			13500																																																																																																																																																																																																																																																																																																						
	1.9	2005	0.9	750			13500																																																																																																																																																																																																																																																																																																						
	1.6	2283	0.8	900			13500			2.8	1291	1.8	500	NMRV063/150	80B4	18000	299		2.3	1529	1.7	600	18000		1.9	1783	1.3	750	18000		1.6	2215	0.9	900	18000		1.2	2680	1.0	1200			18000																																																																																																																																																																																																																																																																		
	2.8	1291	1.8	500	NMRV063/150	80B4	18000	299																																																																																																																																																																																																																																																																																																					
	2.3	1529	1.7	600			18000																																																																																																																																																																																																																																																																																																						
	1.9	1783	1.3	750			18000																																																																																																																																																																																																																																																																																																						
	1.6	2215	0.9	900			18000																																																																																																																																																																																																																																																																																																						
	1.2	2680	1.0	1200			18000																																																																																																																																																																																																																																																																																																						




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.92	280.0	28	2.2	5	NMRV050	80C4	1577	283
	186.7	41	1.7	7.5			1805	
	140.0	54	1.3	10			1987	
	93.3	77	1.0	15			2274	
	140.0	55	2.4	10	NMRV063	80C4	2597	284
	93.3	78	1.8	15			2973	
	70.0	102	1.3	20			3272	
	56.0	122	1.1	25			3524	
	46.7	139	1.1	30			3745	
	35.0	176	0.8	40			4122	
	70.0	103	2.0	20	NMRV075	80C4	3862	285
	56.0	126	1.6	25			4160	
	46.7	143	1.6	30			4421	
	35.0	181	1.2	40			4865	
	28.0	217	1.0	50			5241	
	23.3	245	0.8	60			5569	
	18.7	344	0.7	75	PC080+NMRV075	80C4	6000	293
	15.6	384	0.8	90			6375	
	28.0	226	1.5	50	NMRV090	80C4	5799	286
	23.3	260	1.2	60			6163	
	17.5	316	0.9	80			6783	
	15.6	401	1.4	90	PC080+NMRV090	80C4	7054	294
	11.7	497	1.0	120			7764	
	9.3	593	0.8	150			8180	
	17.5	336	1.5	80	NMRV105	80C4	8571	287
	14.0	395	1.2	100			9232	
	18.7	367	2.2	75	PC080+NMRV105	80C4	8388	294
	11.7	527	1.5	120			9811	
	9.3	621	1.3	150			10320	
	7.8	712	1.0	180			10320	
	4.7	1069	1.0	300	NMRV050/105	80C4	10320	298
	3.5	1382	0.7	400			10320	
	17.5	336	1.5	80	NMRV110	80C4	8571	288
	14.0	395	1.2	100			9232	
	18.7	367	2.5	75	PC080+NMRV110	80C4	8388	294
	11.7	527	1.8	120			9811	
	9.3	621	1.4	150			10320	
	7.8	712	1.1	180			10320	
	4.7	1069	1.2	300	NMRV050/110	80C4	10320	299
	3.5	1382	0.9	400			10320	
	3.5	1398	1.2	400	NMRV063/130	80C4	13500	299
	2.8	1665	0.9	500			13500	
	7.8	712	1.5	180	PC080+NMRV130	80C4	13500	295
	5.8	874	1.1	240			13500	
	4.7	998	0.9	300			13500	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0.92	2.8	1583	1.5	500	NMRV063/150	80C4	18000	299
	2.3	1875	1.4	600			18000	
	1.9	2188	1.1	750			18000	
	1.6	2717	0.8	900			18000	
	1.2	3288	0.8	1200			18000	
1.1	560.0	17	2.6	5	NMRV050	80B2	1251	283
	373.3	25	2.1	7.5			1433	
	280.0	33	1.6	10			1577	
	186.7	48	1.2	15			1805	
	140.0	62	0.9	20			1987	
	186.7	48	2.1	15	NMRV063	80B2	2359	284
	140.0	63	1.6	20			2597	
	112.0	77	1.2	25			2797	
	93.3	88	1.4	30			2973	
	70.0	113	1.0	40			3272	
	120.0	76	2.0	7.5	NMRV063	90L6	2734	284
	90.0	99	1.5	10			3009	
	60.0	142	1.1	15			3444	
	45.0	180	0.8	20			3791	
	186.7	50	2.6	7.5	NMRV063	90S4	2359	284
	140.0	65	2.0	10			2597	
	93.3	93	1.5	15			2973	
	70.0	122	1.1	20			3272	
	56.0	146	0.9	25			3524	
	46.7	167	1.0	30			3745	
	112.0	78	1.9	25	NMRV075	80B2	3302	285
	93.3	90	1.9	30			3509	
	70.0	116	1.4	40			3862	
	56.0	139	1.1	50			4160	
	46.7	160	0.9	60			4421	
90.0	100	2.3	10	NMRV075	90L6	3551	285	
60.0	144	1.6	15			4065		
45.0	184	1.3	20			4474		
36.0	225	1.0	25			4820		
30.0	256	1.0	30			5122		
93.3	96	2.1	15	NMRV075	90S4	3509	285	
70.0	123	1.7	20			3862		
56.0	150	1.3	25			4160		
46.7	171	1.3	30			4421		
35.0	216	1.0	40			4865		
35.0	207	1.1	80	NMRV090	80B2	5383	286	
28.0	244	0.8	100			5799		
36.0	231	1.6	25	NMRV090	90L6	5333	286	
30.0	263	1.8	30			5667		
22.5	331	1.2	40			6238		
18.0	397	1.0	50			6719		
15.0	448	0.8	60			7140		




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.1	35.0	225	1.6	40	NMRV090	90S4	5383	286
	28.0	270	1.3	50			5799	
	23.3	311	1.0	60			6163	
	22.5	345	2.0	40	NMRV105	90L6	7882	287
	18.0	414	1.6	50			8491	
	15.0	476	1.3	60			9023	
	11.3	588	0.9	80			9931	
	28.0	281	2.1	50	NMRV105	90S4	7328	287
	23.3	324	1.7	60			7787	
	17.5	402	1.2	80			8571	
	14.0	473	1.0	100			9232	
	12.4	576	1.9	73	PC090+NMRV105	90L6	9614	294
	9.3	746	1.4	96.8			10320	
	7.4	890	1.1	121			10320	
	6.2	1000	0.9	145.2			10320	
	19.3	392	2.2	73	PC090+NMRV105	90S4	8298	294
	14.5	508	1.6	96.8			9133	
	11.6	599	1.3	121			9838	
	9.6	686	1.0	145.2			10320	
	7.2	828	0.8	193.6			10320	
	9.3	654	1.7	300	NMRV050/105	80B2	10320	298
	7.0	845	1.2	400			10320	
	5.6	1007	1.0	500			10320	
	22.5	345	2.3	40	NMRV110	90L6	7882	288
	18.0	414	1.8	50			8491	
	15.0	476	1.4	60			9023	
	11.3	588	1.0	80			9931	
	28.0	281	2.3	50	NMRV110	90S4	7328	288
	23.3	324	1.9	60			7787	
	17.5	402	1.3	80			8571	
	14.0	473	1.0	100			9232	
	12.4	576	2.2	73	PC090+NMRV110	90L6	9614	294
	9.3	746	1.6	96.8			10320	
	7.4	890	1.2	121			10320	
	6.2	1000	1.0	145.2			10320	
	19.3	392	2.5	73	PC090+NMRV110	90S4	8298	294
	14.5	508	1.8	96.8			9133	
	11.6	599	1.5	121			9838	
	9.6	686	1.1	145.2			10320	
	7.2	828	0.8	193.6			10320	
	9.3	654	1.9	300	NMRV050/110	80B2	10320	299
	7.0	845	1.4	400			10320	
	5.6	1007	1.1	500			10320	
	11.3	598	1.4	80	NMRV130	90L6	12989	289
	9.0	689	1.1	100			13500	
	17.5	408	2.1	80	NMRV130	90S4	11210	289
	14.0	480	1.5	100			12076	



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.1	12.4	585	3.0	73	PC090+NMRV130	90L6	12575	295
	9.3	746	2.2	96.8			13500	
	7.4	890	1.7	121			13500	
	6.2	1000	1.4	145.2			13500	
	4.6	1220	1.0	193.6			13500	
	19.3	398	3.5	73	PC090+NMRV130	90S4	10853	295
	14.5	508	2.6	96.8			11945	
	11.6	608	2.0	121			12868	
	9.6	686	1.6	145.2			13500	
	7.2	843	1.2	193.6			13500	
	5.8	962	0.9	242			13500	
		4.7	1312	1.3			300	
3.5		1671	1.0	400	13500			
2.8		1991	0.8	500	13500			
	9.3	753	3.1	150	NMRV063/150	90S4	18000	299
	7.0	966	2.4	200			18000	
	5.6	1175	1.7	250			18000	
	4.7	1364	1.7	300			18000	
	3.5	1619	1.6	400			18000	
	2.8	1893	1.2	500			18000	
	2.3	2242	1.2	600			18000	
	1.9	2616	0.9	750			18000	
	1.5	560.0	23	1.9			5	
373.3		35	1.5	7.5	1433			
280.0		45	1.2	10	1577			
186.7		65	0.9	15	1805			
186.7		68	1.9	7.5	NMRV063	90L4	2359	284
140.0	89	1.5	10	2597				
93.3	127	1.1	15	2973				
70.0	166	0.8	20	3272				
373.3	35	2.7	7.5	NMRV063			90S2	
280.0	46	2.1	10		2061			
186.7	66	1.6	15		2359			
140.0	86	1.2	20		2597			
112.0	105	0.9	25		2797			
93.3	120	1.0	30		2973			
120.0	105	2.0	7.5		NMRV075	100LA6		3227
90.0	137	1.7	10	3551				
60.0	196	1.2	15	4065				
	56.0	189	0.8	50	NMRV075	90S2	4160	285
	46.7	218	0.7	60			4421	
	140.0	90	2.2	10	NMRV075	90L4	3065	285
	93.3	130	1.5	15			3509	
	70.0	168	1.3	20			3862	
	56.0	205	1.0	25			4160	
	46.7	233	1.0	30			4421	
	280.0	46	3.1	10			NMRV075	
186.7	67	2.2	15	2785				




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	140.0	87	1.8	20	NMRV075	90S2	3065	285
	112.0	106	1.4	25			3302	
	93.3	123	1.4	30			3509	
	70.0	158	1.0	40			3862	
	90.0	138	2.7	10	NMRV090	100LA6	3929	286
	60.0	201	2.1	15			4498	
	45.0	258	1.5	20			4951	
	36.0	314	1.2	25			5333	
	30.0	358	1.3	30			5667	
	70.0	172	2.1	20	NMRV090	90L4	4273	286
	56.0	210	1.6	25			4603	
	46.7	239	1.7	30			4891	
	35.0	307	1.2	40			5383	
	28.0	368	0.9	50			5799	
	23.3	424	0.8	60			6163	
	56.0	194	1.4	50	NMRV090	90S2	4603	286
	46.7	227	1.1	60			4891	
	45.0	264	2.4	20	NMRV105	100LA6	6256	287
	36.0	322	2.0	25			6739	
	30.0	363	2.0	30			7161	
	22.5	471	1.5	40			7882	
	18.0	565	1.2	50			8491	
	15.0	649	1.0	60			9023	
	35.0	319	1.9	40	NMRV105	90L4	6803	287
	28.0	384	1.6	50			7328	
	23.3	442	1.3	60			7787	
	17.5	548	0.9	80			8571	
	46.7	236	1.8	60	NMRV105	90S2	6181	287
	35.0	299	1.3	80			6803	
	28.0	353	1.0	100			7328	
	19.3	535	1.6	73	PC090+NMRV105	90L4	8298	294
	14.5	693	1.2	96.8			9133	
	11.6	817	1.0	121			9838	
	9.6	936	0.8	145.2			10320	
	9.3	891	1.2	300	NMRV050/105	80C2	10320	298
	7.0	1153	0.9	400			10320	
	5.6	1373	0.7	500			10320	
	45.0	264	2.7	20	NMRV110	100LA6	6256	288
	36.0	322	2.4	25			6739	
	30.0	363	2.3	30			7161	
	22.5	471	1.7	40			7882	
	18.0	565	1.3	50			8491	
	15.0	649	1.1	60			9023	
	35.0	319	2.2	40	NMRV110	90L4	6803	288
	28.0	384	1.7	50			7328	
	23.3	442	1.4	60			7787	
	17.5	548	0.9	80			8571	
	46.7	236	2.0	60			NMRV110	
	35.0	299	1.3	80	6803			
	28.0	353	1.0	100	7328			



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.5	19.3	535	1.9	73	PC090+NMRV110	90L4	8298	294
	14.5	693	1.3	96.8			9133	
	11.6	817	1.1	121			9838	
	9.6	936	0.8	145.2			10320	
	9.3	891	1.4	300	NMRV050/110	90S2	10320	299
	7.0	1153	1.0	400			10320	
	5.6	1373	0.8	500			10320	
	22.5	478	2.3	40	NMRV130	100LA6	10309	289
	18.0	573	1.8	50			11105	
	15.0	659	1.4	60			11801	
	11.3	815	1.1	80			12989	
	17.5	557	1.5	80	NMRV130	90L4	11210	289
	14.0	655	1.1	100			12076	
	19.3	542	2.6	73	PC090+NMRV130	90L4	10853	295
	14.5	693	1.9	96.8			11945	
	11.6	830	1.5	121			12868	
	9.6	936	1.1	145.2			13500	
	7.2	1149	0.8	194			13500	
	9.3	915	1.9	300	NMRV063/130	90S2	13500	299
	7.0	1166	1.4	400			13500	
5.6	1389	1.1	500	13500				
4.7	1789	1.0	300	NMRV063/130	90L4	13500	299	
3.5	2279	0.7	400			13500		
9.3	1026	2.3	150	NMRV063/150	90L4	18000	299	
7.0	1317	1.8	200			18000		
5.6	1602	1.3	250			18000		
4.7	1860	1.3	300			18000		
3.5	2208	1.2	400			18000		
2.8	2582	0.9	500			18000		
2.3	3057	0.9	600			18000		
186.7	83	1.5	7.5			NMRV063		90LL4
140.0	109	1.2	10	2597				
93.3	156	0.9	15	2973				
186.7	84	2.2	7.5	NMRV075	90LL4	2785	285	
140.0	110	1.8	10			3065		
93.3	160	1.2	15			3509		
70.0	206	1.0	20			3862		
56.0	251	0.8	25			4160		
46.7	286	0.8	30			4421		
70.0	211	1.7	20			NMRV090		90LL4
56.0	257	1.3	25	4603				
46.7	294	1.4	30	4891				
35.0	377	1.0	40	5383				
28.0	452	0.8	50	5799				
56.0	264	2.2	25	NMRV105	90LL4	5816	287	
35.0	392	1.6	40			6803		
28.0	471	1.3	50			7328		
23.3	542	1.0	60			7787		




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1.84	19.3	656	1.3	73	PC090+NMRV105	90LL4	8298	294
	14.5	850	1.0	96.8			9133	
	11.6	1002	0.8	121			9838	
	56.0	264	2.6	25	NMRV110	90LL4	5816	288
	35.0	392	1.8	40			6803	
	28.0	471	1.4	50			7328	
	23.3	542	1.1	60			7787	
	19.3	656	1.5	73	PC090+NMRV110	90LL4	8298	294
	14.5	850	1.1	96.8			9133	
	11.6	1002	0.9	121			9838	
	17.5	683	1.2	80	NMRV130	90LL4	11210	289
	14.0	803	0.9	100			12076	
	19.3	665	2.1	73	PC090+NMRV130	90LL4	10853	295
	14.5	850	1.5	96.8			11945	
	11.6	1018	1.2	121			12868	
	9.6	1148	0.9	145.2			13500	
	9.3	1259	1.9	150	NMRV063/150	90LL4	18000	299
	7.0	1616	1.4	200			18000	
5.6	1966	1.0	250	18000				
4.7	2281	1.0	300	18000				
3.5	2708	1.0	400	18000				
2.8	3167	0.7	500	18000				
373.3	51	1.8	7.5	NMRV063			90L2	
280.0	67	1.5	10		2061			
186.7	97	1.1	15		2359			
186.7	100	1.8	7.5	NMRV075	100LA4	2785	285	
140.0	132	1.5	10			3065		
93.3	191	1.0	15			3509		
373.3	51	2.5	7.5	NMRV075	90L2	2210	285	
280.0	68	2.1	10			2433		
186.7	98	1.5	15			2785		
140.0	128	1.3	20			3065		
112.0	156	1.0	25			3302		
93.3	180	0.9	30			3509		
186.7	101	2.9	7.5			NMRV090		100LA4
140.0	134	2.3	10	3391				
93.3	194	1.9	15	3882				
70.0	252	1.4	20	4273				
56.0	308	1.1	25	4603				
46.7	351	1.2	30	4891				
120.0	156	2.2	7.5	NMRV090	112M6		3570	
90.0	203	1.8	10			3929		
60.0	294	1.4	15			4498		
45.0	378	1.0	20			4951		
140.0	131	2.0	20	NMRV090	90L2	3391	286	
112.0	159	1.6	25			3653		
93.3	185	1.7	30			3882		
70.0	237	1.2	40			4273		
56.0	285	0.9	50			4603		



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2.2	70.0	255	2.2	20	NMRV105	100LA4	5399	287
	56.0	315	1.9	25			5816	
	46.7	356	1.8	30			6181	
	35.0	468	1.3	40			6803	
	28.0	563	1.1	50			7328	
	23.3	648	0.9	60			7787	
	90.0	205	3.0	10	NMRV105	112M6	4965	287
	60.0	298	2.2	15			5684	
	45.0	388	1.6	20			6256	
	36.0	473	1.4	25			6739	
	30.0	532	1.4	30			7161	
	112.0	163	2.7	25			NMRV105	
93.3	187	2.6	30	4905				
70.0	246	1.9	40	5399				
56.0	296	1.5	50	5816				
46.7	347	1.2	60	6181				
38.6	398	1.8	73	PC090+NMRV105	90L2	6586		294
28.9	516	1.3	96.8			7249		
23.1	617	1.1	121			7809		
	70.0	255	2.5	20	NMRV110	100LA4	5399	288
	56.0	315	2.2	25			5816	
	46.7	356	2.0	30			6181	
	35.0	468	1.5	40			6803	
	28.0	563	1.2	50			7328	
	23.3	648	1.0	60			7787	
	90.0	205	3.5	10	NMRV110	112M6	4965	288
	60.0	298	2.6	15			5684	
	45.0	388	1.9	20			6256	
	36.0	473	1.6	25			6739	
	30.0	532	1.6	30			7161	
	112.0	163	3.1	25			NMRV110	
93.3	187	3.0	30	4905				
70.0	246	2.1	40	5399				
56.0	296	1.7	50	5816				
46.7	347	1.4	60	6181				
38.6	398	2.1	73	PC090+NMRV110	90L2	6586		294
28.9	516	1.5	96.8			7249		
23.1	617	1.2	121			7809		
	35.0	468	2.2	40	NMRV130	100LA4	8897	289
	28.0	563	1.7	50			9584	
	23.3	648	1.4	60			10185	
	17.5	816	1.0	80			11210	
	36.0	479	2.2	25			NMRV130	
30.0	546	2.1	30	9366				
22.5	700	1.6	40	10309				
18.0	840	1.2	50	11105				
15.0	966	1.0	60	11801				
	35.0	438	1.3	80	NMRV130	90L2	8897	289
	28.0	525	1.0	100			9584	




NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2.2	38.6	409	2.9	73	PC090+NMRV130	90L2	8614	295
	28.9	545	2.0	96.8			9481	
	23.1	654	1.6	121			10213	
	19.3	752	1.3	145.2			10853	
	28.0	570	2.5	50	NMRV150	100LA4	13103	290
	23.3	657	1.9	60			13924	
	17.5	816	1.4	80			15325	
	14.0	960	1.0	100			16508	
3	373.3	70	1.9	7.5	NMRV075	100LA2	2210	285
	280.0	92	1.6	10			2433	
	186.7	137	1.4	7.5	NMRV075	100LB4	2785	285
	140.0	180	1.1	10			3065	
	93.3	261	0.8	15			3509	
	373.3	71	3.0	7.5	NMRV090	100LA2	2446	286
	280.0	92	2.6	10			2692	
	186.7	138	2.1	7.5	NMRV090	100LB4	3081	286
	140.0	182	1.7	10			3391	
	93.3	264	1.4	15			3882	
	70.0	344	1.0	20			4273	
	56.0	420	0.8	25			4603	
	46.7	479	0.9	30			4891	
	93.3	264	2.2	15			NMRV105	
70.0	348	1.6	20	5399				
56.0	430	1.4	25	5816				
46.7	485	1.3	30	6181				
35.0	638	1.0	40	6803				
28.0	767	0.8	50	7328				
120.0	212	2.7	7.5	NMRV105	132S6	4511		287
90.0	280	2.2	10			4965		
60.0	406	1.6	15			5684		
45.0	528	1.2	20			6256		
	93.3	264	2.5	15	NMRV110	100LB4	4905	288
	70.0	348	1.9	20			5399	
	56.0	430	1.6	25			5816	
	46.7	485	1.5	30			6181	
	35.0	638	1.1	40			6803	
	28.0	767	0.9	50			7328	
	120.0	212	3.1	7.5	NMRV110	132S6	4511	288
	90.0	280	2.5	10			4965	
	60.0	406	1.9	15			5684	
	45.0	528	1.4	20			6256	
	56.0	430	2.2	25	NMRV130	100LB4	7607	289
	46.7	491	2.1	30			8084	
	35.0	638	1.6	40			8897	
	28.0	767	1.3	50			9584	
	23.3	884	1.0	60			10185	
	17.5	1113	0.8	80			11210	
	90.0	280	3.4	10			NMRV130	
60.0	406	2.6	15	7434				
45.0	535	1.9	20	8182				



Prestazioni / Performance / Leistungen / Performances / Prestaciones
NMRV

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
3	36.0	653	1.6	25	NMRV130	132S6	8814	289
	30.0	745	1.6	30			9366	
	22.5	955	1.2	40			10309	
	28.0	778	1.8	50	NMRV150	100LB4	13103	290
	23.3	896	1.4	60			13924	
	17.5	1113	1.0	80			15325	
14.0	1310	0.8	100	16508				
4	373.3	93	1.4	7.5	NMRV075	112M2	2210	285
	280.0	123	1.2	10			2433	
	186.7	182	1.0	7.5	NMRV075	112M4	2785	285
	140.0	240	0.8	10			3065	
	373.3	94	2.2	7.5	NMRV090	112M2	2446	286
	280.0	123	1.9	10			2692	
	186.7	184	1.6	7.5	NMRV090	112M4	3081	286
	140.0	243	1.3	10			3391	
	93.3	352	1.0	15		3882		
	70.0	458	0.8	20		4273		
	140.0	243	2.1	10	NMRV105	112M4	4285	287
	93.3	352	1.6	15			4905	
	70.0	464	1.2	20			5399	
	56.0	573	1.0	25			5816	
	46.7	647	1.0	30			6181	
	120.0	283	2.0	7.5	NMRV105	132M6	4511	287
	90.0	374	1.7	10			4965	
	60.0	541	1.2	15			5684	
	140.0	243	2.5	10	NMRV110	112M4	4285	288
	93.3	352	1.9	15			4905	
	70.0	464	1.4	20			5399	
	56.0	573	1.2	25			5816	
	46.7	647	1.1	30			6181	
	120.0	283	2.3	7.5	NMRV110	132M6	4511	288
	90.0	374	1.9	10			4965	
	60.0	541	1.4	15			5684	
	56.0	573	1.6	25	NMRV130	112M4	7607	289
	46.7	655	1.6	30			8084	
	35.0	851	1.2	40			8897	
	28.0	1023	1.0	50			9584	
23.3	1179	0.8	60	10185				
120.0	287	3.1	7.5	NMRV130			132M6	
90.0	374	2.6	10		6494			
60.0	541	2.0	15		7434			
45.0	713	1.5	20		8182			
36.0	870	1.2	25		8814			
28.0	1037	1.4	50		NMRV150	112M4		13103
23.3	1195	1.1	60	13924				
17.5	1484	0.8	80	15325				



NMRV Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
4.8	186.7	221	1.3	7.5	NMRV090	112MS4	3081	286
	140.0	291	1.1	10			3391	
	93.3	422	0.9	15			3882	
	186.7	221	2.2	7.5	NMRV105	112MS4	3893	287
	140.0	291	1.8	10			4285	
	93.3	422	1.3	15			4905	
	70.0	557	1.0	20			5399	
	56.0	688	0.9	25			5816	
	186.7	221	2.5	7.5	NMRV110	112MS4	3893	288
	140.0	291	2.1	10			4285	
	93.3	422	1.6	15			4905	
	70.0	557	1.2	20			5399	
	56.0	688	1.0	25			5816	
	56.0	688	1.4	25	NMRV130	112MS4	7607	289
	46.7	786	1.3	30			8084	
35.0	1022	1.0	40	8897				
28.0	1228	0.8	50	9584				
28.0	1244	1.1	50	13103				
23.3	1434	0.9	60	13924				
186.7	253	1.9	7.5	NMRV105			132S4	
140.0	334	1.6	10		4285			
93.3	484	1.2	15		4905			
70.0	638	0.9	20		5399			
186.7	253	2.2	7.5	NMRV110	132S4	3893	288	
140.0	334	1.8	10			4285		
93.3	484	1.4	15			4905		
70.0	638	1.0	20			5399		
140.0	334	2.5	10	NMRV130	132S4	5605	289	
93.3	490	1.9	15			6416		
70.0	645	1.4	20			7062		
56.0	788	1.2	25			7607		
46.7	900	1.2	30			8084		
35.0	1171	0.9	40			8897		
70.0	645	2.0	20			NMRV150		132S4
56.0	788	1.5	25	10400				
46.7	934	1.3	30	11051				
35.0	1171	1.3	40	12163				
28.0	1426	1.0	50	13103				
23.3	1643	0.8	60	13924				
7.5	186.7	345	1.4	7.5	NMRV105	132L4	3893	287
	140.0	455	1.1	10			4285	
	93.3	660	0.9	15			4905	
	186.7	345	1.6	7.5	NMRV110	132L4	3893	288
	140.0	455	1.3	10			4285	
	93.3	660	1.0	15			4905	




NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=2800)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
12	5	0.79	560.0	NRV030	474	115	302
13	7.5	0.58	373.3		542	125	
13	10	0.45	280.0		597	140	
13	15	0.31	186.7		683	140	
12	20	0.23	140.0		752	146	
16	25	0.25	112.0		810	210	
15	30	0.21	93.3		861	210	
14	40	0.16	70.0		948	127	
13	50	0.12	56.0		1021	128	
12	60	0.10	46.7		1085	126	
11	80	0.08	35.0		1194	130	
24	5	1.6	560.0	NRV040	912	200	302
28	7.5	1.2	373.3		1044	233	
29	10	1.0	280.0		1149	272	
31	15	0.72	186.7		1315	291	
29	20	0.52	140.0		1447	204	
28	25	0.42	112.0		1559	236	
34	30	0.44	93.3		1657	350	
31	40	0.32	70.0		1824	350	
30	50	0.26	56.0		1964	350	
28	60	0.21	46.7		2087	350	
25	80	0.16	35.0		2298	350	
23	100	0.12	28.0		2475	350	
45	5	2.9	560.0		NRV050	1251	
52	7.5	2.3	373.3	1433		324	
54	10	1.8	280.0	1577		378	
57	15	1.3	186.7	1805		399	
53	20	0.95	140.0	1987		417	
51	25	0.75	112.0	2140		482	
64	30	0.82	93.3	2274		490	
59	40	0.59	70.0	2503		490	
53	50	0.45	56.0	2696		490	
50	60	0.37	46.7	2865		490	
45	80	0.27	35.0	3153		490	
40	100	0.21	28.0	3397		490	
93	7.5	4.0	373.3	NRV063		1873	395
97	10	3.2	280.0		2061	463	
103	15	2.3	186.7		2359	492	
100	20	1.7	140.0		2597	538	
92	25	1.3	112.0		2797	593	
120	30	1.5	93.3		2973	700	
108	40	1.1	70.0		3272	700	
100	50	0.83	56.0		3524	700	
95	60	0.68	46.7		3745	700	
85	80	0.49	35.0		4122	700	
74	100	0.37	28.0		4440	700	
130	7.5	5.6	373.3	NRV075	2210	560	302
145	10	4.7	280.0		2433	703	
150	15	3.4	186.7		2785	727	
160	20	2.8	140.0		3065	872	
150	25	2.1	112.0		3302	980	
170	30	2.1	93.3		3509	980	
165	40	1.6	70.0		3862	980	
150	50	1.2	56.0		4160	980	
145	60	1.0	46.7		4421	980	
130	80	0.72	35.0		4865	980	
120	100	0.58	28.0		5241	980	


(n1=2800)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
210	7.5	8.9	373.3	NRV090	2446	715	302
235	10	7.7	280.0		2692	900	
270	15	6.0	186.7		3081	1034	
260	20	4.4	140.0		3391	1120	
250	25	3.4	112.0		3653	1270	
310	30	3.7	93.3		3882	1270	
275	40	2.6	70.0		4273	1270	
265	50	2.0	56.0		4603	1270	
245	60	1.6	46.7		4891	1270	
225	80	1.2	35.0		5383	1270	
200	100	0.9	28.0		5799	1270	
340	7.5	14.4	373.3	NRV105	3090	950	302
380	10	12.2	280.0		3401	1194	
425	15	9.3	186.7		3893	1336	
420	20	7.0	140.0		4285	1485	
440	25	5.9	112.0		4616	1700	
480	30	5.7	93.3		4905	1700	
460	40	4.1	70.0		5399	1700	
450	50	3.3	56.0		5816	1700	
430	60	2.7	46.7		6181	1700	
380	80	1.9	35.0		6803	1700	
350	100	1.5	28.0		7328	1700	
391	7.5	16.6	373.3	NRV110	3090	950	302
437	10	14.1	280.0		3401	1194	
489	15	10.7	186.7		3893	1337	
483	20	8.0	140.0		4285	1485	
506	25	6.8	112.0		4616	1700	
552	30	6.5	93.3		4905	1700	
529	40	4.7	70.0		5399	1700	
495	50	3.7	56.0		5816	1700	
473	60	3.0	46.7		6181	1700	
399	80	2.0	35.0		6803	1700	
368	100	1.6	28.0		7328	1700	
520	7.5	22.1	373.3	NRV130	4042	1190	302
580	10	18.7	280.0		4449	1493	
670	15	14.7	186.7		5092	1725	
660	20	11.0	140.0		5605	1912	
670	25	9.0	112.0		6038	2100	
770	30	9.0	93.3		6416	2100	
730	40	6.5	70.0		7062	2100	
700	50	5.1	56.0		7607	2100	
640	60	4.0	46.7		8084	2100	
590	80	3.0	35.0		8897	2100	
520	100	2.2	28.0		9584	2100	
840	7.5	35.7	373.3	NRV150	5526	1550	302
890	10	28.4	280.0		6082	1848	
910	15	19.8	186.7		6962	1889	
980	20	16.1	140.0		7663	2289	
890	25	12.0	112.0		8254	2494	
920	30	10.5	93.3		8771	2800	
1200	40	10.6	70.0		9654	2800	
1100	50	8.1	56.0		10400	2800	
990	60	6.2	46.7		11051	2800	
920	80	4.6	35.0		12163	2800	
810	100	3.3	28.0		13103	2800	




NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=1400)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)			
18	5	0.61	280.0	NRV030	597	150	302		
18	7.5	0.41	186.7		683	150			
18	10	0.32	140.0		752	169			
18	15	0.23	93.3		861	169			
18	20	0.18	70.0		948	190			
21	25	0.18	56.0		1021	210			
20	30	0.15	46.7		1085	210			
18	40	0.11	35.0		1194	210			
17	50	0.09	28.0		1286	210			
16	60	0.08	23.3		1367	210			
13	80	0.05	17.5		1504	210			
34	5	1.1	280.0	NRV040	1149	250	302		
40	7.5	0.90	186.7		1315	294			
40	10	0.69	140.0		1447	331			
40	15	0.48	93.3		1657	331			
39	20	0.37	70.0		1824	350			
38	25	0.30	56.0		1964	350			
38	25	0.30	56.0		1964	350			
45	30	0.31	46.7		2087	350			
41	40	0.23	35.0		2298	350			
39	50	0.18	28.0		2475	350			
36	60	0.15	23.3		2630	350			
33	80	0.12	17.5		2895	350			
29	100	0.09	14.0		3118	350			
62	5	2.0	280.0		NRV050	1577		350	302
71	7.5	1.6	186.7	1805		401			
72	10	1.2	140.0	1987		490			
74	15	0.88	93.3	2274		490			
73	20	0.68	70.0	2503		490			
70	25	0.54	56.0	2696		490			
84	30	0.57	46.7	2865		490			
76	40	0.42	35.0	3153		490			
73	50	0.34	28.0	3397		490			
68	60	0.28	23.3	3610		490			
65	80	0.22	17.5	3973		490			
55	100	0.16	14.0	4280		490			
128	7.5	2.8	186.7	NRV063		2359	500	302	
130	10	2.2	140.0			2597	571		
140	15	1.6	93.3		2973	615			
135	20	1.2	70.0		3272	667			
130	25	1.0	56.0		3524	700			
160	30	1.1	46.7		3745	700			
145	40	0.76	35.0		4122	700			
135	50	0.60	28.0		4440	700			
130	60	0.51	23.3		4719	700			
122	80	0.39	17.5		5193	700			
118	100	0.34	14.0		5595	700			
185	7.5	4.1	186.7	NRV075	2785	700	302		
195	10	3.2	140.0		3065	830			
200	15	2.3	93.3		3509	851			
210	20	1.9	70.0		3862	980			
200	25	1.5	56.0		4160	980			
230	30	1.5	46.7		4421	980			
220	40	1.1	35.0		4865	980			
210	50	0.89	28.0		5241	980			
200	60	0.75	23.3		5569	980			
190	80	0.58	17.5		6130	980			
180	100	0.48	14.0		6603	980			


(n1=1400)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
290	7.5	6.3	186.7	NRV090	3081	900	302
310	10	5.1	140.0		3391	1082	
360	15	4.1	93.3		3882	1257	
355	20	3.1	70.0		4273	1270	
340	25	2.4	56.0		4603	1270	
410	30	2.6	46.7		4891	1270	
360	40	1.8	35.0		5383	1270	
340	50	1.4	28.0		5799	1270	
320	60	1.1	23.3		6163	1270	
285	80	0.83	17.5		6783	1270	
270	100	0.67	14.0		7306	1270	
480	7.5	10.4	186.7	NRV105	3893	1200	302
520	10	8.6	140.0		4285	1463	
570	15	6.5	93.3		4905	1603	
560	20	4.8	70.0		5399	1700	
590	25	4.1	56.0		5816	1700	
630	30	3.9	46.7		6181	1700	
610	40	2.9	35.0		6803	1700	
600	50	2.3	28.0		7328	1700	
560	60	1.9	23.3		7787	1700	
490	80	1.3	17.5		8571	1700	
460	100	1.1	14.0		9232	1700	
552	7.5	12.0	186.7	NRV110	3893	1200	302
598	10	9.8	140.0		4285	1463	
656	15	7.5	93.3		4905	1604	
644	20	5.6	70.0		5399	1700	
679	25	4.7	56.0		5816	1700	
725	30	4.5	46.7		6181	1700	
702	40	3.3	35.0		6803	1700	
660	50	2.6	28.0		7328	1700	
616	60	2.1	23.3		7787	1700	
515	80	1.4	17.5		8571	1700	
483	100	1.1	14.0		9232	1700	
750	7.5	16.1	186.7	NRV130	5092	1500	302
820	10	13.5	140.0		5605	1845	
920	15	10.3	93.3		6416	2070	
910	20	7.8	70.0		7062	2100	
930	25	6.5	56.0		7607	2100	
1040	30	6.4	46.7		8084	2100	
1050	40	4.9	35.0		8897	2100	
980	50	3.8	28.0		9584	2100	
900	60	3.1	23.3		10185	2100	
840	80	2.3	17.5		11210	2100	
740	100	1.7	14.0		12076	2100	
1200	7.5	25.8	186.7	NRV150	6962	1950	302
1240	10	20.2	140.0		7663	2267	
1250	15	13.9	93.3		8771	2285	
1300	20	11.1	70.0		9654	2674	
1200	25	8.4	56.0		10400	2800	
1200	30	7.1	46.7		11051	2800	
1550	40	7.3	35.0		12163	2800	
1400	50	5.4	28.0		13103	2800	
1260	60	4.2	23.3		13924	2800	
1150	80	3.1	17.5		15325	2800	
1000	100	2.3	14.0		16508	2800	




NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=900)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
20	5	0.44	180.0	NRV030	692	175	302
20	7.5	0.30	120.0		792	175	
20	10	0.24	90.0		871	197	
20	15	0.17	60.0		997	197	
20	20	0.13	45.0		1098	210	
23	25	0.14	36.0		1183	210	
21	30	0.11	30.0		1257	210	
20	40	0.09	22.5		1383	210	
18	50	0.07	18.0		1490	210	
17	60	0.06	15.0		1583	210	
15	80	0.04	11.3		1743	210	
40	5	0.87	180.0	NRV040	1331	290	302
44	7.5	0.65	120.0		1524	319	
44	10	0.50	90.0		1677	350	
45	15	0.36	60.0		1920	350	
44	20	0.28	45.0		2113	350	
43	25	0.23	36.0		2276	350	
49	30	0.23	30.0		2419	350	
45	40	0.17	22.5		2662	350	
42	50	0.14	18.0		2868	350	
39	60	0.11	15.0		3047	350	
35	80	0.09	11.3		3354	350	
32	100	0.07	9.0	3490	350		
75	5	1.6	180.0	NRV050	1827	400	302
84	7.5	1.2	120.0		2091	448	
84	10	0.94	90.0		2302	490	
84	15	0.67	60.0		2635	490	
77	20	0.48	45.0		2900	490	
75	25	0.39	36.0		3124	490	
90	30	0.42	30.0		3320	490	
82	40	0.31	22.5		3654	490	
77	50	0.25	18.0		3936	490	
72	60	0.21	15.0		4183	490	
68	80	0.16	11.3		4604	490	
56	100	0.12	9.0	4840	490		
151	7.5	2.2	120.0	NRV063	2734	580	302
153	10	1.7	90.0		3009	661	
155	15	1.2	60.0		3444	670	
148	20	0.91	45.0		3791	700	
137	25	0.69	36.0		4084	700	
175	30	0.79	30.0		4339	700	
160	40	0.58	22.5		4776	700	
145	50	0.45	18.0		5145	700	
138	60	0.37	15.0		5467	700	
128	80	0.29	11.3		6018	700	
124	100	0.25	9.0		6270	700	
215	7.5	3.1	120.0	NRV075	3227	810	302
230	10	2.5	90.0		3551	975	
235	15	1.8	60.0		4065	980	
235	20	1.4	45.0		4474	980	
215	25	1.1	36.0		4820	980	
260	30	1.1	30.0		5122	980	
240	40	0.83	22.5		5637	980	
220	50	0.65	18.0		6073	980	
210	60	0.54	15.0		6453	980	
200	80	0.43	11.3		7103	980	
190	100	0.36	9.0		7380	980	


(n1=900)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
340	7.5	4.8	120.0	NRV090	3570	1040	302
370	10	4.0	90.0		3929	1270	
420	15	3.1	60.0		4498	1270	
390	20	2.3	45.0		4951	1270	
370	25	1.8	36.0		5333	1270	
460	30	1.9	30.0		5667	1270	
410	40	1.4	22.5		6238	1270	
390	50	1.1	18.0		6719	1270	
350	60	0.86	15.0		7140	1270	
315	80	0.63	11.3		7859	1270	
280	100	0.49	9.0		8180	1270	
565	7.5	8.0	120.0	NRV105	4511	1390	302
620	10	6.6	90.0		4965	1700	
660	15	4.9	60.0		5684	1700	
630	20	3.6	45.0		6256	1700	
660	25	3.1	36.0		6739	1700	
730	30	3.0	30.0		7161	1700	
690	40	2.2	22.5		7882	1700	
680	50	1.8	18.0		8491	1700	
620	60	1.4	15.0		9023	1700	
540	80	1.0	11.3		9931	1700	
490	100	0.80	9.0		10320	1700	
650	7.5	9.2	120.0	NRV110	4511	1390	302
713	10	7.6	90.0		4965	1700	
759	15	5.6	60.0		5684	1700	
725	20	4.1	45.0		6256	1700	
759	25	3.5	36.0		6739	1700	
840	30	3.5	30.0		7161	1700	
794	40	2.5	22.5		7882	1700	
748	50	2.0	18.0		8491	1700	
682	60	1.6	15.0		9023	1700	
567	80	1.1	11.3		9931	1700	
515	100	0.84	9.0		10320	1700	
880	7.5	12.3	120.0	NRV130	5901	1740	302
960	10	10.3	90.0		6494	2100	
1060	15	7.8	60.0		7434	2100	
1040	20	5.8	45.0		8182	2100	
1050	25	4.8	36.0		8814	2100	
1170	30	4.7	30.0		9366	2100	
1100	40	3.5	22.5		10309	2100	
1050	50	2.7	18.0		11105	2100	
940	60	2.1	15.0		11801	2100	
860	80	1.6	11.3		12989	2100	
780	100	1.2	9.0		13500	2100	
1400	7.5	19.5	120.0	NRV150	8067	2270	302
1480	10	15.7	90.0		8878	2700	
1450	15	10.5	60.0		10163	2645	
1500	20	8.4	45.0		11186	2800	
1380	25	6.3	36.0		12050	2800	
1400	30	5.4	30.0		12805	2800	
1800	40	5.7	22.5		14094	2800	
1600	50	4.1	18.0		15182	2800	
1440	60	3.2	15.0		16133	2800	
1300	80	2.4	11.3		17757	2800	
1150	100	1.8	9.0		18000	2800	


NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones
(n1=500)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
24	5	0.30	100.0	NRV030	841	210	302
24	7.5	0.21	66.7		963	210	
24	10	0.16	50.0		1060	210	
24	15	0.12	33.3		1213	210	
23	20	0.09	25.0		1336	210	
29	25	0.10	20.0		1439	210	
26	30	0.08	16.7		1529	210	
23	40	0.06	12.5		1683	210	
21	50	0.05	10.0		1813	210	
19	60	0.04	8.3		1830	210	
17	80	0.03	6.3		1830	210	
49	5	0.60	100.0	NRV040	1619	350	302
54	7.5	0.45	66.7		1853	350	
54	10	0.35	50.0		2040	350	
55	15	0.26	33.3		2335	350	
52	20	0.19	25.0		2570	350	
49	25	0.15	20.0		2769	350	
58	30	0.16	16.7		2942	350	
53	40	0.12	12.5		3238	350	
49	50	0.10	10.0		3488	350	
46	60	0.08	8.3		3490	350	
40	80	0.06	6.3		3490	350	
36	100	0.05	5.0	3490	350		
92	5	1.1	100.0	NRV050	2222	490	302
103	7.5	0.86	66.7		2544	490	
103	10	0.67	50.0		2800	490	
103	15	0.47	33.3		3205	490	
93	20	0.33	25.0		3528	490	
91	25	0.28	20.0		3800	490	
108	30	0.29	16.7		4038	490	
98	40	0.22	12.5		4445	490	
91	50	0.17	10.0		4788	490	
83	60	0.14	8.3		4840	490	
75	80	0.11	6.3		4840	490	
65	100	0.09	5.0	4840	490		
184	7.5	1.5	66.7	NRV063	3325	700	302
185	10	1.2	50.0		3660	700	
187	15	0.85	33.3		4190	700	
178	20	0.63	25.0		4611	700	
164	25	0.48	20.0		4967	700	
200	30	0.54	16.7		5279	700	
185	40	0.40	12.5		5810	700	
173	50	0.32	10.0		6259	700	
160	60	0.26	8.3		6270	700	
137	80	0.19	6.3		6270	700	
128	100	0.16	5.0		6270	700	
260	7.5	2.1	66.7	NRV075	3925	980	302
270	10	1.7	50.0		4320	980	
280	15	1.2	33.3		4945	980	
285	20	0.98	25.0		5443	980	
255	25	0.73	20.0		5863	980	
300	30	0.77	16.7		6231	980	
280	40	0.58	12.5		6858	980	
250	50	0.44	10.0		7380	980	
240	60	0.37	8.3		7380	980	
215	80	0.29	6.3		7380	980	
210	100	0.24	5.0		7380	980	


(n1=500)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
410	7.5	3.3	66.7	NRV090	4343	1270	302
435	10	2.7	50.0		4780	1270	
490	15	2.1	33.3		5472	1270	
470	20	1.6	25.0		6022	1270	
440	25	1.2	20.0		6487	1270	
550	30	1.4	16.7		6894	1270	
480	40	0.95	12.5		7588	1270	
450	50	0.75	10.0		8174	1270	
400	60	0.59	8.3		8180	1270	
365	80	0.45	6.3		8180	1270	
330	100	0.35	5.0		8180	1270	
690	7.5	5.5	66.7	NRV105	5488	1700	302
740	10	4.6	50.0		6040	1700	
790	15	3.4	33.3		6914	1700	
750	20	2.5	25.0		7610	1700	
790	25	2.1	20.0		8198	1700	
870	30	2.1	16.7		8711	1700	
810	40	1.5	12.5		9588	1700	
800	50	1.3	10.0		10320	1700	
710	60	0.98	8.3		10320	1700	
630	80	0.72	6.3		10320	1700	
570	100	0.56	5.0		10320	1700	
794	7.5	6.4	66.7	NRV110	5488	1700	302
851	10	5.2	50.0		6040	1700	
909	15	3.9	33.3		6914	1700	
863	20	2.8	25.0		7610	1700	
909	25	2.4	20.0		8198	1700	
1000	30	2.4	16.7		8711	1700	
932	40	1.7	12.5		9588	1700	
880	50	1.4	10.0		10320	1700	
781	60	1.1	8.3		10320	1700	
662	80	0.76	6.3		10320	1700	
599	100	0.59	5.0		10320	1700	
1080	7.5	8.6	66.7	NRV130	7178	2100	302
1160	10	7.1	50.0		7900	2100	
1300	15	5.5	33.3		9043	2100	
1230	20	4.0	25.0		9953	2100	
1200	25	3.2	20.0		10722	2100	
1400	30	3.3	16.7		11394	2100	
1300	40	2.4	12.5		12540	2100	
1220	50	1.9	10.0		13500	2100	
1070	60	1.5	8.3		13500	2100	
970	80	1.1	6.3		13500	2100	
860	100	0.85	5.0		13500	2100	
1700	7.5	13.5	66.7	NRV150	9812	2800	302
1780	10	10.7	50.0		10800	2800	
1730	15	7.2	33.3		12363	2800	
1820	20	5.9	25.0		13607	2800	
1630	25	4.3	20.0		14658	2800	
1670	30	3.8	16.7		15576	2800	
2120	40	3.9	12.5		17144	2800	
1870	50	2.9	10.0		18000	2800	
1680	60	2.3	8.3		18000	2800	
1530	80	1.7	6.3		18000	2800	
1350	100	1.3	5.0		18000	2800	



NRV Prestazioni / Performance / Leistungen / Performances / Prestaciones

NRV/NMRV (n1=1400)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)	
73	300	0.08	4.7	NRV030/040	3490	210	302
65	400	0.06	3.5		3490	210	
61	500	0.04	2.8		3490	210	
73	600	0.04	2.3		3490	210	
73	750	0.04	1.9		3490	210	
73	900	0.03	1.6		3490	210	
65	1200	0.02	1.2		3490	210	
73	1500	0.02	0.9		3490	210	
73	1800	0.02	0.8		3490	210	
65	2400	0.01	0.58		3490	210	
65	3200	0.01	0.4		3490	210	
33	4000	0.01	0.4		3490	210	
29	5000	0.01	0.28		3490	210	
145	300	0.15	4.7		NRV030/050	4840	
124	400	0.10	3.5	4840		210	
120	500	0.09	2.8	4840		210	
145	600	0.08	2.3	4840		210	
145	750	0.07	1.9	4840		210	
145	900	0.06	1.6	4840		210	
124	1200	0.04	1.2	4840		210	
145	1500	0.04	0.93	4840		210	
145	1800	0.04	0.78	4840		210	
124	2400	0.03	0.6	4840		210	
120	3000	0.02	0.5	4840		210	
82	4000	0.02	0.35	4840		210	
82	4800	0.02	0.29	4840		210	
230	300	0.24	4.7	NRV030/063		6270	210
230	400	0.19	3.5		6270	210	
216	500	0.15	2.8		6270	210	
230	600	0.13	2.3		6270	210	
216	750	0.11	1.9		6270	210	
198	900	0.09	1.6		6270	210	
230	1200	0.08	1.2		6270	210	
216	1500	0.06	0.93		6270	210	
198	1800	0.05	0.78		6270	210	
230	2400	0.05	0.58		6270	210	
216	3000	0.04	0.47		6270	210	
172	4000	0.03	0.35		6270	210	
150	5000	0.02	0.28		6270	210	
390	300	0.36	4.7		NRV040/075	7380	350
360	400	0.27	3.5	7380		350	
320	500	0.21	2.8	7380		350	
390	600	0.19	2.3	7380		350	
390	750	0.16	1.9	7380		350	
390	900	0.14	1.6	7380		350	
360	1200	0.11	1.2	7380		350	
390	1500	0.10	0.93	7380		350	
390	1800	0.09	0.78	7380		350	
360	2400	0.07	0.58	7380		350	
320	3000	0.05	0.47	7380		350	
250	4000	0.04	0.35	7380		350	
230	5000	0.03	0.28	7380		350	
610	300	0.56	4.7	NRV040/090		8180	350
610	400	0.43	3.5		8180	350	
560	500	0.34	2.8		8180	350	
610	600	0.30	2.3		8180	350	
560	750	0.23	1.9		8180	350	
505	900	0.19	1.6		8180	350	
610	1200	0.17	1.2		8180	350	
560	1500	0.14	0.93		8180	350	


NRV/NMRV (n1=1400)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr2 (N)	Fr1 (N)			
505	1800	0.11	0.78	NRV040/090	8180	350	302		
610	2400	0.11	0.58		8180	350			
560	3000	0.08	0.47		8180	350			
460	4000	0.08	0.35		8180	350			
410	5000	0.06	0.28		8180	350			
1100	300	0.95	4.7	NRV050/105	10320	490	302		
1030	400	0.69	3.5		10320	490			
1000	500	0.56	2.8		10320	490			
1030	600	0.48	2.3		10320	490			
1100	750	0.43	1.9		10320	490			
1100	900	0.38	1.6		10320	490			
1030	1200	0.27	1.2		10320	490			
1100	1500	0.26	0.93		10320	490			
1100	1800	0.23	0.78		10320	490			
1030	2400	0.17	0.58		10320	490			
1000	3000	0.14	0.47		10320	490			
780	4000	0.12	0.35		10320	490			
710	5000	0.09	0.28		10320	490			
1265	300	1.1	4.7		NRV050/110	10320		490	302
1185	400	0.79	3.5			10320		490	
1100	500	0.61	2.8	10320		490			
1185	600	0.55	2.3	10320		490			
1265	750	0.49	1.9	10320		490			
1265	900	0.43	1.6	10320		490			
1185	1200	0.31	1.2	10320		490			
1265	1500	0.30	0.93	10320		490			
1265	1800	0.26	0.78	10320		490			
1185	2400	0.19	0.58	10320		490			
1100	3000	0.15	0.47	10320		490			
819	4000	0.13	0.35	10320		490			
746	5000	0.10	0.28	10320		490			
1760	300	1.5	4.7	NRV063/130		13500	700	302	
1650	400	1.1	3.5			13500	700		
1550	500	0.86	2.8		13500	700			
1650	600	0.76	2.3		13500	700			
1760	750	0.66	1.9		13500	700			
1760	900	0.58	1.6		13500	700			
1650	1200	0.43	1.2		13500	700			
1760	1500	0.39	0.93		13500	700			
1760	1800	0.35	0.78		13500	700			
1650	2400	0.25	0.58		13500	700			
1550	3000	0.20	0.47		13500	700			
1220	4000	0.15	0.35		13500	700			
1100	5000	0.11	0.28		13500	700			
2340	150	3.4	9.3		NRV063/150	18000	700		302
2340	200	2.7	7.0			18000	700		
2050	250	1.9	5.6	18000		700			
2340	300	1.9	4.7	18000		700			
2670	400	1.8	3.5	18000		700			
2330	500	1.4	2.8	18000		700			
2670	600	1.3	2.3	18000		700			
2330	750	0.98	1.9	18000		700			
2100	900	0.71	1.6	18000		700			
2670	1200	0.75	1.2	18000		700			
2100	1800	0.44	0.8	18000		700			
2670	2400	0.46	0.6	18000		700			
2330	3000	0.34	0.5	18000		700			
1880	4000	0.23	0.4	18000		700			
1650	5000	0.18	0.3	18000		700			