


SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,06	280,0	1,8	10,1	5	SW030	56A4	597	276-277
	186,7	2,6	6,9	7,5			683	
	140,0	3,4	5,4	10			752	
	93,3	4,7	3,8	15			861	
	70,0	6,0	3,0	20			948	
	56,0	7,0	3,0	25			1021	
	46,7	8,0	2,5	30			1085	
	35,0	9,7	1,9	40			1194	
	28,0	11	1,5	50			1286	
	23,3	13	1,3	60			1367	
	17,5	14	0,9	80			1504	
	15,0	18,0	0,9	60	SW030	56B6	1583	276-277
	18,0	18,1	2,3	50	SW040	56B6	2868	278-279
	15,0	21	1,9	60			3047	
	11,3	24	1,4	80			3354	
	9,0	27	1,2	100			3490	
	4,7	57,4	1,3	300	SW030/040	56A4	3490	298
	3,5	70	0,9	400			3490	
	2,8	96	0,6	500			3490	
	2,3	104	0,7	600			3490	
	1,9	121	0,6	750			3490	
	1,6	139	0,5	900			3490	
	1,2	166	0,4	1200			3490	
	0,9	196	0,4	1500			3490	
	0,8	218	0,3	1800			3490	
	0,58	261	0,2	2400			3490	
	0,4	300	0,2	3200			3490	
	0,4	279	0,1	4000			3490	
	0,28	338	0,1	5000			3490	
	1,6	141,3	1,0	900	SW030/050	56A4	4840	298
	1,2	169	0,7	1200			4840	
	0,93	199	0,7	1500			4840	
	0,78	222	0,7	1800			4840	
	0,6	266	0,5	2400			4840	
	0,5	307	0,4	3000			4840	
	0,35	288	0,3	4000			4840	
	0,29	311	0,3	4800			4840	
	0,9	203,5	1,1	1500	SW030/063	56A4	6270	299
	0,78	225	0,9	1800			6270	
	0,58	276	0,8	2400			6270	
	0,47	319	0,7	3000			6270	
	0,35	306	0,6	4000			6270	
	0,28	360	0,4	5000			6270	
	0,6	330,4	1,1	2400	SW040/075	56A4	7380	299
	0,47	377	0,8	3000			7380	
	0,35	355	0,7	4000			7380	
	0,28	419	0,5	5000			7380	
	0,5	405,9	1,4	3000	SW040/090	56A4	8180	299
	0,35	365	1,3	4000			8180	
	0,28	431	1,0	5000			8180	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,09	560,0	1,4	8,8	5	SW030	56A2	474	276-277
	373,3	2,0	6,5	7,5			542	
	280,0	2,6	5,0	10			597	
	186,7	3,7	3,5	15			683	
	140,0	4,8	2,5	20			752	
	112,0	5,7	2,8	25			810	
	93,3	6,5	2,3	30			861	
	70,0	8,1	1,7	40			948	
	56,0	10	1,4	50			1021	
	46,7	11	1,1	60			1085	
	35,0	13	0,9	80			1194	
	280,0	2,7	6,7	5	SW030	56B4	597	276-277
	186,7	3,9	4,6	7,5			683	
	140,0	5,0	3,6	10			752	
	93,3	7,1	2,5	15			861	
	70,0	9,0	2,0	20			948	
	56,0	10	2,0	25			1021	
	46,7	12	1,7	30			1085	
	35,0	14	1,2	40			1194	
	28,0	17	1,0	50			1286	
	23,3	19	0,9	60			1367	
	180,0	4,1	4,9	5	SW030	63A6	692	276-277
	120,0	5,9	3,4	7,5			792	
	90,0	7,6	2,6	10			871	
	60,0	11	1,9	15			997	
	45,0	13	1,5	20			1098	
	36,0	15	1,5	25			1183	
	30,0	17	1,2	30			1257	
	22,5	21	1,0	40			1383	
	18,0	24	0,7	50			1490	
	28,0	19,0	2,0	50	SW040	56B4	2475	278-279
	23,3	21	1,7	60			2630	
	17,5	26	1,3	80			2895	
	14,0	29	1,0	100			3118	
	30,0	18,9	2,6	30	SW040	63A6	2419	278-279
	22,5	24	1,9	40			2662	
	18,0	27	1,5	50			2868	
	15,0	31	1,3	60			3047	
	11,3	37	1,0	80			3354	
	9,0	41	0,8	100			3490	
	12,0	46,6	1,3	75	PC063+SW040	63A6	3283	293
	10,0	51	1,4	90			3488	
	7,5	62	1,1	120			3490	
	6,0	72	0,8	150			3490	
	5,0	79	0,7	180			3490	
	4,7	87,6	0,8	300	SW030/040	56B4	3490	298
	15,0	31,5	2,3	60	SW050	63A6	4183	280-281
	11,3	37	1,8	80			4604	
	9,0	42	1,3	100			4840	
	6,0	73,1	1,6	150	PC063+SW050	63A6	4840	293
	5,0	81	1,3	180			4840	
	3,8	94	0,9	240			4840	
	3,0	106	0,7	300			4840	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,09	3,5	106,7	1	400	SW030/050	56B4	4840	298
	2,8	123	1,0	500			4840	
	2,3	159	0,9	600			4840	
	1,9	185	0,8	750			4840	
	1,6	212	0,7	900			4840	
	3,8	99	1,7	240	PC063+SW063	63A6	6270	294
	3,0	109	1,4	300			6270	
	1,6	200	1,0	900	SW030/063	56B4	6270	299
	1,2	263	0,9	1200			6270	
	0,93	305	0,7	1500			6270	
	0,93	360	1,1	1500	SW040/075	56B4	7380	299
	0,78	404	1,0	1800			7380	
	0,58	496	0,7	2400			7380	
	0,47	609	0,9	3000	SW040/090	56B4	8180	299
	0,35	548	0,8	4000			8180	
0,12	280,0	3,6	5,1	5	SW030	63A4	597	276-277
	186,7	5,2	3,4	7,5			683	
	140,0	6,7	2,7	10			752	
	93,3	9,5	1,9	15			861	
	70,0	12	1,5	20			948	
	56,0	14	1,5	25			1021	
	46,7	16	1,3	30			1085	
	35,0	19	0,9	40			1194	
	28,0	23	0,8	50			1286	
	180,0	5,4	3,7	5	SW030	63B6	692	276-277
	120,0	7,9	2,5	7,5			792	
	90,0	10	2,0	10			871	
	60,0	14	1,4	15			997	
	45,0	18	1,1	20			1098	
	36,0	20	1,1	25			1183	
	30,0	23	0,9	30			1257	
	46,7	17	2,6	30	SW040	63A4	2087	278-279
	35,0	21	1,9	40			2298	
	28,0	25	1,5	50			2475	
	23,3	28	1,3	60			2630	
	17,5	34	1,0	80			2895	
	14,0	38	0,8	100			3118	
	30,0	25	1,9	30	SW040	63B6	2419	278-279
	22,5	32	1,4	40			2662	
	18,0	36	1,2	50			2868	
	15,0	41	0,9	60			3047	
	18,7	42	1,2	75	PC063+SW040	63A4	2833	293
	15,6	46	1,2	90			3011	
	11,7	57	0,9	120			3314	
	9,3	66	0,7	150			3490	
	7,8	74	0,6	180			3490	
	12,0	62	1,0	75	PC063+SW040	63B6	3283	293
	10,0	68	1,1	90			3488	
	7,5	83	0,8	120			3490	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,12	23,3	29	2,3	60	SW050	63A4	3610	280-281
	17,5	35	1,9	80			3973	
	14,0	40	1,4	100			4280	
	22,5	32	2,6	40	SW050	63B6	3654	280-281
	18,0	38	2,0	50			3936	
	15,0	42	1,7	60			4183	
	11,3	50	1,4	80			4604	
	9,0	56	1,0	100			4840	
	9,3	68	1,3	150	PC063+SW050	63A4	4840	293
	7,8	75	1,1	180			4840	
	5,8	88	0,8	240			4840	
	4,7	98	0,7	300			4840	
	12,0	63	1,7	75	PC063+SW050	63B6	4506	293
	10,0	70	2,1	90			4788	
	7,5	84	1,5	120			4840	
	6,0	97	1,2	150			4840	
	5,0	108	1,0	180			4840	
	3,8	125	0,7	240			4840	
	4,7	119	1,2	300	SW030/050	63A4	4840	298
	3,5	142	0,9	400			4840	
	2,8	164	0,7	500			4840	
	5,8	92	1,5	240	PC063+SW063	63A4	6270	294
	4,7	103	1,2	300			6270	
	6,0	101	2,1	150	PC063+SW063	63B6	6270	294
	5,0	112	1,8	180			6270	
	3,8	131	1,3	240			6270	
	3,0	145	1,0	300			6270	
	2,8	171	1,3	500	SW030/063	63A4	6270	299
	2,3	208	1,1	600			6270	
	1,9	241	0,9	750			6270	
0,15	1,6	325	1,2	900	SW040/075	63A4	7380	299
	1,2	399	0,9	1200			7380	
	0,78	547	0,9	1800	SW040/090	63A4	8180	299
	0,58	695	0,9	2400			8180	
	0,47	884	1,1	3000	SW050/105	63A4	10320	300
	0,35	784	1,0	4000			10320	
	0,28	928	0,76	5000			10320	
	0,47	884	1,2	3000	SW050/110	63A4	10320	300
	0,35	784	1,0	4000			10320	
	0,28	928	0,80	5000			10320	
	180,0	6,8	3,0	5	SW030	63C6	692	276-277
	120,0	10	2,0	7,5			792	
	90,0	13	1,6	10			871	
	60,0	18	1,1	15			997	
	45,0	22	0,9	20			1098	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,15	60,0	19	2,4	15	SW040	63C6	1920	278-279
	45,0	24	1,8	20			2113	
	36,0	29	1,5	25			2276	
	30,0	32	1,6	30			2419	
	22,5	39	1,1	40			2662	
	18,0	45	0,9	50			2868	
	18,0	47	1,6	50	SW050	63C6	3936	280-281
	15,0	53	1,4	60			4183	
	11,3	62	1,1	80			4604	
	10,0	87	1,7	90	PC063+SW050	63C6	4788	293
	7,5	105	1,2	120			4840	
	6,0	127	1,7	150	PC063+SW063	63C6	6270	294
	5,0	140	1,4	180			6270	
	560,0	2,7	4,4	5	SW030	63A2	474	276-277
	373,3	4,0	3,2	7,5			542	
0,18	280,0	5,2	2,5	10			597	
	186,7	7,5	1,7	15			683	
	140,0	10	1,3	20			752	
	112,0	11	1,4	25			810	
	93,3	13	1,1	30			861	
	70,0	16	0,9	40			948	
	280,0	5,3	3,4	5	SW030	63B4	597	276-277
	186,7	7,8	2,3	7,5			683	
	140,0	10	1,8	10			752	
	93,3	14	1,3	15			861	
	70,0	18	1,0	20			948	
	56,0	21	1,0	25			1021	
	46,7	24	0,8	30			1085	
	93,3	14	2,4	30	SW040	63A2	1657	278-279
	70,0	18	1,8	40			1824	
	56,0	21	1,4	50			1964	
	70,0	19	2,0	20	SW040	63B4	1824	278-279
	56,0	23	1,7	25			1964	
	46,7	26	1,7	30			2087	
	35,0	32	1,3	40			2298	
	28,0	38	1,0	50			2475	
	23,3	43	0,8	60			2630	
	45,0	29	1,5	20	SW040	71A6	2113	278-279
	36,0	34	1,3	25			2276	
	30,0	38	1,3	30			2419	
	22,5	47	1,0	40			2662	
	18,7	64	0,8	75	PC063+SW040	63B4	2833	293
	15,6	70	0,8	90			3011	
	11,7	85	0,6	120			3314	
	46,7	24	2,1	60	SW050	63A2	2865	280-281
	35,0	30	1,5	80			3153	
	28,0	34	1,2	100			3397	
	35,0	33	2,3	40	SW050	63B4	3153	280-281
	28,0	39	1,9	50			3397	
	23,3	43	1,6	60			3610	
	17,5	52	1,2	80			3973	
	14,0	60	0,9	100			4280	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,18	18,0	56	1,4	50	SW050	71A6	3936	280-281
	15,0	63	1,1	60			4183	
	11,3	75	0,9	80			4604	
	18,7	64	1,4	75	PC063+SW050	63B4	3889	293
	15,6	71	1,5	90			4132	
	11,7	87	1,1	120			4548	
	9,3	101	0,9	150			4840	
	7,8	113	0,7	180			4840	
	5,8	133	0,6	240			4840	
	12,0	95	1,2	75	PC071+SW050	71A6	4506	294
	10,0	105	1,4	90			4788	
	7,5	126	1,0	120			4840	
	15,0	66	2,1	60	SW063	71A6	5467	282-283
	11,3	79	1,6	80			6018	
	9,0	90	1,4	100			6270	
	9,3	103	1,7	150	PC063+SW063	63B4	6270	294
	7,8	117	1,4	180			6270	
	5,8	139	1,0	240			6270	
	4,7	155	0,8	300			6270	
	12,0	97	2,2	75	PC071+SW063	71A6	5889	294
	10,0	107	2,4	90			6259	
	7,5	131	1,8	120			6270	
	6,0	152	1,4	150			6270	
	5,0	168	1,2	180			6270	
	3,8	197	0,9	240			6270	
	3,0	218	0,7	300			6270	
	3,5	222	1,0	400	SW030/063	63B4	6270	299
	2,8	257	0,8	500			6270	
	5,0	179	1,7	180	PC071+SW075	71A6	7380	295
	3,8	211	1,2	240			7380	
	3,0	235	1,0	300			7380	
	2,3	362	1,1	600	SW040/075	63B4	7380	299
	1,9	435	0,9	750			7380	
	1,6	487	0,8	900			7380	
	1,2	629	1,0	1200	SW040/090	63B4	8180	299
	0,93	735	0,8	1500			8180	
	0,78	861	1,3	1800	SW050/105	63B4	10320	300
	0,58	1113	0,9	2400			10320	
	0,78	861	1,5	1800	SW050/110	63B4	10320	300
	0,58	1113	1,1	2400			10320	
0,22	280,0	6,5	2,8	5	SW030	63C4	597	276-277
	186,7	10	1,9	7,5			683	
	140,0	12	1,5	10			752	
	93,3	17	1,0	15			861	
	70,0	22	0,8	20			948	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,22	93,3	18	2,2	15	SW040	63C4	1657	278-279
	70,0	23	1,7	20			1824	
	56,0	28	1,4	25			1964	
	46,7	32	1,4	30			2087	
	35,0	39	1,1	40			2298	
	28,0	47	0,8	50			2475	
	28,0	47	1,5	50	SW050	63C4	3397	280-281
	23,3	53	1,3	60			3610	
	17,5	64	1,0	80			3973	
	18,7	78	1,2	75	PC063+SW050	63C4	3889	293
	15,6	86	1,2	90			4132	
	11,7	106	0,9	120			4548	
	9,3	126	1,4	150	PC063+SW063	63C4	6270	294
	7,8	143	1,1	180			6270	
	4,7	210	1,1	300	SW030/063	63C4	6270	299
	3,5	271	0,8	400			6270	
0,25	560,0	3,8	3,2	5	SW030	63B2	474	276-277
	373,3	5,6	2,3	7,5			542	
	280,0	7,2	1,8	10			597	
	186,7	10	1,3	15			683	
	140,0	13	0,9	20			752	
	112,0	16	1,0	25			810	
	93,3	18	0,8	30			861	
	280,0	7,6	4,5	5	SW040	71A4	1149	278-279
	186,7	11	3,6	7,5			1315	
	140,0	14	2,8	10			1447	
	93,3	21	1,9	15			1657	
	70,0	27	1,5	20			1824	
	56,0	32	1,2	25			1964	
	46,7	36	1,3	30			2087	
	35,0	44	0,9	40			2298	
	180,0	12	3,5	5	SW040	71B6	1331	278-279
	120,0	17	2,6	7,5			1524	
	90,0	22	2,0	10			1677	
	60,0	31	1,4	15			1920	
	45,0	40	1,1	20			2113	
	36,0	48	0,9	25			2276	
	30,0	53	0,9	30			2419	
	35,0	42	1,1	80	SW050	63B2	3153	280-281
	28,0	48	0,8	100			3397	
	70,0	27	2,7	20	SW050	71A4	2503	280-281
	56,0	32	2,2	25			2696	
	46,7	37	2,3	30			2865	
	35,0	46	1,7	40			3153	
	28,0	54	1,4	50			3397	
	23,3	60	1,1	60			3610	
	17,5	72	0,9	80			3973	
	45,0	40	1,9	20	SW050	71B6	2900	280-281
	36,0	48	1,5	25			3124	
	30,0	54	1,7	30			3320	
	22,5	67	1,2	40			3654	
	18,0	78	1,0	50			3936	
	15,0	88	0,8	60			4183	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,25	18,7	88	1,0	75	PC071+SW050	71A4	3889	294
	15,6	98	1,1	90			4132	
	11,7	121	0,8	120			4548	
	28,0	56	2,4	50	SW063	71A4	4440	282-283
	23,3	63	2,0	60			4719	
	17,5	78	1,6	80			5193	
	14,0	87	1,4	100			5595	
	18,0	81	1,8	50	SW063	71B6	5145	282-283
	15,0	92	1,5	60			5467	
	11,3	110	1,2	80			6018	
	9,0	125	1,0	100			6270	
	18,7	91	1,8	75	PC071+SW063	71A4	5083	294
	15,6	100	2,0	90			5401	
	11,7	125	1,5	120			5945	
	9,3	143	1,2	150			6270	
	7,8	163	1,0	180			6270	
	5,8	192	0,7	240			6270	
	4,7	215	0,6	300			6270	
	12,0	135	1,6	75	PC071+SW063	71B6	5889	294
	10,0	148	1,8	90			6259	
	7,5	181	1,3	120			6270	
	6,0	211	1,0	150			6270	
	7,0	159	1,4	400	SW030/063	63B2	6270	299
	5,6	185	1,2	500			6270	
	17,5	82	2,3	80	SW075	71A4	6130	284-285
	14,0	94	1,9	100			6603	
	11,3	117	1,7	80	SW075	71B6	7103	284-285
	9,0	133	1,4	100			7380	
	9,3	151	1,7	150	PC071+SW075	71A4	7380	295
	7,8	172	1,4	180			7380	
	5,8	201	1,1	240			7380	
	4,7	230	0,9	300			7380	
	12,0	139	2,4	75	PC071+SW075	71B6	6952	295
	10,0	155	2,5	90			7380	
	7,5	191	1,9	120			7380	
	6,0	219	1,5	150			7380	
	5,0	248	1,2	180			7380	
	3,5	336	1,1	400	SW040/075	71A4	7380	299
	2,8	384	0,8	500			7380	
	5,0	263	1,9	180	PC071+SW090	71B6	8180	295
	3,8	318	1,4	240			8180	
	3,0	358	1,1	300			8180	
	2,3	512	1,2	600	SW040/090	71A4	8180	299
	1,9	598	0,9	750			8180	
	1,6	667	0,8	900			8180	
	1,2	943	1,1	1200	SW050/105	71A4	10320	300
	0,93	1064	1,0	1500			10320	
	0,78	1195	0,9	1800			10320	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,25	1,2	943	1,3	1200	SW050/110	71A4	10320	300
	0,93	1064	1,2	1500			10320	
	0,78	1195	1,1	1800			10320	
	0,58	1624	1,0	2400	SW063/130	71A4	13500	300
	0,47	1935	0,8	3000			13500	
	0,35	2046	0,6	4000			13500	
	0,28	2430	0,5	5000			13500	
	0,8	1199	1,8	1800	SW063/150	71A4	18000	301
	0,6	1446	1,8	2400			18000	
	0,5	1713	1,4	3000			18000	
	0,4	2026	0,9	4000			18000	
	0,3	2251	0,7	5000			18000	
0,37	560,0	5,6	2,1	5	SW030	71A2	474	276-277
	373,3	8,2	1,6	7,5			542	
	280,0	11	1,2	10			597	
	186,7	15	0,8	15			683	
	560,0	5,7	4,2	5	SW040	71A2	912	278-279
	373,3	8,4	3,3	7,5			1044	
	280,0	11	2,6	10			1149	
	186,7	16	1,9	15			1315	
	140,0	21	1,4	20			1447	
	112,0	25	1,1	25			1559	
	280,0	11	3,0	5	SW040	71B4	1149	278-279
	186,7	16	2,4	7,5			1315	
	140,0	21	1,9	10			1447	
	93,3	31	1,3	15			1657	
	70,0	39	1,0	20			1824	
	56,0	47	0,8	25			1964	
	46,7	53	0,8	30			2087	
	112,0	25	2,0	25	SW050	71A2	2140	280-281
	93,3	29	2,2	30			2274	
	70,0	37	1,6	40			2503	
	56,0	44	1,2	50			2696	
	46,7	50	1,0	60			2865	
	35,0	62	0,7	80			3153	
	140,0	22	3,3	10	SW050	71B4	1987	280-281
	93,3	31	2,4	15			2274	
	70,0	40	1,8	20			2503	
	56,0	48	1,5	25			2696	
	46,7	55	1,5	30			2865	
	35,0	68	1,1	40			3153	
	28,0	80	0,9	50			3397	
	23,3	89	0,8	60			3610	
	180,0	17	4,3	5	SW050	80A6	1827	280-281
	120,0	25	3,3	7,5			2091	
	90,0	33	2,5	10			2302	
	60,0	47	1,8	15			2635	
	45,0	60	1,3	20			2900	
	36,0	72	1,0	25			3124	
	30,0	80	1,1	30			3320	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,37	35,0	71	2,1	40	SW063	71B4	4122	282-283
	28,0	83	1,6	50			4440	
	23,3	94	1,4	60			4719	
	17,5	115	1,1	80			5193	
	14,0	129	0,9	100			5595	
	45,0	60	2,4	20	SW063	80A6	3791	282-283
	36,0	74	1,9	25			4084	
	30,0	82	2,1	30			4339	
	22,5	102	1,6	40			4776	
	18,0	120	1,2	50			5145	
	15,0	137	1,0	60			5467	
	18,7	134	1,2	75	PC071+SW063	71B4	5083	294
	15,6	148	1,4	90			5401	
	11,7	185	1,0	120			5945	
	9,3	212	0,8	150			6270	
	9,3	181	1,3	300	SW030/063	71A2	6270	299
	7,0	236	1,0	400			6270	
	23,3	98	2,0	60	SW075	71B4	5569	284-285
	17,5	121	1,6	80			6130	
	14,0	139	1,3	100			6603	
	18,0	126	1,8	50	SW075	80A6	6073	284-285
	15,0	144	1,5	60			6453	
	11,3	173	1,2	80			7103	
	9,0	196	1,0	100			7380	
	18,7	138	1,8	75	PC071+SW075	71B4	6000	295
	15,6	154	1,9	90			6375	
	11,7	191	1,5	120			7017	
	9,3	223	1,1	150			7380	
	7,8	254	0,9	180			7380	
	12,0	206	1,6	75	PC080+SW075	80A6	6952	295
	10,0	230	1,7	90			7380	
	7,5	283	1,3	120			7380	
	6,0	324	1,0	150			7380	
	4,7	405	1,0	300	SW040/075	71B4	7380	299
	3,5	498	0,7	400			7380	
	11,3	185	1,7	80	SW090	80A6	7859	286-287
	9,0	212	1,3	100			8180	
	7,8	268	1,5	180	PC071+SW090	71B4	8180	295
	5,8	321	1,1	240			8180	
	4,7	371	0,9	300			8180	
	6,0	347	1,6	150	PC080+SW090	80A6	8180	296
	5,0	389	1,3	180			8180	
	3,8	471	1,0	240			8180	
	4,7	402	1,5	300	SW040/090	71B4	8180	299
	3,5	523	1,2	400			8180	
	2,8	611	0,9	500			8180	
	2,3	757	0,8	600			8180	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,37	3,8	509	1,5	240	PC080+SW105	80A6	10320	296
	3,0	577	1,2	300			10320	
	1,9	950	1,2	750	SW050/105	71B4	10320	300
	1,6	1079	1,0	900			10320	
	1,2	1396	0,7	1200			10320	
	3,8	509	1,6	240	PC080+SW110	80A6	10320	296
	3,0	577	1,3	300			10320	
	1,9	950	1,3	750	SW050/110	71B4	10320	300
	1,6	1079	1,2	900			10320	
	1,2	1396	0,8	1200			10320	
	0,93	1674	1,1	1500	SW063/130	71B4	13500	300
	0,78	1887	0,9	1800			13500	
	0,8	1775	1,2	1800	SW063/150	71B4	18000	301
	0,6	2141	1,2	2400			18000	
	0,5	2535	0,9	3000			18000	
0,55	560,0	8,4	2,8	5	SW040	71B2	912	278-279
	373,3	13	2,2	7,5			1044	
	280,0	17	1,8	10			1149	
	186,7	24	1,3	15			1315	
	140,0	31	0,9	20			1447	
	112,0	37	0,8	25			1559	
	280,0	17	2,0	5	SW040	71C4	1149	278-279
	186,7	24	1,6	7,5			1315	
	140,0	32	1,3	10			1447	
	93,3	46	0,9	15			1657	
	140,0	31	1,7	20	SW050	71B2	1987	280-281
	112,0	38	1,4	25			2140	
	93,3	43	1,5	30			2274	
	70,0	55	1,1	40			2503	
	56,0	65	0,8	50			2696	
	46,7	74	0,7	60			2865	
	280,0	17	3,7	5	SW050	80A4	1577	280-281
	186,7	25	2,9	7,5			1805	
	140,0	32	2,2	10			1987	
	93,3	46	1,6	15			2274	
	70,0	59	1,2	20			2503	
	56,0	71	1,0	25			2696	
	46,7	81	1,0	30			2865	
	120,0	38	2,2	7,5	SW050	80B6	2091	280-281
	90,0	49	1,7	10			2302	
	60,0	69	1,2	15			2635	
	45,0	89	0,9	20			2900	
	70,0	56	1,9	40	SW063	71B2	3272	282-283
	56,0	67	1,5	50			3524	
	46,7	77	1,2	60			3745	
	35,0	95	0,9	80			4122	
	28,0	109	0,7	100			4440	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,55	70,0	61	2,2	20	SW063	80A4	3272	282-283
	56,0	73	1,8	25			3524	
	46,7	83	1,9	30			3745	
	35,0	105	1,4	40			4122	
	28,0	124	1,1	50			4440	
	23,3	140	0,9	60			4719	
	60,0	71	2,2	15	SW063	80B6	3444	282-283
	45,0	90	1,6	20			3791	
	36,0	109	1,3	25			4084	
	30,0	123	1,4	30			4339	
	22,5	152	1,1	40			4776	
	18,7	200	0,8	75	PC071+SW063	71C4	5083	294
	15,6	219	0,9	90			5401	
	35,0	99	1,3	80	SW075	71B2	4865	284-285
	28,0	114	1,0	100			5241	
	35,0	108	2,0	40	SW075	80A4	4865	284-285
	28,0	129	1,6	50			5241	
	23,3	146	1,4	60			5569	
	17,5	180	1,1	80			6130	
	14,0	206	0,9	100			6603	
	30,0	128	2,0	30	SW075	80B6	5122	284-285
	22,5	159	1,5	40			5637	
	18,0	187	1,2	50			6073	
	15,0	214	1,0	60			6453	
	18,7	205	1,2	75	PC071+SW075	71C4	6000	295
	15,6	230	1,3	90			6375	
	11,7	284	1,0	120			7017	
	18,7	205	1,2	75	PC080+SW075	80A4	6000	295
	15,6	230	1,3	90			6375	
	11,7	284	1,0	120			7017	
	9,3	332	0,8	150			7380	
	12,0	306	1,1	75	PC080+SW075	80B6	6952	295
	10,0	341	1,1	90			7380	
	17,5	189	1,5	80	SW090	80A4	6783	286-287
	14,0	221	1,2	100			7306	
	18,0	198	2,0	50	SW090	80B6	6719	286-287
	15,0	224	1,6	60			7140	
	11,3	275	1,1	80			7859	
	9,0	315	0,9	100			8180	
	15,6	240	2,3	90	PC080+SW090	80A4	7054	296
	11,7	297	1,6	120			7764	
	9,3	355	1,3	150			8180	
	7,8	398	1,0	180			8180	
	5,8	477	0,8	240			8180	
	10,0	357	2,0	90	PC080+SW090	80B6	8174	296
	7,5	441	1,4	120			8180	
	6,0	516	1,1	150			8180	
	5,0	578	0,9	180			8180	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,55	9,3	306	2,0	300	SW040/090	71B2	8180	299
	7,0	403	1,5	400			8180	
	5,6	470	1,2	500			8180	
	17,5	201	2,4	80	SW105	80A4	8571	288-289
	14,0	236	1,9	100			9232	
	11,3	294	1,8	80	SW105	80B6	9931	288-289
	9,0	338	1,4	100			10320	
	7,8	425	1,7	180	PC080+SW105	80A4	10320	296
	5,8	513	1,2	240			10320	
	4,7	597	1,0	300			10320	
	7,5	462	2,2	120	PC080+SW105	80B6	10320	296
	6,0	552	1,8	150			10320	
	5,0	620	1,5	180			10320	
	3,8	756	1,0	240			10320	
	4,7	639	1,7	300	SW050/105	80A4	10320	300
	3,5	826	1,2	400			10320	
	2,8	984	1,0	500			10320	
	2,3	1181	0,9	600			10320	
	1,9	1411	0,8	750			10320	
	17,5	201	2,6	80	SW110	80A4	8571	290
	14,0	236	2,0	100			9232	
	11,3	294	1,9	80	SW110	80B6	9931	290
	9,0	338	1,5	100			10320	
	7,8	425	1,8	180	PC080+SW110	80A4	10320	296
	5,8	513	1,3	240			10320	
	4,7	597	1,0	300			10320	
	7,5	462	2,6	120	PC080+SW110	80B6	10320	296
	6,0	552	2,0	150			10320	
	5,0	620	1,6	180			10320	
	3,8	756	1,1	240			10320	
	4,7	639	2,0	300	SW050/110	80A4	10320	300
	3,5	826	1,4	400			10320	
	2,8	984	1,1	500			10320	
	2,3	1181	1,0	600			10320	
	1,9	1411	0,9	750			10320	
	3,8	756	1,6	240	PC080+SW130	80B6	13500	297
	3,0	858	1,3	300			13500	
	2,8	996	1,6	500	SW063/130	80A4	13500	300
	1,9	1471	1,2	750			13500	
	1,2	2132	0,8	1200			13500	
	0,8	2638	0,8	1800	SW063/150	80A4	18000	301
	0,6	3182	0,8	2400			18000	
0,75	560,0	12	2,1	5	SW040	80A2	912	278-279
	373,3	17	1,6	7,5			1044	
	280,0	23	1,3	10			1149	
	186,7	32	1,0	15			1315	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,75	560,0	12	3,9	5	SW050	80A2	1251	280-281
	373,3	17	3,0	7,5			1433	
	280,0	23	2,4	10			1577	
	186,7	33	1,7	15			1805	
	140,0	42	1,3	20			1987	
	112,0	51	1,0	25			2140	
	93,3	58	1,1	30			2274	
	280,0	23	2,7	5	SW050	80B4	1577	280-281
	186,7	34	2,1	7,5			1805	
	140,0	44	1,6	10			1987	
	93,3	63	1,2	15			2274	
	70,0	81	0,9	20			2503	
	140,0	43	2,3	20	SW063	80A2	2597	282-283
	112,0	52	1,8	25			2797	
	93,3	60	2,0	30			2973	
	70,0	77	1,4	40			3272	
	56,0	91	1,1	50			3524	
	46,7	104	0,9	60			3745	
	93,3	64	2,2	15	SW063	80B4	2973	282-283
	70,0	83	1,6	20			3272	
	56,0	100	1,3	25			3524	
	46,7	114	1,4	30			3745	
	35,0	143	1,0	40			4122	
	120,0	52	2,9	7,5	SW063	90S6	2734	282-283
	90,0	68	2,3	10			3009	
	60,0	97	1,6	15			3444	
	45,0	123	1,2	20			3791	
	36,0	149	0,9	25			4084	
	30,0	167	1,0	30			4339	
	46,7	109	1,3	60	SW075	80A2	4421	284-285
	28,0	156	0,8	100			5241	
	56,0	102	2,0	25	SW075	80B4	4160	284-285
	46,7	117	2,0	30			4421	
	35,0	147	1,5	40			4865	
	28,0	177	1,2	50			5241	
	23,3	200	1,0	60			5569	
	60,0	98	2,4	15	SW075	90S6	4065	284-285
	45,0	126	1,9	20			4474	
	36,0	153	1,4	25			4820	
	30,0	174	1,5	30			5122	
	22,5	216	1,1	40			5637	
	18,7	280	0,9	75	PC080+SW075	80B4	6000	295
	15,6	313	1,0	90			6375	
	35,0	141	1,6	80	SW090	80A2	5383	286-287
	28,0	166	1,2	100			5799	
	28,0	184	1,8	50	SW090	80B4	5799	286-287
	23,3	212	1,5	60			6163	
	17,5	258	1,1	80			6783	
	14,0	302	0,9	100			7306	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,75	30,0	179	2,6	30	SW090	90S6	5667	286-287
	22,5	226	1,8	40			6238	
	18,0	271	1,4	50			6719	
	15,0	306	1,1	60			7140	
	15,6	327	1,7	90	PC080+SW090	80B4	7054	296
	11,7	405	1,2	120			7764	
	9,3	483	0,9	150			8180	
	7,8	543	0,7	180			8180	
	7,0	549	1,1	400	SW040/090	80A2	8180	299
	5,6	642	0,9	500			8180	
	17,5	274	1,8	80	SW105	80B4	8571	288-289
	14,0	322	1,4	100			9232	
	15,0	325	1,9	60	SW105	90S6	9023	288-289
	11,3	401	1,3	80			9931	
	9,0	462	1,1	100			10320	
	11,7	430	1,9	120	PC080+SW105	80B4	9811	296
	9,3	506	1,6	150			10320	
	7,8	580	1,2	180			10320	
	5,8	700	0,9	240			10320	
	12,4	393	2,8	72,6	PC090+SW105	90S6	9614	296
	9,3	508	2,0	96,8			10320	
	7,4	607	1,6	121			10320	
	6,2	682	1,3	145,2			10320	
	4,6	832	0,9	193,6			10320	
	9,3	446	2,5	300	SW050/105	80A2	10320	300
	7,0	563	1,8	400			10320	
	5,6	687	1,5	500			10320	
	4,7	871	1,3	300	SW050/105	80B4	10320	300
	3,5	1126	0,9	400			10320	
	17,5	274	1,9	80	SW110	80B4	8571	290
	14,0	322	1,5	100			9232	
	15,0	325	2,1	60	SW110	90S6	9023	290
	11,3	401	1,4	80			9931	
	9,0	462	1,1	100			10320	
	11,7	430	2,2	120	PC080+SW110	80B4	9811	296
	9,3	506	1,7	150			10320	
	7,8	580	1,3	180			10320	
	5,8	700	0,9	240			10320	
	12,4	393	3,2	72,6	PC090+SW110	90S6	9614	296
	9,3	508	2,3	96,8			10320	
	7,4	607	1,8	121			10320	
	6,2	682	1,5	145,2			10320	
	4,6	832	1,0	193,6			10320	
	9,3	446	2,8	300	SW050/110	80A2	10320	300
	7,0	563	2,1	400			10320	
	5,6	687	1,6	500			10320	
	4,7	871	1,5	300	SW050/110	80B4	10320	300
	3,5	1126	1,1	400			10320	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,75	11,3	407	2,1	80	SW130	90S6	12989	291
	9,0	470	1,7	100			13500	
	5,8	712	1,4	240	PC080+SW130	80B4	13500	297
	4,7	813	1,1	300			13500	
	12,4	399	4,4	72,6	PC090+SW130	90S6	12575	297
	9,3	508	3,2	96,8			13500	
	7,4	607	2,6	121			13500	
	6,2	682	2,1	145,2			13500	
	4,6	832	1,5	193,6			13500	
	3,7	944	1,2	242			13500	
	2,8	1358	1,1	500	SW063/130	80B4	13500	300
	2,3	1631	1,0	600			13500	
	1,9	2005	0,9	750			13500	
	1,6	2283	0,8	900			13500	
	2,8	1291	1,8	500			18000	
	2,3	1529	1,7	600			18000	
0,92	180,0	28	2,2	5	SW050	80C4	1577	280-281
	186,7	41	1,7	7,5			1805	
	140,0	54	1,3	10			1987	
	93,3	77	1,0	15			2274	
	140,0	55	2,4	10	SW063	80C4	2597	282-283
	93,3	78	1,8	15			2973	
	70,0	102	1,3	20			3272	
	56,0	122	1,1	25			3524	
	46,7	139	1,1	30			3745	
	35,0	176	0,8	40			4122	
	70,0	103	2,0	20	SW075	80C4	3862	284-285
	56,0	126	1,6	25			4160	
	46,7	143	1,6	30			4421	
	35,0	181	1,2	40			4865	
	28,0	217	1,0	50			5241	
	23,3	245	0,8	60			5569	
	18,7	344	0,7	75	PC080+SW075	80C4	6000	295
	15,6	384	0,8	90			6375	
	28,0	226	1,5	50	SW090	80C4	5799	286-287
	23,3	260	1,2	60			6163	
	17,5	316	0,9	80			6783	
	15,6	401	1,4	90	PC080+SW090	80C4	7054	296
	11,7	497	1,0	120			7764	
	9,3	593	0,8	150			8180	
	17,5	336	1,5	80	SW105	80C4	8571	288-289
	14,0	395	1,2	100			9232	
	18,7	367	2,2	75	PC080+SW105	80C4	8388	296
	11,7	527	1,5	120			9811	
	9,3	621	1,3	150			10320	
	7,8	712	1,0	180			10320	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
0,92	4,7	1069	1,0	300	SW050/105	80C4	10320	300
	3,5	1382	0,7	400			10320	
	17,5	336	1,5	80	SW110	80C4	8571	290
	14,0	395	1,2	100			9232	
	18,7	367	2,5	75	PC080+SW110	80C4	8388	296
	11,7	527	1,8	120			9811	
	9,3	621	1,4	150			10320	
	7,8	712	1,1	180			10320	
	4,7	1069	1,2	300	SW050/110	80C4	10320	300
	3,5	1382	0,9	400			10320	
	3,5	1398	1,2	400	SW063/130	80C4	13500	300
	2,8	1665	0,9	500			13500	
	7,8	712	1,5	180	PC080+SW130	80C4	13500	297
	5,8	874	1,1	240			13500	
	4,7	998	0,9	300			13500	
	2,8	1583	1,5	500	SW063/150	80C4	18000	301
	2,3	1875	1,4	600			18000	
	1,9	2188	1,1	750			18000	
	1,6	2717	0,8	900			18000	
	1,2	3288	0,8	1200			18000	
1,1	560,0	17	2,6	5	SW050	80B2	1251	280-281
	373,3	25	2,1	7,5			1433	
	280,0	33	1,6	10			1577	
	186,7	48	1,2	15			1805	
	140,0	62	0,9	20			1987	
	186,7	48	2,1	15	SW063	80B2	2359	282-283
	140,0	63	1,6	20			2597	
	112,0	77	1,2	25			2797	
	93,3	88	1,4	30			2973	
	70,0	113	1,0	40			3272	
	120,0	76	2,0	7,5	SW063	90L6	2734	282-283
	90,0	99	1,5	10			3009	
	60,0	142	1,1	15			3444	
	45,0	180	0,8	20			3791	
	186,7	50	2,6	7,5	SW063	90S4	2359	282-283
	140,0	65	2,0	10			2597	
	93,3	93	1,5	15			2973	
	70,0	122	1,1	20			3272	
	56,0	146	0,9	25			3524	
	46,7	167	1,0	30			3745	
	112,0	78	1,9	25	SW075	80B2	3302	284-285
	93,3	90	1,9	30			3509	
	70,0	116	1,4	40			3862	
	56,0	139	1,1	50			4160	
	46,7	160	0,9	60			4421	
	90,0	100	2,3	10	SW075	90L6	3551	284-285
	60,0	144	1,6	15			4065	
	45,0	184	1,3	20			4474	
	36,0	225	1,0	25			4820	
	30,0	256	1,0	30			5122	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1,1	93,3	96	2,1	15	SW075	90S4	3509	284-285
	70,0	123	1,7	20			3862	
	56,0	150	1,3	25			4160	
	46,7	171	1,3	30			4421	
	35,0	216	1,0	40			4865	
	35,0	207	1,1	80	SW090	80B2	5383	286-287
	28,0	244	0,8	100			5799	
	36,0	231	1,6	25	SW090	90L6	5333	286-287
	30,0	263	1,8	30			5667	
	22,5	331	1,2	40			6238	
	18,0	397	1,0	50			6719	
	15,0	448	0,8	60			7140	
	35,0	225	1,6	40	SW090	90S4	5383	286-287
	28,0	270	1,3	50			5799	
	23,3	311	1,0	60			6163	
	22,5	345	2,0	40	SW105	90L6	7882	288-289
	18,0	414	1,6	50			8491	
	15,0	476	1,3	60			9023	
	11,3	588	0,9	80			9931	
	28,0	281	2,1	50	SW105	90S4	7328	288-289
	23,3	324	1,7	60			7787	
	17,5	402	1,2	80			8571	
	14,0	473	1,0	100			9232	
	12,4	576	1,9	72,6	PC090+SW105	90L6	9614	296
	9,3	746	1,4	96,8			10320	
	7,4	890	1,1	121			10320	
	6,2	1000	0,9	145,2			10320	
	19,3	392	2,2	72,6	PC090+SW105	90S4	8298	296
	14,5	508	1,6	96,8			9133	
	11,6	599	1,3	121			9838	
	9,6	686	1,0	145,2			10320	
	7,2	828	0,8	193,6			10320	
	9,3	654	1,7	300	SW050/105	80B2	10320	300
	7,0	845	1,2	400			10320	
	5,6	1007	1,0	500			10320	
	22,5	345	2,3	40	SW110	90L6	7882	290
	18,0	414	1,8	50			8491	
	15,0	476	1,4	60			9023	
	11,3	588	1,0	80			9931	
	28,0	281	2,3	50	SW110	90S4	7328	290
	23,3	324	1,9	60			7787	
	17,5	402	1,3	80			8571	
	14,0	473	1,0	100			9232	
	12,4	576	2,2	72,6	PC090+SW110	90L6	9614	296
	9,3	746	1,6	96,8			10320	
	7,4	890	1,2	121			10320	
	6,2	1000	1,0	145,2			10320	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1,1	19,3	392	2,5	72,6	PC090+SW110	90S4	8298	296
	14,5	508	1,8	96,8			9133	
	11,6	599	1,5	121			9838	
	9,6	686	1,1	145,2			10320	
	7,2	828	0,8	193,6			10320	
	9,3	654	1,9	300	SW050/110	80B2	10320	300
	7,0	845	1,4	400			10320	
	5,6	1007	1,1	500			10320	
	11,3	598	1,4	80	SW130	90L6	12989	291
	9,0	689	1,1	100			13500	
	17,5	408	2,1	80	SW130	90S4	11210	291
	14,0	480	1,5	100			12076	
	12,4	585	3,0	72,6	PC090+SW130	90L6	12575	297
	9,3	746	2,2	96,8			13500	
	7,4	890	1,7	121			13500	
	6,2	1000	1,4	145,2			13500	
	4,6	1220	1,0	193,6			13500	
	19,3	398	3,5	72,6	PC090+SW130	90S4	10853	297
	14,5	508	2,6	96,8			11945	
	11,6	608	2,0	121			12868	
	9,6	686	1,6	145,2			13500	
	7,2	843	1,2	193,6			13500	
	5,8	962	0,9	242			13500	
	4,7	1312	1,3	300	SW063/130	90S4	13500	300
	3,5	1671	1,0	400			13500	
	2,8	1991	0,8	500			13500	
	9,3	753	3,1	150	SW063/150	90S4	18000	301
	7,0	966	2,4	200			18000	
	5,6	1175	1,7	250			18000	
	4,7	1364	1,7	300			18000	
	3,5	1619	1,6	400			18000	
	2,8	1893	1,2	500			18000	
	2,3	2242	1,2	600			18000	
	1,9	2616	0,9	750			18000	
1,5	560,0	23	1,9	5	SW050	90S2	1251	280-281
	373,3	35	1,5	7,5			1433	
	280,0	45	1,2	10			1577	
	186,7	65	0,9	15			1805	
	186,7	68	1,9	7,5	SW063	90L4	2359	282-283
	140,0	89	1,5	10			2597	
	93,3	127	1,1	15			2973	
	70,0	166	0,8	20			3272	
	373,3	35	2,7	7,5	SW063	90S2	1873	282-283
	280,0	46	2,1	10			2061	
	186,7	66	1,6	15			2359	
	140,0	86	1,2	20			2597	
	112,0	105	0,9	25			2797	
	93,3	120	1,0	30			2973	
	120,0	105	2,0	7,5	SW075	100LA6	3227	284-285
	90,0	137	1,7	10			3551	
	60,0	196	1,2	15			4065	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1,5	56,0	189	0,8	50	SW075	90S2	4160	284-285
	46,7	218	0,7	60			4421	
	140,0	90	2,2	10	SW075	90L4	3065	284-285
	93,3	130	1,5	15			3509	
	70,0	168	1,3	20			3862	
	56,0	205	1,0	25			4160	
	46,7	233	1,0	30			4421	
	280,0	46	3,1	10	SW075	90S2	2433	284-285
	186,7	67	2,2	15			2785	
	140,0	87	1,8	20			3065	
	112,0	106	1,4	25			3302	
	93,3	123	1,4	30			3509	
	70,0	158	1,0	40			3862	
	90,0	138	2,7	10	SW090	100LA6	3929	286-287
	60,0	201	2,1	15			4498	
	45,0	258	1,5	20			4951	
	36,0	314	1,2	25			5333	
	30,0	358	1,3	30			5667	
	70,0	172	2,1	20	SW090	90L4	4273	286-287
	56,0	210	1,6	25			4603	
	46,7	239	1,7	30			4891	
	35,0	307	1,2	40			5383	
	28,0	368	0,9	50			5799	
	23,3	424	0,8	60			6163	
	56,0	194	1,4	50	SW090	90S2	4603	286-287
	46,7	227	1,1	60			4891	
	45,0	264	2,4	20	SW105	100LA6	6256	288-289
	36,0	322	2,0	25			6739	
	30,0	363	2,0	30			7161	
	22,5	471	1,5	40			7882	
	18,0	565	1,2	50			8491	
	15,0	649	1,0	60			9023	
	35,0	319	1,9	40	SW105	90L4	6803	288-289
	28,0	384	1,6	50			7328	
	23,3	442	1,3	60			7787	
	17,5	548	0,9	80			8571	
	46,7	236	1,8	60	SW105	90S2	6181	288-289
	35,0	299	1,3	80			6803	
	28,0	353	1,0	100			7328	
	19,3	535	1,6	72,6	PC090+SW105	90L4	8298	296
	14,5	693	1,2	96,8			9133	
	11,6	817	1,0	121			9838	
	9,6	936	0,8	145,2			10320	
	9,3	891	1,2	300	SW050/105	90S2	10320	300
	7,0	1153	0,9	400			10320	
	5,6	1373	0,7	500			10320	
	45,0	264	2,7	20	SW110	100LA6	6256	290
	36,0	322	2,4	25			6739	
	30,0	363	2,3	30			7161	
	22,5	471	1,7	40			7882	
	18,0	565	1,3	50			8491	
	15,0	649	1,1	60			9023	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1,5	35,0	319	2,2	40	SW110	90L4	6803	290
	28,0	384	1,7	50			7328	
	23,3	442	1,4	60			7787	
	17,5	548	0,9	80			8571	
	46,7	236	2,0	60	SW110	90S2	6181	290
	35,0	299	1,3	80			6803	
	28,0	353	1,0	100			7328	
	19,3	535	1,9	72,6	PC090+SW110	90L4	8298	296
	14,5	693	1,3	96,8			9133	
	11,6	817	1,1	121			9838	
	9,6	936	0,8	145,2			10320	
	9,3	891	1,4	300	SW050/110	90S2	10320	300
	7,0	1153	1,0	400			10320	
	5,6	1373	0,8	500			10320	
	22,5	478	2,3	40	SW130	100LA6	10309	291
	18,0	573	1,8	50			11105	
	15,0	659	1,4	60			11801	
	11,3	815	1,1	80			12989	
	17,5	557	1,5	80	SW130	90L4	11210	291
	14,0	655	1,1	100			12076	
	19,3	542	2,6	72,6	PC090+SW130	90L4	10853	297
	14,5	693	1,9	96,8			11945	
	11,6	830	1,5	121			12868	
	9,6	936	1,1	145,2			13500	
	7,2	1149	0,8	193,6			13500	
	9,3	915	1,9	300	SW063/130	90S2	13500	300
	7,0	1166	1,4	400			13500	
	5,6	1389	1,1	500			13500	
1,8	4,7	1789	1,0	300	SW063/130	90L4	13500	300
	3,5	2279	0,7	400			13500	
	9,3	1026	2,3	150	SW063/150	90L4	18000	301
	7,0	1317	1,8	200			18000	
	5,6	1602	1,3	250			18000	
	4,7	1860	1,3	300			18000	
	3,5	2208	1,2	400			18000	
	2,8	2582	0,9	500			18000	
	2,3	3057	0,9	600			18000	
	186,7	83	1,5	7,5	SW063	90LL4	2359	282-283
	140,0	109	1,2	10			2597	
	93,3	156	0,9	15			2973	
	186,7	84	2,2	7,5	SW075	90LL4	2785	284-285
	140,0	110	1,8	10			3065	
	93,3	160	1,2	15			3509	
	70,0	206	1,0	20			3862	
	56,0	251	0,8	25			4160	
	46,7	286	0,8	30			4421	
	70,0	211	1,7	20	SW090	90LL4	4273	286-287
	56,0	257	1,3	25			4603	
	46,7	294	1,4	30			4891	
	35,0	377	1,0	40			5383	
	28,0	452	0,8	50			5799	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
1,8	56,0	264	2,2	25	SW105	90LL4	5816	288-289
	35,0	392	1,6	40			6803	
	28,0	471	1,3	50			7328	
	23,3	542	1,0	60			7787	
	19,3	656	1,3	72,6	PC090+SW105	90LL4	8298	296
	14,5	850	1,0	96,8			9133	
	11,6	1002	0,8	121			9838	
	56,0	264	2,6	25	SW110	90LL4	5816	290
	35,0	392	1,8	40			6803	
	28,0	471	1,4	50			7328	
	23,3	542	1,1	60			7787	
	19,3	656	1,5	72,6	PC090+SW110	90LL4	8298	296
	14,5	850	1,1	96,8			9133	
	11,6	1002	0,9	121			9838	
	17,5	683	1,2	80	SW130	90LL4	11210	291
	14,0	803	0,9	100			12076	
	19,3	665	2,1	72,6	PC090+SW130	90LL4	10853	297
	14,5	850	1,5	96,8			11945	
	11,6	1018	1,2	121			12868	
	9,6	1148	0,9	145,2			13500	
	9,3	1259	1,9	150	SW063/150	90LL4	18000	301
	7,0	1616	1,4	200			18000	
	5,6	1966	1,0	250			18000	
	4,7	2281	1,0	300			18000	
	3,5	2708	1,0	400			18000	
	2,8	3167	0,7	500			18000	
2,2	373,3	51	1,8	7,5	SW063	90L2	1873	
	280,0	67	1,5	10			2061	
	186,7	97	1,1	15			2359	
	186,7	100	1,8	7,5	SW075	100LA4	2785	284-285
	140,0	132	1,5	10			3065	
	93,3	191	1,0	15			3509	
	373,3	51	2,5	7,5	SW075	90L2	2210	284-285
	280,0	68	2,1	10			2433	
	186,7	98	1,5	15			2785	
	140,0	128	1,3	20			3065	
	112,0	156	1,0	25			3302	
	93,3	180	0,9	30			3509	
	186,7	101	2,9	7,5	SW090	100LA4	3081	286-287
	140,0	134	2,3	10			3391	
	93,3	194	1,9	15			3882	
	70,0	252	1,4	20			4273	
	56,0	308	1,1	25			4603	
	46,7	351	1,2	30			4891	
	120,0	156	2,2	7,5	SW090	112M6	3570	286-287
	90,0	203	1,8	10			3929	
	60,0	294	1,4	15			4498	
	45,0	378	1,0	20			4951	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2,2	140,0	131	2,0	20	SW090	90L2	3391	286-287
	112,0	159	1,6	25			3653	
	93,3	185	1,7	30			3882	
	70,0	237	1,2	40			4273	
	56,0	285	0,9	50			4603	
	70,0	255	2,2	20	SW105	100LA4	5399	288-289
	56,0	315	1,9	25			5816	
	46,7	356	1,8	30			6181	
	35,0	468	1,3	40			6803	
	28,0	563	1,1	50			7328	
	23,3	648	0,9	60			7787	
	90,0	205	3,0	10	SW105	112M6	4965	288-289
	60,0	298	2,2	15			5684	
	45,0	388	1,6	20			6256	
	36,0	473	1,4	25			6739	
	30,0	532	1,4	30			7161	
	112,0	163	2,7	25	SW105	90L2	4616	288-289
	93,3	187	2,6	30			4905	
	70,0	246	1,9	40			5399	
	56,0	296	1,5	50			5816	
	46,7	347	1,2	60			6181	
	38,6	398	1,8	72,6	PC090+SW105	90L2	6586	296
	28,9	516	1,3	96,8			7249	
	23,1	617	1,1	121			7809	
	70,0	255	2,5	20	SW110	100LA4	5399	290
	56,0	315	2,2	25			5816	
	46,7	356	2,0	30			6181	
	35,0	468	1,5	40			6803	
	28,0	563	1,2	50			7328	
	23,3	648	1,0	60			7787	
	90,0	205	3,5	10	SW110	112M6	4965	290
	60,0	298	2,6	15			5684	
	45,0	388	1,9	20			6256	
	36,0	473	1,6	25			6739	
	30,0	532	1,6	30			7161	
	112,0	163	3,1	25	SW110	90L2	4616	290
	93,3	187	3,0	30			4905	
	70,0	246	2,1	40			5399	
	56,0	296	1,7	50			5816	
	46,7	347	1,4	60			6181	
	38,6	398	2,1	72,6	PC090+SW110	90L2	6586	296
	28,9	516	1,5	96,8			7249	
	23,1	617	1,2	121			7809	
	35,0	468	2,2	40	SW130	100LA4	8897	291
	28,0	563	1,7	50			9584	
	23,3	648	1,4	60			10185	
	17,5	816	1,0	80			11210	
	36,0	479	2,2	25	SW130	112M6	8814	291
	30,0	546	2,1	30			9366	
	22,5	700	1,6	40			10309	
	18,0	840	1,2	50			11105	
	15,0	966	1,0	60			11801	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
2,2	35,0	438	1,3	80	SW130	90L2	8897	291
	28,0	525	1,0	100			9584	
	38,6	409	2,9	72,6	PC090+SW130	90L2	8614	297
	28,9	545	2,0	96,8			9481	
	23,1	654	1,6	121			10213	
	19,3	752	1,3	145,2			10853	
	28,0	570	2,5	50	SW150	100LA4	13103	292
	23,3	657	1,9	60			13924	
	17,5	816	1,4	80			15325	
	14,0	960	1,0	100			16508	
3	373,3	70	1,9	7,5	SW075	100LA2	2210	284-285
	280,0	92	1,6	10			2433	
	186,7	137	1,4	7,5	SW075	100LB4	2785	284-285
	140,0	180	1,1	10			3065	
	93,3	261	0,8	15			3509	
	373,3	71	3,0	7,5	SW090	100LA2	2446	286-287
	280,0	92	2,6	10			2692	
	186,7	138	2,1	7,5	SW090	100LB4	3081	286-287
	140,0	182	1,7	10			3391	
	93,3	264	1,4	15			3882	
	70,0	344	1,0	20			4273	
	56,0	420	0,8	25			4603	
	46,7	479	0,9	30			4891	
	93,3	264	2,2	15	SW105	100LB4	4905	288-289
	70,0	348	1,6	20			5399	
	56,0	430	1,4	25			5816	
	46,7	485	1,3	30			6181	
	35,0	638	1,0	40			6803	
	28,0	767	0,8	50			7328	
	120,0	212	2,7	7,5	SW105	132S6	4511	288-289
	90,0	280	2,2	10			4965	
	60,0	406	1,6	15			5684	
	45,0	528	1,2	20			6256	
	93,3	264	2,5	15	SW110	100LB4	4905	290
	70,0	348	1,9	20			5399	
	56,0	430	1,6	25			5816	
	46,7	485	1,5	30			6181	
	35,0	638	1,1	40			6803	
	28,0	767	0,9	50			7328	
	120,0	212	3,1	7,5	SW110	132S6	4511	290
	90,0	280	2,5	10			4965	
	60,0	406	1,9	15			5684	
	45,0	528	1,4	20			6256	
	56,0	430	2,2	25	SW130	100LB4	7607	291
	46,7	491	2,1	30			8084	
	35,0	638	1,6	40			8897	
	28,0	767	1,3	50			9584	
	23,3	884	1,0	60			10185	
	17,5	1113	0,8	80			11210	



SW Prestazioni / Performance / Leistungen / Performances / Prestaciones


P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
3	90,0	280	3,4	10	SW130	132S6	6494	291
	60,0	406	2,6	15			7434	
	45,0	535	1,9	20			8182	
	36,0	653	1,6	25			8814	
	30,0	745	1,6	30			9366	
	22,5	955	1,2	40			10309	
	28,0	778	1,8	50	SW150	100LB4	13103	292
	23,3	896	1,4	60			13924	
	17,5	1113	1,0	80			15325	
	14,0	1310	0,8	100			16508	
4	373,3	93	1,4	7,5	SW075	112M2	2210	284-285
	280,0	123	1,2	10			2433	
	186,7	182	1,0	7,5	SW075	112M4	2785	284-285
	140,0	240	0,8	10			3065	
	373,3	94	2,2	7,5	SW090	112M2	2446	286-287
	280,0	123	1,9	10			2692	
	186,7	184	1,6	7,5	SW090	112M4	3081	286-287
	140,0	243	1,3	10			3391	
	93,3	352	1,0	15			3882	
	70,0	458	0,8	20			4273	
	140,0	243	2,1	10	SW105	112M4	4285	288-289
	93,3	352	1,6	15			4905	
	70,0	464	1,2	20			5399	
	56,0	573	1,0	25			5816	
	46,7	647	1,0	30			6181	
	120,0	283	2,0	7,5	SW105	132M6	4511	288-289
	90,0	374	1,7	10			4965	
	60,0	541	1,2	15			5684	
	140,0	243	2,5	10	SW110	112M4	4285	290
	93,3	352	1,9	15			4905	
	70,0	464	1,4	20			5399	
	56,0	573	1,2	25			5816	
	46,7	647	1,1	30			6181	
	120,0	283	2,3	7,5	SW110	132M6	4511	290
	90,0	374	1,9	10			4965	
	60,0	541	1,4	15			5684	
	56,0	573	1,6	25	SW130	112M4	7607	291
	46,7	655	1,6	30			8084	
	35,0	851	1,2	40			8897	
	28,0	1023	1,0	50			9584	
	23,3	1179	0,8	60			10185	
	120,0	287	3,1	7,5	SW130	132M6	5901	291
	90,0	374	2,6	10			6494	
	60,0	541	2,0	15			7434	
	45,0	713	1,5	20			8182	
	36,0	870	1,2	25			8814	
	28,0	1037	1,4	50	SW150	112M4	13103	292
	23,3	1195	1,1	60			13924	
	17,5	1484	0,8	80			15325	



Prestazioni / Performance / Leistungen / Performances / Prestaciones


SW

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
4,8	186,7	221	1,3	7,5	SW090	112MS4	3081	286-287
	140,0	291	1,1	10			3391	
	93,3	422	0,9	15			3882	
	186,7	221	2,2	7,5	SW105	112MS4	3893	288-289
	140,0	291	1,8	10			4285	
	93,3	422	1,3	15			4905	
	70,0	557	1,0	20			5399	
	56,0	688	0,9	25			5816	
	186,7	221	2,5	7,5	SW110	112MS4	3893	290
	140,0	291	2,1	10			4285	
	93,3	422	1,6	15			4905	
	70,0	557	1,2	20			5399	
	56,0	688	1,0	25			5816	
	56,0	688	1,4	25	SW130	112MS4	7607	291
	46,7	786	1,3	30			8084	
	35,0	1022	1,0	40			8897	
	28,0	1228	0,8	50			9584	
	28,0	1244	1,1	50	SW150	112MS4	13103	292
	23,3	1434	0,9	60			13924	
5,5	186,7	253	1,9	7,5	SW105	132S4	3893	288-289
	140,0	334	1,6	10			4285	
	93,3	484	1,2	15			4905	
	70,0	638	0,9	20			5399	
	186,7	253	2,2	7,5	SW110	132S4	3893	290
	140,0	334	1,8	10			4285	
	93,3	484	1,4	15			4905	
	70,0	638	1,0	20			5399	
	140,0	334	2,5	10	SW130	132S4	5605	291
	93,3	490	1,9	15			6416	
	70,0	645	1,4	20			7062	
	56,0	788	1,2	25			7607	
	46,7	900	1,2	30			8084	
	35,0	1171	0,9	40			8897	
	70,0	645	2,0	20	SW150	132S4	9654	292
	56,0	788	1,5	25			10400	
	46,7	934	1,3	30			11051	
	35,0	1171	1,3	40			12163	
	28,0	1426	1,0	50			13103	
	23,3	1643	0,8	60			13924	
7,5	186,7	345	1,4	7,5	SW105	132L4	3893	288-289
	140,0	455	1,1	10			4285	
	93,3	660	0,9	15			4905	
	186,7	345	1,6	7,5	SW110	132L4	3893	290
	140,0	455	1,3	10			4285	
	93,3	660	1,0	15			4905	
	186,7	349	2,1	7,5	SW130	132L4	5092	291
	140,0	455	1,8	10			5605	
	93,3	668	1,4	15			6416	
	70,0	880	1,0	20			7062	
	56,0	1074	0,9	25			7607	
	46,7	1228	0,8	30			8084	
	35,0	1596	0,7	40			8897	




SW Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 (kW)	n2 (1/min)	M2 (Nm)	f.s.	i	Grandezza, Size, Größe, Taille, Tamaño		Fr2 (N)	
7,5	70,0	880	1,5	20	SW150	132L4	9654	292
	56,0	1074	1,1	25			10400	
	46,7	1274	0,9	30			11051	
	35,0	1596	1,0	40			12163	
9,2	186,7	424	1,3	7,5	SW110	132M4	3893	290
	186,7	428	1,8	7,5	SW130	132M4	5092	291
	140,0	559	1,5	10			5605	
	93,3	819	1,1	15			6416	
	70,0	1079	0,8	20			7062	
	56,0	1318	0,7	25			7607	
	70,0	1079	1,2	20	SW150	132M4	9654	292
	56,0	1318	0,9	25			10400	
	46,7	1563	0,8	30			11051	
	35,0	1958	0,8	40			12163	
	186,7	512	2,3	7,5	SW150	160M4	6962	292
	140,0	675	1,8	10			7663	
	93,3	990	1,3	15			8771	
	70,0	1291	1,0	20			9654	
	56,0	1576	0,8	25			10400	
15	186,7	698	1,7	7,5	SW150	160L4	6962	292
	140,0	921	1,3	10			7663	
	93,3	1351	0,9	15			8771	
	70,0	1760	0,7	20			9654	



Note / Notes / Aufzeichnung / Notes / Notas


This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



ISW Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=2800)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
12	5	0,79	560,0	ISW030	115	474	304
13	7,5	0,58	373,3		125	542	
13	10	0,45	280,0		140	597	
13	15	0,31	186,7		140	683	
12	20	0,23	140,0		146	752	
16	25	0,25	112,0		210	810	
15	30	0,21	93,3		210	861	
14	40	0,16	70,0		127	948	
13	50	0,12	56,0		128	1021	
12	60	0,10	46,7		126	1085	
11	80	0,08	35,0		130	1194	
24	5	1,56	560,0	ISW040	200	912	304
28	7,5	1,23	373,3		233	1044	
29	10	0,97	280,0		272	1149	
31	15	0,72	186,7		291	1315	
29	20	0,52	140,0		204	1447	
28	25	0,42	112,0		236	1559	
34	30	0,44	93,3		350	1657	
31	40	0,32	70,0		350	1824	
30	50	0,26	56,0		350	1964	
28	60	0,21	46,7		350	2087	
25	80	0,16	35,0		350	2298	
23	100	0,12	28,0		350	2475	
45	5	2,90	560,0	ISW050	280	1251	304
52	7,5	2,26	373,3		324	1433	
54	10	1,80	280,0		378	1577	
57	15	1,31	186,7		399	1805	
53	20	0,95	140,0		417	1987	
51	25	0,75	112,0		482	2140	
64	30	0,82	93,3		490	2274	
59	40	0,59	70,0		490	2503	
53	50	0,45	56,0		490	2696	
50	60	0,37	46,7		490	2865	
45	80	0,27	35,0		490	3153	
40	100	0,21	28,0		490	3397	
93	7,5	4,0	373,3	ISW063	395	1873	304
97	10	3,2	280,0		463	2061	
103	15	2,3	186,7		492	2359	
100	20	1,7	140,0		538	2597	
92	25	1,3	112,0		593	2797	
120	30	1,5	93,3		700	2973	
108	40	1,1	70,0		700	3272	
100	50	0,83	56,0		700	3524	
95	60	0,68	46,7		700	3745	
85	80	0,49	35,0		700	4122	
74	100	0,37	28,0		700	4440	
130	7,5	5,6	373,3	ISW075	560	2210	304
145	10	4,7	280,0		703	2433	
150	15	3,4	186,7		727	2785	
160	20	2,8	140,0		872	3065	
150	25	2,1	112,0		980	3302	
170	30	2,1	93,3		980	3509	
165	40	1,6	70,0		980	3862	
150	50	1,2	56,0		980	4160	
145	60	1,0	46,7		980	4421	
130	80	0,72	35,0		980	4865	
120	100	0,58	28,0		980	5241	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

ISW

(n1=2800)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
210	7,5	8,9	373,3	ISW090	715	2446	304
235	10	7,7	280,0		900	2692	
270	15	6,0	186,7		1034	3081	
260	20	4,4	140,0		1120	3391	
250	25	3,4	112,0		1270	3653	
310	30	3,7	93,3		1270	3882	
275	40	2,6	70,0		1270	4273	
265	50	2,0	56,0		1270	4603	
245	60	1,6	46,7		1270	4891	
225	80	1,2	35,0		1270	5383	
200	100	0,90	28,0		1270	5799	
340	7,5	14,4	373,3	ISW105	950	3090	304
380	10	12,2	280,0		1194	3401	
425	15	9,3	186,7		1336	3893	
420	20	7,0	140,0		1485	4285	
440	25	5,9	112,0		1700	4616	
480	30	5,7	93,3		1700	4905	
460	40	4,1	70,0		1700	5399	
450	50	3,3	56,0		1700	5816	
430	60	2,7	46,7		1700	6181	
380	80	1,9	35,0		1700	6803	
350	100	1,5	28,0		1700	7328	
391	7,5	16,6	373,3	ISW110	950	3090	305
437	10	14,1	280,0		1194	3401	
489	15	10,7	186,7		1337	3893	
483	20	8,0	140,0		1485	4285	
506	25	6,8	112,0		1700	4616	
552	30	6,5	93,3		1700	4905	
529	40	4,7	70,0		1700	5399	
495	50	3,7	56,0		1700	5816	
473	60	3,0	46,7		1700	6181	
399	80	2,0	35,0		1700	6803	
368	100	1,6	28,0		1700	7328	
520	7,5	22,1	373,3	ISW130	1190	4042	305
580	10	18,7	280,0		1493	4449	
670	15	14,7	186,7		1725	5092	
660	20	11,0	140,0		1912	5605	
670	25	9,0	112,0		2100	6038	
770	30	9,0	93,3		2100	6416	
730	40	6,5	70,0		2100	7062	
700	50	5,1	56,0		2100	7607	
640	60	4,0	46,7		2100	8084	
590	80	3,0	35,0		2100	8897	
520	100	2,2	28,0		2100	9584	
840	7,5	35,7	373,3	ISW150	1550	5526	305
890	10	28,4	280,0		1848	6082	
910	15	19,8	186,7		1889	6962	
980	20	16,1	140,0		2289	7663	
890	25	12,0	112,0		2494	8254	
920	30	10,5	93,3		2800	8771	
1200	40	10,6	70,0		2800	9654	
1100	50	8,1	56,0		2800	10400	
990	60	6,2	46,7		2800	11051	
920	80	4,6	35,0		2800	12163	
810	100	3,3	28,0		2800	13103	



ISW Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=1400)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
18	5	0,61	280,0	ISW030	150	597	304
18	7,5	0,41	186,7		150	683	
18	10	0,32	140,0		169	752	
18	15	0,23	93,3		169	861	
18	20	0,18	70,0		190	948	
21	25	0,18	56,0		210	1021	
20	30	0,15	46,7		210	1085	
18	40	0,11	35,0		210	1194	
17	50	0,09	28,0		210	1286	
16	60	0,08	23,3		210	1367	
13	80	0,05	17,5		210	1504	
34	5	1,12	280,0	ISW040	250	1149	304
40	7,5	0,90	186,7		294	1315	
40	10	0,69	140,0		331	1447	
40	15	0,48	93,3		331	1657	
39	20	0,37	70,0		350	1824	
38	25	0,30	56,0		350	1964	
45	30	0,31	46,7		350	2087	
41	40	0,23	35,0		350	2298	
39	50	0,18	28,0		350	2475	
36	60	0,15	23,3		350	2630	
33	80	0,12	17,5		350	2895	
29	100	0,09	14,0		350	3118	
62	5	2,04	280,0	ISW050	350	1577	304
71	7,5	1,58	186,7		401	1805	
72	10	1,23	140,0		490	1987	
74	15	0,88	93,3		490	2274	
73	20	0,68	70,0		490	2503	
70	25	0,54	56,0		490	2696	
84	30	0,57	46,7		490	2865	
76	40	0,42	35,0		490	3153	
73	50	0,34	28,0		490	3397	
68	60	0,28	23,3		490	3610	
65	80	0,22	17,5		490	3973	
55	100	0,16	14,0		490	4280	
128	7,5	2,8	186,7	ISW063	500	2359	304
130	10	2,2	140,0		571	2597	
140	15	1,6	93,3		615	2973	
135	20	1,2	70,0		667	3272	
130	25	1,0	56,0		700	3524	
160	30	1,1	46,7		700	3745	
145	40	0,76	35,0		700	4122	
135	50	0,60	28,0		700	4440	
130	60	0,51	23,3		700	4719	
122	80	0,39	17,5		700	5193	
118	100	0,34	14,0		700	5595	
185	7,5	4,1	186,7	ISW075	700	2785	304
195	10	3,2	140,0		830	3065	
200	15	2,3	93,3		851	3509	
210	20	1,9	70,0		980	3862	
200	25	1,5	56,0		980	4160	
230	30	1,5	46,7		980	4421	
220	40	1,1	35,0		980	4865	
210	50	0,89	28,0		980	5241	
200	60	0,75	23,3		980	5569	
190	80	0,58	17,5		980	6130	
180	100	0,48	14,0		980	6603	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

ISW

(n1=1400)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
290	7,5	6,3	186,7	ISW090	900	3081	304
310	10	5,1	140,0		1082	3391	
360	15	4,1	93,3		1257	3882	
355	20	3,1	70,0		1270	4273	
340	25	2,4	56,0		1270	4603	
410	30	2,6	46,7		1270	4891	
360	40	1,8	35,0		1270	5383	
340	50	1,4	28,0		1270	5799	
320	60	1,1	23,3		1270	6163	
285	80	0,83	17,5		1270	6783	
270	100	0,67	14,0		1270	7306	
480	7,5	10,4	186,7	ISW105	1200	3893	304
520	10	8,6	140,0		1463	4285	
570	15	6,5	93,3		1603	4905	
560	20	4,8	70,0		1700	5399	
590	25	4,1	56,0		1700	5816	
630	30	3,9	46,7		1700	6181	
610	40	2,9	35,0		1700	6803	
600	50	2,3	28,0		1700	7328	
560	60	1,9	23,3		1700	7787	
490	80	1,3	17,5		1700	8571	
460	100	1,1	14,0		1700	9232	
552	7,5	12,0	186,7	ISW110	1200	3893	305
598	10	9,8	140,0		1463	4285	
656	15	7,5	93,3		1604	4905	
644	20	5,6	70,0		1700	5399	
679	25	4,7	56,0		1700	5816	
725	30	4,5	46,7		1700	6181	
702	40	3,3	35,0		1700	6803	
660	50	2,6	28,0		1700	7328	
616	60	2,1	23,3		1700	7787	
515	80	1,4	17,5		1700	8571	
483	100	1,1	14,0		1700	9232	
750	7,5	16,1	186,7	ISW130	1500	5092	305
820	10	13,5	140,0		1845	5605	
920	15	10,3	93,3		2070	6416	
910	20	7,8	70,0		2100	7062	
930	25	6,5	56,0		2100	7607	
1040	30	6,4	46,7		2100	8084	
1050	40	4,9	35,0		2100	8897	
980	50	3,8	28,0		2100	9584	
900	60	3,1	23,3		2100	10185	
840	80	2,3	17,5		2100	11210	
740	100	1,7	14,0		2100	12076	
1200	7,5	25,8	186,7	ISW150	1950	6962	305
1240	10	20,2	140,0		2267	7663	
1250	15	13,9	93,3		2285	8771	
1300	20	11,1	70,0		2674	9654	
1200	25	8,4	56,0		2800	10400	
1200	30	7,1	46,7		2800	11051	
1550	40	7,3	35,0		2800	12163	
1400	50	5,4	28,0		2800	13103	
1260	60	4,2	23,3		2800	13924	
1150	80	3,1	17,5		2800	15325	
1000	100	2,3	14,0		2800	16508	



ISW Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=900)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
20	5	0,44	180,0	ISW030	175	692	304
20	7,5	0,30	120,0		175	792	
20	10	0,24	90,0		197	871	
20	15	0,17	60,0		197	997	
20	20	0,13	45,0		210	1098	
23	25	0,14	36,0		210	1183	
21	30	0,11	30,0		210	1257	
20	40	0,09	22,5		210	1383	
18	50	0,07	18,0		210	1490	
17	60	0,06	15,0		210	1583	
15	80	0,04	11,3		210	1743	
40	5	0,87	180,0	ISW040	290	1331	304
44	7,5	0,65	120,0		319	1524	
44	10	0,50	90,0		350	1677	
45	15	0,36	60,0		350	1920	
44	20	0,28	45,0		350	2113	
43	25	0,23	36,0		350	2276	
49	30	0,23	30,0		350	2419	
45	40	0,17	22,5		350	2662	
42	50	0,14	18,0		350	2868	
39	60	0,11	15,0		350	3047	
35	80	0,09	11,3		350	3354	
32	100	0,07	9,0		350	3490	
75	5	1,61	180,0	ISW050	400	1827	304
84	7,5	1,23	120,0		448	2091	
84	10	0,94	90,0		490	2302	
84	15	0,67	60,0		490	2635	
77	20	0,48	45,0		490	2900	
75	25	0,39	36,0		490	3124	
90	30	0,42	30,0		490	3320	
82	40	0,31	22,5		490	3654	
77	50	0,25	18,0		490	3936	
72	60	0,21	15,0		490	4183	
68	80	0,16	11,3		490	4604	
56	100	0,12	9,0		490	4840	
151	7,5	2,2	120,0	ISW063	580	2734	304
153	10	1,7	90,0		661	3009	
155	15	1,2	60,0		670	3444	
148	20	0,91	45,0		700	3791	
137	25	0,69	36,0		700	4084	
175	30	0,79	30,0		700	4339	
160	40	0,58	22,5		700	4776	
145	50	0,45	18,0		700	5145	
138	60	0,37	15,0		700	5467	
128	80	0,29	11,3		700	6018	
124	100	0,25	9,0		700	6270	
215	7,5	3,1	120,0	ISW075	810	3227	304
230	10	2,5	90,0		975	3551	
235	15	1,8	60,0		980	4065	
235	20	1,4	45,0		980	4474	
215	25	1,1	36,0		980	4820	
260	30	1,1	30,0		980	5122	
240	40	0,83	22,5		980	5637	
220	50	0,65	18,0		980	6073	
210	60	0,54	15,0		980	6453	
200	80	0,43	11,3		980	7103	
190	100	0,36	9,0		980	7380	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

ISW

(n1=900)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
340	7,5	4,8	120,0	ISW090	1040	3570	304
370	10	4,0	90,0		1270	3929	
420	15	3,1	60,0		1270	4498	
390	20	2,3	45,0		1270	4951	
370	25	1,8	36,0		1270	5333	
460	30	1,9	30,0		1270	5667	
410	40	1,4	22,5		1270	6238	
390	50	1,1	18,0		1270	6719	
350	60	0,86	15,0		1270	7140	
315	80	0,63	11,3		1270	7859	
280	100	0,49	9,0		1270	8180	
565	7,5	8,0	120,0	ISW105	1390	4511	304
620	10	6,6	90,0		1700	4965	
660	15	4,9	60,0		1700	5684	
630	20	3,6	45,0		1700	6256	
660	25	3,1	36,0		1700	6739	
730	30	3,0	30,0		1700	7161	
690	40	2,2	22,5		1700	7882	
680	50	1,8	18,0		1700	8491	
620	60	1,4	15,0		1700	9023	
540	80	1,0	11,3		1700	9931	
490	100	0,80	9,0		1700	10320	
650	7,5	9,2	120,0	ISW110	1390	4511	305
713	10	7,6	90,0		1700	4965	
759	15	5,6	60,0		1700	5684	
725	20	4,1	45,0		1700	6256	
759	25	3,5	36,0		1700	6739	
840	30	3,5	30,0		1700	7161	
794	40	2,5	22,5		1700	7882	
748	50	2,0	18,0		1700	8491	
682	60	1,6	15,0		1700	9023	
567	80	1,1	11,3		1700	9931	
515	100	0,84	9,0		1700	10320	
880	7,5	12,3	120,0	ISW130	1740	5901	305
960	10	10,3	90,0		2100	6494	
1060	15	7,8	60,0		2100	7434	
1040	20	5,8	45,0		2100	8182	
1050	25	4,8	36,0		2100	8814	
1170	30	4,7	30,0		2100	9366	
1100	40	3,5	22,5		2100	10309	
1050	50	2,7	18,0		2100	11105	
940	60	2,1	15,0		2100	11801	
860	80	1,6	11,3		2100	12989	
780	100	1,2	9,0		2100	13500	
1400	7,5	19,5	120,0	ISW150	2270	8067	305
1480	10	15,7	90,0		2700	8878	
1450	15	10,5	60,0		2645	10163	
1500	20	8,4	45,0		2800	11186	
1380	25	6,3	36,0		2800	12050	
1400	30	5,4	30,0		2800	12805	
1800	40	5,7	22,5		2800	14094	
1600	50	4,1	18,0		2800	15182	
1440	60	3,2	15,0		2800	16133	
1300	80	2,4	11,3		2800	17757	
1150	100	1,8	9,0		2800	18000	



ISW Prestazioni / Performance / Leistungen / Performances / Prestaciones

(n1=500)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
24	5	0,30	100,0	ISW030	210	841	304
24	7,5	0,21	66,7		210	963	
24	10	0,16	50,0		210	1060	
24	15	0,12	33,3		210	1213	
23	20	0,09	25,0		210	1336	
29	25	0,10	20,0		210	1439	
26	30	0,08	16,7		210	1529	
23	40	0,06	12,5		210	1683	
21	50	0,05	10,0		210	1813	
19	60	0,04	8,3		210	1830	
17	80	0,03	6,3		210	1830	
49	5	0,60	100,0	ISW040	350	1619	304
54	7,5	0,45	66,7		350	1853	
54	10	0,35	50,0		350	2040	
55	15	0,26	33,3		350	2335	
52	20	0,19	25,0		350	2570	
49	25	0,15	20,0		350	2769	
58	30	0,16	16,7		350	2942	
53	40	0,12	12,5		350	3238	
49	50	0,10	10,0		350	3488	
46	60	0,08	8,3		350	3490	
40	80	0,06	6,3		350	3490	
36	100	0,05	5,0		350	3490	
92	5	1,12	100,0	ISW050	490	2222	304
103	7,5	0,86	66,7		490	2544	
103	10	0,67	50,0		490	2800	
103	15	0,47	33,3		490	3205	
93	20	0,33	25,0		490	3528	
91	25	0,28	20,0		490	3800	
108	30	0,29	16,7		490	4038	
98	40	0,22	12,5		490	4445	
91	50	0,17	10,0		490	4788	
83	60	0,14	8,3		490	4840	
75	80	0,11	6,3		490	4840	
65	100	0,09	5,0		490	4840	
184	7,5	1,5	66,7	ISW063	700	3325	304
185	10	1,2	50,0		700	3660	
187	15	0,85	33,3		700	4190	
178	20	0,63	25,0		700	4611	
164	25	0,48	20,0		700	4967	
200	30	0,54	16,7		700	5279	
185	40	0,40	12,5		700	5810	
173	50	0,32	10,0		700	6259	
160	60	0,26	8,3		700	6270	
137	80	0,19	6,3		700	6270	
128	100	0,16	5,0		700	6270	
260	7,5	2,1	66,7	ISW075	980	3925	304
270	10	1,7	50,0		980	4320	
280	15	1,2	33,3		980	4945	
285	20	1,0	25,0		980	5443	
255	25	0,73	20,0		980	5863	
300	30	0,77	16,7		980	6231	
280	40	0,58	12,5		980	6858	
250	50	0,44	10,0		980	7380	
240	60	0,37	8,3		980	7380	
215	80	0,29	6,3		980	7380	
210	100	0,24	5,0		980	7380	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

ISW

(n1=500)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
410	7,5	3,3	66,7	ISW090	1270	4343	304
435	10	2,7	50,0		1270	4780	
490	15	2,1	33,3		1270	5472	
470	20	1,6	25,0		1270	6022	
440	25	1,2	20,0		1270	6487	
550	30	1,4	16,7		1270	6894	
480	40	0,95	12,5		1270	7588	
450	50	0,75	10,0		1270	8174	
400	60	0,59	8,3		1270	8180	
365	80	0,45	6,3		1270	8180	
330	100	0,35	5,0		1270	8180	
690	7,5	5,5	66,7	ISW105	1700	5488	304
740	10	4,6	50,0		1700	6040	
790	15	3,4	33,3		1700	6914	
750	20	2,5	25,0		1700	7610	
790	25	2,1	20,0		1700	8198	
870	30	2,1	16,7		1700	8711	
810	40	1,5	12,5		1700	9588	
800	50	1,3	10,0		1700	10320	
710	60	1,0	8,3		1700	10320	
630	80	0,7	6,3		1700	10320	
570	100	0,6	5,0		1700	10320	
794	7,5	6,4	66,7	ISW110	1700	5488	305
851	10	5,2	50,0		1700	6040	
909	15	3,9	33,3		1700	6914	
863	20	2,8	25,0		1700	7610	
909	25	2,4	20,0		1700	8198	
1000	30	2,4	16,7		1700	8711	
932	40	1,7	12,5		1700	9588	
880	50	1,4	10,0		1700	10320	
781	60	1,1	8,3		1700	10320	
662	80	0,8	6,3		1700	10320	
599	100	0,6	5,0		1700	10320	
1080	7,5	8,6	66,7	ISW130	2100	7178	305
1160	10	7,1	50,0		2100	7900	
1300	15	5,5	33,3		2100	9043	
1230	20	4,0	25,0		2100	9953	
1200	25	3,2	20,0		2100	10722	
1400	30	3,3	16,7		2100	11394	
1300	40	2,4	12,5		2100	12540	
1220	50	1,9	10,0		2100	13500	
1070	60	1,5	8,3		2100	13500	
970	80	1,1	6,3		2100	13500	
860	100	0,8	5,0		2100	13500	
1700	7,5	13,5	66,7	ISW150	2800	9812	305
1780	10	10,7	50,0		2800	10800	
1730	15	7,2	33,3		2800	12363	
1820	20	5,9	25,0		2800	13607	
1630	25	4,3	20,0		2800	14658	
1670	30	3,8	16,7		2800	15576	
2120	40	3,9	12,5		2800	17144	
1870	50	2,9	10,0		2800	18000	
1680	60	2,3	8,3		2800	18000	
1530	80	1,7	6,3		2800	18000	
1350	100	1,3	5,0		2800	18000	



ISW Prestazioni / Performance / Leistungen / Performances / Prestaciones


ISW/SW (n1=1400)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
73	300	0,08	4,7	ISW030/040	210	3490	304
65	400	0,06	3,5		210	3490	
61	500	0,04	2,8		210	3490	
73	600	0,04	2,3		210	3490	
73	750	0,04	1,9		210	3490	
73	900	0,03	1,6		210	3490	
65	1200	0,02	1,2		210	3490	
73	1500	0,02	0,9		210	3490	
73	1800	0,02	0,8		210	3490	
65	2400	0,01	0,58		210	3490	
65	3200	0,01	0,4		210	3490	
33	4000	0,01	0,4		210	3490	
29	5000	0,01	0,28		210	3490	
145	300	0,15	4,7	ISW030/050	210	4840	304
124	400	0,10	3,5		210	4840	
120	500	0,09	2,8		210	4840	
145	600	0,08	2,3		210	4840	
145	750	0,07	1,9		210	4840	
145	900	0,06	1,6		210	4840	
124	1200	0,04	1,2		210	4840	
145	1500	0,04	0,93		210	4840	
145	1800	0,04	0,78		210	4840	
124	2400	0,03	0,6		210	4840	
120	3000	0,02	0,5		210	4840	
82	4000	0,02	0,35		210	4840	
82	4800	0,02	0,29		210	4840	
230	300	0,24	4,7	ISW030/063	210	6270	304
230	400	0,19	3,5		210	6270	
216	500	0,15	2,8		210	6270	
230	600	0,13	2,3		210	6270	
216	750	0,11	1,9		210	6270	
198	900	0,09	1,6		210	6270	
230	1200	0,08	1,2		210	6270	
216	1500	0,06	0,93		210	6270	
198	1800	0,05	0,78		210	6270	
230	2400	0,05	0,58		210	6270	
216	3000	0,04	0,47		210	6270	
172	4000	0,03	0,35		210	6270	
150	5000	0,02	0,28		210	6270	
390	300	0,36	4,7	ISW040/075	350	7380	304
360	400	0,27	3,5		350	7380	
320	500	0,21	2,8		350	7380	
390	600	0,19	2,3		350	7380	
390	750	0,16	1,9		350	7380	
390	900	0,14	1,6		350	7380	
360	1200	0,11	1,2		350	7380	
390	1500	0,10	0,93		350	7380	
390	1800	0,09	0,78		350	7380	
360	2400	0,07	0,58		350	7380	
320	3000	0,05	0,47		350	7380	
250	4000	0,04	0,35		350	7380	
230	5000	0,03	0,28		350	7380	
610	300	0,56	4,7	ISW040/090	350	8180	304
610	400	0,43	3,5		350	8180	
560	500	0,34	2,8		350	8180	
610	600	0,30	2,3		350	8180	
560	750	0,23	1,9		350	8180	



ISW/SW (n1=1400)


M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
505	900	0,19	1,6	ISW040/090	350	8180	304
610	1200	0,17	1,2		350	8180	
560	1500	0,14	0,93		350	8180	
505	1800	0,11	0,78		350	8180	
610	2400	0,11	0,58		350	8180	
560	3000	0,08	0,47		350	8180	
460	4000	0,08	0,35		350	8180	
410	5000	0,06	0,28		350	8180	
1100	300	0,95	4,7	ISW050/105	490	10320	304
1030	400	0,69	3,5		490	10320	
1000	500	0,56	2,8		490	10320	
1030	600	0,48	2,3		490	10320	
1100	750	0,43	1,9		490	10320	
1100	900	0,38	1,6		490	10320	
1030	1200	0,27	1,2		490	10320	
1100	1500	0,26	0,93		490	10320	
1100	1800	0,23	0,78		490	10320	
1030	2400	0,17	0,58		490	10320	
1000	3000	0,14	0,47		490	10320	
780	4000	0,12	0,35		490	10320	
710	5000	0,09	0,28		490	10320	
1265	300	1,09	4,7	ISW050/110	490	10320	305
1185	400	0,79	3,5		490	10320	
1100	500	0,61	2,8		490	10320	
1185	600	0,55	2,3		490	10320	
1265	750	0,49	1,9		490	10320	
1265	900	0,43	1,6		490	10320	
1185	1200	0,31	1,2		490	10320	
1265	1500	0,30	0,93		490	10320	
1265	1800	0,26	0,78		490	10320	
1185	2400	0,19	0,58		490	10320	
1100	3000	0,15	0,47		490	10320	
819	4000	0,13	0,35		490	10320	
746	5000	0,10	0,28		490	10320	
1760	300	1,48	4,7	ISW063/130	700	13500	304
1650	400	1,09	3,5		700	13500	
1550	500	0,86	2,8		700	13500	
1650	600	0,76	2,3		700	13500	
1760	750	0,66	1,9		700	13500	
1760	900	0,58	1,6		700	13500	
1650	1200	0,43	1,2		700	13500	
1760	1500	0,39	0,93		700	13500	
1760	1800	0,35	0,78		700	13500	
1650	2400	0,25	0,58		700	13500	
1550	3000	0,20	0,47		700	13500	
1220	4000	0,15	0,35		700	13500	
1100	5000	0,11	0,28		700	13500	
2340	150	3,42	9,3	ISW063/150	700	18000	305
2340	200	2,66	7,0		700	18000	
2050	250	1,92	5,6		700	18000	
2340	300	1,89	4,7		700	18000	
2670	400	1,81	3,5		700	18000	
2330	500	1,35	2,8		700	18000	



ISW Prestazioni / Performance / Leistungen / Performances / Prestaciones

ISW/SW (n1=1400)

M2 (Nm)	i	P1 (kW)	n2 (1/min)	Grandezza, Size, Größe, Taille, Tamaño	Fr1 (N)	Fr2 (N)	
2670	600	1,31	2,3	ISW063/150	700	18000	305
2330	750	0,98	1,9		700	18000	
2100	900	0,71	1,6		700	18000	
2670	1200	0,75	1,2		700	18000	
2100	1800	0,44	0,8		700	18000	
2670	2400	0,46	0,6		700	18000	
2330	3000	0,34	0,5		700	18000	
1880	4000	0,23	0,4		700	18000	
1650	5000	0,18	0,3		700	18000	



Note / Notes / Aufzeichnung / Notes / Notas

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.