



Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,12	30,0	25	1,9	30	NMRV 040	63B6	2419	148
	22,5	32	1,4	40			2662	
	18,0	36	1,2	50			2868	
	15,0	41	0,9	60			3047	
	18,7	42	1,2	75	PC 063 - NMRV 040	63A4	2833	158
	15,6	46	1,2	90			3011	
	11,7	57	0,9	120			3314	
	9,3	66	0,7	150			3490	
	7,8	74	0,6	180			3490	
	12,0	62	1,0	75	PC 063 - NMRV 040	63B6	3283	158
	10,0	68	1,1	90			3488	
	7,5	83	0,8	120			3490	
	23,3	29	2,3	60	NMRV 050	63A4	3610	150
	17,5	35	1,9	80			3973	
	14,0	40	1,4	100			4280	
	22,5	32	2,6	40	NMRV 050	63B6	3654	150
	18,0	38	2,0	50			3936	
	15,0	42	1,7	60			4183	
	11,3	50	1,4	80			4604	
	9,0	56	1,0	100			4840	
	9,3	68	1,3	150	PC 063 - NMRV 050	63A4	4840	158
	7,8	75	1,1	180			4840	
	5,8	88	0,8	240			4840	
	4,7	98	0,7	300			4840	
	12,0	63	1,7	75	PC 063 - NMRV 050	63B6	4506	158
	10,0	70	2,1	90			4788	
	7,5	84	1,5	120			4840	
	6,0	97	1,2	150			4840	
	5,0	108	1,0	180			4840	
	3,8	125	0,7	240			4840	
	4,7	119	1,2	300				
	3,5	142	0,9	400	NMRV 030-050	63A4	4840	163
	2,8	164	0,7	500			4840	
							4840	
	5,8	92	1,5	240	PC 063 - NMRV 063	63A4	6270	158
	4,7	103	1,2	300			6270	
	6,0	101	2,1	150	PC 063 - NMRV 063	63B6	6270	158
	5,0	112	1,8	180			6270	
	3,8	131	1,3	240			6270	
	3,0	145	1,0	300			6270	
	2,8	171	1,3	500	NMRV 030-063	63A4	6270	163
	2,3	208	1,1	600			6270	
	1,9	241	0,9	750			6270	
	1,6	325	1,2	900	NMRV 040-075	63A4	7380	163
	1,2	399	0,9	1200			7380	
	0,78	547	0,9	1800	NMRV 040-090	63A4	8180	164
	0,58	695	0,9	2400			8180	
	0,47	884	1,1	3000	NMRV 050-110	63A4	10320	164
	0,35	784	1,0	4000			10320	
	0,28	928	0,8	5000			10320	



Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,15	180,0	6,8	3,0	5	NMRV 030	63C6	692	146
	120,0	10	2,0	7,5			792	
	90,0	13	1,6	10			871	
	60,0	18	1,1	15			997	
	45,0	22	0,9	20			1098	
	60,0	19	2,4	15	NMRV 040	63C6	1920	148
	45,0	24	1,8	20			2113	
	36,0	29	1,5	25			2276	
	30,0	32	1,6	30			2419	
	22,5	39	1,1	40			2662	
	18,0	45	0,9	50			2868	
	18,0	47	1,6	50	NMRV 050	63C6	3936	150
	15,0	53	1,4	60			4183	
	11,3	62	1,1	80			4604	
	10,0	87	1,7	90	PC 063 - NMRV 050	63C6	4788	158
	7,5	105	1,2	120			4840	
	6,0	127	1,7	150	PC 063 - NMRV 063	63C6	6270	158
	5,0	140	1,4	180			6270	
0,18	560,0	2,7	4,4	5	NMRV 030	63A2	474	146
	373,3	4,0	3,2	7,5			542	
	280,0	5,2	2,5	10			597	
	186,7	7,5	1,7	15			683	
	140,0	10	1,3	20			752	
	112,0	11	1,4	25			810	
	93,3	13	1,1	30			861	
	70,0	16	0,9	40			948	
	280,0	5,3	3,4	5	NMRV 030	63B4	597	146
	186,7	7,8	2,3	7,5			683	
	140,0	10	1,8	10			752	
	93,3	14	1,3	15			861	
	70,0	18	1,0	20			948	
	56,0	21	1,0	25			1021	
	46,7	24	0,8	30			1085	
	280,0	5,2	2,5	10	MCV030	M63A2	597	147
	186,7	7,5	1,7	15			683	
	93,3	13	1,1	30			861	
	70,0	16	0,9	40			948	
	56,0	19	0,7	50			1021	
	140,0	10	1,8	10	MCV030	M63B4	752	147
	93,3	14	1,3	15			861	
	46,7	26	0,8	30			1085	
	93,3	14	2,4	30	NMRV 040	63A2	1657	148
	70,0	18	1,8	40			1824	
	56,0	21	1,4	50			1964	
	70,0	19	2,0	20	NMRV 040	63B4	1824	148
	56,0	23	1,7	25			1964	
	46,7	26	1,7	30			2087	
	35,0	32	1,3	40			2298	
	28,0	38	1,0	50			2475	
	23,3	43	0,8	60			2630	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,18	45,0	29	1,5	20	NMRV 040	71A6	2113	148
	36,0	34	1,3	25			2276	
	30,0	38	1,3	30			2419	
	22,5	47	1,0	40			2662	
	22,5	47	1,0	40	MCV040	M71A6	2662	149
	18,0	54	0,8	50			2868	
	18,7	64	0,8	75	PC 063 - NMRV 040	63B4	2833	158
	15,6	70	0,8	90			3011	
	11,7	85	0,6	120			3314	
	46,7	24	2,1	60	NMRV 050	63A2	2865	150
	35,0	30	1,5	80			3153	
	28,0	34	1,2	100			3397	
	35,0	33	2,3	40	NMRV 050	63B4	3153	150
	28,0	39	1,9	50			3397	
	23,3	43	1,6	60			3610	
	17,5	52	1,2	80			3973	
	14,0	60	0,9	100			4280	
	18,0	56	1,4	50	NMRV 050	71A6	3936	150
	15,0	63	1,1	60			4183	
	11,3	75	0,9	80			4604	
	18,7	64	1,4	75	PC 063 - NMRV 050	63B4	3889	158
	15,6	71	1,5	90			4132	
	11,7	87	1,1	120			4548	
	9,3	101	0,9	150			4840	
	7,8	113	0,7	180			4840	
	5,8	133	0,6	240			4840	
	12,0	95	1,2	75	PC 071 - NMRV 050	71A6	4506	158
	10,0	105	1,4	90			4788	
	7,5	126	1,0	120			4840	
	15,0	66	2,1	60	NMRV 063	71A6	5467	152
	11,3	79	1,6	80			6018	
	9,0	90	1,4	100			6270	
	9,3	103	1,7	150	PC 063 - NMRV 063	63B4	6270	158
	7,8	117	1,4	180			6270	
	5,8	139	1,0	240			6270	
	4,7	155	0,8	300			6270	
	12,0	97	2,2	75	PC 071 - NMRV 063	71A6	5889	159
	10,0	107	2,4	90			6259	
	7,5	131	1,8	120			6270	
	6,0	152	1,4	150			6270	
	5,0	168	1,2	180			6270	
	3,8	197	0,9	240			6270	
	3,0	218	0,7	300			6270	
	3,5	222	1,0	400	NMRV 030-063	63B4	6270	163
	2,8	257	0,8	500			6270	
	5,0	179	1,7	180	PC 071 - NMRV 075	71A6	7380	159
	3,8	211	1,2	240			7380	
	3,0	235	1,0	300			7380	

Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,18	2,3	362	1,1	600	NMRV 040-075	63B4	7380	163
	1,9	435	0,9	750			7380	
	1,6	487	0,8	900			7380	
	1,2	629	1,0	1200	NMRV 040-090	63B4	8180	164
	0,93	735	0,8	1500			8180	
	0,78	861	1,3	1800	NMRV 050-110	63B4	10320	164
	0,58	1113	0,9	2400			10320	
0,22	280,0	6,5	2,8	5	NMRV 030	63C4	597	146
	186,7	10	1,9	7,5			683	
	140,0	12	1,5	10			752	
	93,3	17	1,0	15			861	
	70,0	22	0,8	20			948	
	140,0	12	1,5	10	MCV030	M63C4	752	147
	93,3	17	1,0	15			861	
	93,3	18	2,2	15	NMRV 040	63C4	1657	148
	70,0	23	1,7	20			1824	
	56,0	28	1,4	25			1964	
	46,7	32	1,4	30			2087	
	35,0	39	1,1	40			2298	
	28,0	47	0,8	50			2475	
	28,0	47	1,5	50	NMRV 050	63C4	3397	150
	23,3	53	1,3	60			3610	
	17,5	64	1,0	80			3973	
	18,7	78	1,2	75	PC 063 - NMRV 050	63C4	3889	158
	15,6	86	1,2	90			4132	
	11,7	106	0,9	120			4548	
	9,3	126	1,4	150	PC 063 - NMRV 063	63C4	6270	158
	7,8	143	1,1	180			6270	
	4,7	210	1,1	300	NMRV 030-063	63C4	6270	163
	3,5	271	0,8	400			6270	
0,25	560,0	3,8	3,2	5	NMRV 030	63B2	474	146
	373,3	5,6	2,3	7,5			542	
	280,0	7,2	1,8	10			597	
	186,7	10	1,3	15			683	
	140,0	13	0,9	20			752	
	112,0	16	1,0	25			810	
	93,3	18	0,8	30			861	
	280,0	7,2	1,8	10	MCV030	M63B2	597	147
	186,7	10	1,3	15			683	
	93,3	18	0,8	30			861	
	280,0	7,6	4,5	5	NMRV 040	71A4	1149	148
	186,7	11	3,6	7,5			1315	
	140,0	14	2,8	10			1447	
	93,3	21	1,9	15			1657	
	70,0	27	1,5	20			1824	
	56,0	32	1,2	25			1964	
	46,7	36	1,3	30			2087	
	35,0	44	0,9	40			2298	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,25	180,0	12	3,5	5	NMRV 040	71B6	1331	148
	120,0	17	2,6	7,5			1524	
	90,0	22	2,0	10			1677	
	60,0	31	1,4	15			1920	
	45,0	40	1,1	20			2113	
	36,0	48	0,9	25			2276	
	30,0	53	0,9	30			2419	
	140,0	14	2,8	10	MCV040	M71A4	1447	149
	93,3	21	1,9	15			1657	
	46,7	36	1,3	30			2087	
	35,0	44	0,9	40			2298	
	28,0	53	0,7	50			2475	
	35,0	42	1,1	80	NMRV 050	63B2	3153	150
	28,0	48	0,8	100			3397	
	70,0	27	2,7	20	NMRV 050	71A4	2503	150
	56,0	32	2,2	25			2696	
	46,7	37	2,3	30			2865	
	35,0	46	1,7	40			3153	
	28,0	54	1,4	50			3397	
	23,3	60	1,1	60			3610	
	17,5	72	0,9	80			3973	
	45,0	40	1,9	20	NMRV 050	71B6	2900	150
	36,0	48	1,5	25			3124	
	30,0	54	1,7	30			3320	
	22,5	67	1,2	40			3654	
	18,0	78	1,0	50			3936	
	15,0	88	0,8	60			4183	
	18,7	88	1,0	75	PC 071 - NMRV 050	71A4	3889	159
	15,6	98	1,1	90			4132	
	11,7	121	0,8	120			4548	
	28,0	56	2,4	50	NMRV 063	71A4	4440	152
	23,3	63	2,0	60			4719	
	17,5	78	1,6	80			5193	
	14,0	87	1,4	100			5595	
	18,0	81	1,8	50	NMRV 063	71B6	5145	152
	15,0	92	1,5	60			5467	
	11,3	110	1,2	80			6018	
	9,0	125	1,0	100			6270	
	18,7	91	1,8	75	PC 071 - NMRV 063	71A4	5083	159
	15,6	100	2,0	90			5401	
	11,7	125	1,5	120			5945	
	9,3	143	1,2	150			6270	
	7,8	163	1,0	180			6270	
	5,8	192	0,7	240			6270	
	4,7	215	0,6	300			6270	
	12,0	135	1,6	75	PC 071 - NMRV 063	71B6	5889	159
	10,0	148	1,8	90			6259	
	7,5	181	1,3	120			6270	
	6,0	211	1,0	150			6270	
	7,0	159	1,4	400	NMRV 030-063	63B2	6270	163
	5,6	185	1,2	500			6270	


Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,25	17,5	82	2,3	80	NMRV 075	71A4	6130	153
	14,0	94	1,9	100			6603	
	11,3	117	1,7	80	NMRV 075	71B6	7103	153
	9,0	133	1,4	100			7380	
	9,3	151	1,7	150	PC 071 - NMRV 075	71A4	7380	159
	7,8	172	1,4	180			7380	
	5,8	201	1,1	240			7380	
	4,7	230	0,9	300			7380	
	12,0	139	2,4	75	PC 071 - NMRV 075	71B6	6952	159
	10,0	155	2,5	90			7380	
	7,5	191	1,9	120			7380	
	6,0	219	1,5	150			7380	
	5,0	248	1,2	180			7380	
	3,5	336	1,1	400	NMRV 040-075	71A4	7380	163
	2,8	384	0,8	500			7380	
	5,0	263	1,9	180	PC 071 - NMRV 090	71B6	8180	160
	3,8	318	1,4	240			8180	
	3,0	358	1,1	300			8180	
	2,3	512	1,2	600	NMRV 040-090	71A4	8180	164
	1,9	598	0,9	750			8180	
	1,6	667	0,8	900			8180	
	1,2	943	1,1	1200	NMRV 050-110	71A4	10320	164
	0,93	1064	1,0	1500			10320	
	0,78	1195	0,9	1800			10320	
	0,58	1624	1,0	2400	NMRV 063-130	71A4	13500	164
	0,47	1935	0,8	3000			13500	
	0,35	2046	0,6	4000			13500	
	0,28	2430	0,5	5000			13500	
	0,8	1199	1,8	1800	NMRV 063-150	71A4	18000	165
	0,6	1446	1,8	2400			18000	
	0,5	1713	1,4	3000			18000	
	0,4	2026	0,9	4000			18000	
	0,3	2251	0,7	5000			18000	
0,37	560,0	5,6	2,1	5	NMRV 030	63C2	474	146
	373,3	8,2	1,6	7,5			542	
	280,0	11	1,2	10			597	
	186,7	15	0,8	15			683	
	280,0	11	1,2	10	MCV030	M63C2	597	147
	186,7	15	0,8	15			683	
	560,0	5,7	4,2	5	NMRV 040	71A2	912	148
	373,3	8,4	3,3	7,5			1044	
	280,0	11	2,6	10			1149	
	186,7	16	1,9	15			1315	
	140,0	21	1,4	20			1447	
	112,0	25	1,1	25			1559	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,37	280,0	11	3,0	5	NMRV 040	71B4	1149	148
	186,7	16	2,4	7,5			1315	
	140,0	21	1,9	10			1447	
	93,3	31	1,3	15			1657	
	70,0	39	1,0	20			1824	
	56,0	47	0,8	25			1964	
	46,7	53	0,8	30			2087	
	280,0	11	2,6	10	MCV040	M71A2	1149	149
	186,7	16	1,9	15			1315	
	93,3	29	1,2	30			1657	
	70,0	36	0,9	40			1824	
	56,0	43	0,7	50			1964	
	140,0	21	1,9	10	MCV040	M71B4	1447	149
	93,3	31	1,3	15			1657	
	46,7	53	0,8	30			2087	
	112,0	25	2,0	25	NMRV 050	71A2	2140	150
	93,3	29	2,2	30			2274	
	70,0	37	1,6	40			2503	
	56,0	44	1,2	50			2696	
	46,7	50	1,0	60			2865	
	35,0	62	0,7	80			3153	
	140,0	22	3,3	10	NMRV 050	71B4	1987	150
	93,3	31	2,4	15			2274	
	70,0	40	1,8	20			2503	
	56,0	48	1,5	25			2696	
	46,7	55	1,5	30			2865	
	35,0	68	1,1	40			3153	
	28,0	80	0,9	50			3397	
	23,3	89	0,8	60			3610	
	180,0	17	4,3	5	NMRV 050	80A6	1827	150
	120,0	25	3,3	7,5			2091	
	90,0	33	2,5	10			2302	
	60,0	47	1,8	15			2635	
	45,0	60	1,3	20			2900	
	36,0	72	1,0	25			3124	
	30,0	80	1,1	30			3320	
	22,5	99	0,8	40	MCV050	M80A6	3654	151
	18,0	116	0,7	50			3936	
	35,0	71	2,1	40	NMRV 063	71B4	4122	152
	28,0	83	1,6	50			4440	
	23,3	94	1,4	60			4719	
	17,5	115	1,1	80			5193	
	14,0	129	0,9	100			5595	
	45,0	60	2,4	20	NMRV 063	80A6	3791	152
	36,0	74	1,9	25			4084	
	30,0	82	2,1	30			4339	
	22,5	102	1,6	40			4776	
	18,0	120	1,2	50			5145	
	15,0	137	1,0	60			5467	
	18,7	134	1,2	75	PC 071 - NMRV 063	71B4	5083	159
	15,6	148	1,4	90			5401	
	11,7	185	1,0	120			5945	
	9,3	212	0,8	150			6270	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,37	9,3	181	1,3	300	NMRV 030-063	63C2	6270	163
	7,0	236	1,0	400			6270	
	23,3	98	2,0	60	NMRV 075	71B4	5569	153
	17,5	121	1,6	80			6130	
	14,0	139	1,3	100			6603	
	18,0	126	1,8	50	NMRV 075	80A6	6073	153
	15,0	144	1,5	60			6453	
	11,3	173	1,2	80			7103	
	9,0	196	1,0	100			7380	
	18,7	138	1,8	75	PC 071 - NMRV 075	71B4	6000	159
	15,6	154	1,9	90			6375	
	11,7	191	1,5	120			7017	
	9,3	223	1,1	150			7380	
	7,8	254	0,9	180			7380	
	12,0	206	1,6	75	PC 080 - NMRV 075	80A6	6952	160
	10,0	230	1,7	90			7380	
	7,5	283	1,3	120			7380	
	6,0	324	1,0	150			7380	
	3,5	498	0,7	400	NMRV 040-075	71B4	7380	163
	4,7	405	1,0	300			7380	
	11,3	185	1,7	80	NMRV 090	80A6	7859	154
	9,0	212	1,3	100			8180	
	7,8	268	1,5	180	PC 071 - NMRV 090	71B4	8180	161
	5,8	321	1,1	240			8180	
	4,7	371	0,9	300			8180	
	6,0	347	1,6	150	PC 080 - NMRV 090	80A6	8180	161
	5,0	389	1,3	180			8180	
	3,8	471	1,0	240			8180	
	4,7	402	1,5	300	NMRV 040-090	71B4	8180	164
	3,5	523	1,2	400			8180	
	2,8	611	0,9	500			8180	
	2,3	757	0,8	600			8180	
	3,8	509	1,5	240	PC 080 - NMRV 110	80A6	10320	161
	3,0	577	1,2	300			10320	
	1,9	950	1,2	750	NMRV 050-110	71B4	10320	164
	1,6	1079	1,0	900			10320	
	1,2	1396	0,7	1200			10320	
	0,93	1674	1,1	1500	NMRV 063-130	71B4	13500	164
	0,78	1887	0,9	1800			13500	
	0,8	1775	1,2	1800	NMRV 063-150	71B4	18000	165
	0,6	2141	1,2	2400			18000	
	0,5	2535	0,9	3000			18000	
0,55	560,0	8,4	2,8	5	NMRV 040	71B2	912	148
	373,3	13	2,2	7,5			1044	
	280,0	17	1,8	10			1149	
	186,7	24	1,3	15			1315	
	140,0	31	0,9	20			1447	
	112,0	37	0,8	25			1559	



Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,55	280,0	17	2,0	5	NMRV 040	71C4	1149	148
	186,7	24	1,6	7,5			1315	
	140,0	32	1,3	10			1447	
	93,3	46	0,9	15			1657	
	280,0	17	1,8	10	MCV040	M71B2	1149	149
	186,7	24	1,3	15			1315	
	140,0	32	1,3	10	MCV040	M71C4	1447	149
	93,3	46	0,9	15			1657	
	140,0	31	1,7	20	NMRV 050	71B2	1987	150
	112,0	38	1,4	25			2140	
	93,3	43	1,5	30			2274	
	70,0	55	1,1	40			2503	
	56,0	65	0,8	50			2696	
	46,7	74	0,7	60			2865	
	280,0	17	3,7	5	NMRV 050	80A4	1577	150
	186,7	25	2,9	7,5			1805	
	140,0	32	2,2	10			1987	
	93,3	46	1,6	15			2274	
	70,0	59	1,2	20			2503	
	56,0	71	1,0	25			2696	
	46,7	81	1,0	30			2865	
	120,0	38	2,2	7,5	NMRV 050	80B6	2091	150
	90,0	49	1,7	10			2302	
	60,0	69	1,2	15			2635	
	45,0	89	0,9	20			2900	
	140,0	32	2,2	10	MCV050	M80A4	1987	151
	93,3	46	1,6	15			2274	
	46,7	81	1,0	30			2865	
	35,0	101	0,8	40			3153	
	28,0	118	0,6	50			3397	
	70,0	56	1,9	40	NMRV 063	71B2	3272	152
	56,0	67	1,5	50			3524	
	46,7	77	1,2	60			3745	
	35,0	95	0,9	80			4122	
	28,0	109	0,7	100			4440	
	70,0	61	2,2	20	NMRV 063	80A4	3272	152
	56,0	73	1,8	25			3524	
	46,7	83	1,9	30			3745	
	35,0	105	1,4	40			4122	
	28,0	124	1,1	50			4440	
	23,3	140	0,9	60			4719	
	60,0	71	2,2	15	NMRV 063	80B6	3444	152
	45,0	90	1,6	20			3791	
	36,0	109	1,3	25			4084	
	30,0	123	1,4	30			4339	
	22,5	152	1,1	40			4776	
	18,7	200	0,8	75	PC 071 - NMRV 063	71C4	5083	159
	15,6	219	0,9	90			5401	
	35,0	99	1,3	80	NMRV 075	71B2	4865	153
	28,0	114	1,0	100			5241	



Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,55	35,0	108	2,0	40	NMRV 075	80A4	4865	153
	28,0	129	1,6	50			5241	
	23,3	146	1,4	60			5569	
	17,5	180	1,1	80			6130	
	14,0	206	0,9	100			6603	
	30,0	128	2,0	30	NMRV 075	80B6	5122	153
	22,5	159	1,5	40			5637	
	18,0	187	1,2	50			6073	
	15,0	214	1,0	60			6453	
	18,7	205	1,2	75	PC 071 - NMRV 075	71C4	6000	159
	15,6	230	1,3	90			6375	
	11,7	284	1,0	120			7017	
	18,7	205	1,2	75	PC 080 - NMRV 075	80A4	6000	160
	15,6	230	1,3	90			6375	
	11,7	284	1,0	120			7017	
	9,3	332	0,8	150			7380	
	12,0	306	1,1	75	PC 080 - NMRV 075	80B6	6952	160
	10,0	341	1,1	90			7380	
	17,5	189	1,5	80	NMRV 090	80A4	6783	154
	14,0	221	1,2	100			7306	
	18,0	198	2,0	50	NMRV 090	80B6	6719	154
	15,0	224	1,6	60			7140	
	11,3	275	1,1	80			7859	
	9,0	315	0,9	100			8180	
	15,6	240	2,3	90	PC 080 - NMRV 090	80A4	7054	160
	11,7	297	1,6	120			7764	
	9,3	355	1,3	150			8180	
	7,8	398	1,0	180			8180	
	5,8	477	0,8	240			8180	
	10,0	357	2,0	90	PC 080 - NMRV 090	80B6	8174	160
	7,5	441	1,4	120			8180	
	6,0	516	1,1	150			8180	
	5,0	578	0,9	180			8180	
	9,3	306	2,0	300	NMRV 040-090	71B2	8180	164
	7,0	403	1,5	400			8180	
	5,6	470	1,2	500			8180	
	17,5	201	2,4	80	NMRV 110	80A4	8571	155
	14,0	236	1,9	100			9232	
	11,3	294	1,8	80	NMRV 110	80B6	9931	155
	9,0	338	1,4	100			10320	
	7,8	425	1,7	180	PC 080 - NMRV 110	80A4	10320	161
	5,8	513	1,2	240			10320	
	4,7	597	1,0	300			10320	
	7,5	462	2,2	120	PC 080 - NMRV 110	80B6	10320	161
	6,0	552	1,8	150			10320	
	5,0	620	1,5	180			10320	
	3,8	756	1,0	240			10320	