



Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,55	4,7	639	1,7	300	NMRV 050-110	80A4	10320	164
	3,5	826	1,2	400			10320	
	2,8	984	1,0	500			10320	
	2,3	1181	0,9	600			10320	
	1,9	1411	0,8	750			10320	
	3,8	756	1,6	240	PC 080 - NMRV 130	80B6	13500	161
	3,0	858	1,3	300			13500	
	2,8	996	1,6	500	NMRV 063-130	80A4	13500	164
	1,9	1471	1,2	750			13500	
	1,2	2132	0,8	1200			13500	
	0,8	2638	0,8	1800	NMRV 063-150	80A4	18000	165
	0,6	3182	0,8	2400			18000	
0,75	560,0	12	2,1	5	NMRV 040	71C2	912	148
	373,3	17	1,6	7,5			1044	
	280,0	23	1,3	10			1149	
	186,7	32	1,0	15			1315	
	280,0	23	1,3	10	MCV040	M71C2	1149	149
	186,7	32	1,0	15			1315	
	560,0	12	3,9	5	NMRV 050	80A2	1251	150
	373,3	17	3,0	7,5			1433	
	280,0	23	2,4	10			1577	
	186,7	33	1,7	15			1805	
	140,0	42	1,3	20			1987	
	112,0	51	1,0	25			2140	
	93,3	58	1,1	30			2274	
	280,0	23	2,7	5	NMRV 050	80B4	1577	150
	186,7	34	2,1	7,5			1805	
	140,0	44	1,6	10			1987	
	93,3	63	1,2	15			2274	
	70,0	81	0,9	20			2503	
	280,0	23	2,4	10	MCV050	M80A2	1577	151
	186,7	33	1,7	15			1805	
	93,3	58	1,1	30			2274	
	70,0	75	0,8	40			2503	
	56,0	88	0,6	50			2696	
	140,0	44	1,6	10	MCV050	M80B4	1987	151
	93,3	63	1,2	15			2274	
	140,0	43	2,3	20	NMRV 063	80A2	2597	152
	112,0	52	1,8	25			2797	
	93,3	60	2,0	30			2973	
	70,0	77	1,4	40			3272	
	56,0	91	1,1	50			3524	
	46,7	104	0,9	60			3745	
	93,3	64	2,2	15	NMRV 063	80B4	2973	152
	70,0	83	1,6	20			3272	
	56,0	100	1,3	25			3524	
	46,7	114	1,4	30			3745	
	35,0	143	1,0	40			4122	



Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,75	120,0	52	2,9	7,5	NMRV 063	90S6	2734	152
	90,0	68	2,3	10			3009	
	60,0	97	1,6	15			3444	
	45,0	123	1,2	20			3791	
	36,0	149	0,9	25			4084	
	30,0	167	1,0	30			4339	
	46,7	109	1,3	60	NMRV 075	80A2	4421	153
	28,0	156	0,8	100			5241	
	56,0	102	2,0	25	NMRV 075	80B4	4160	153
	46,7	117	2,0	30			4421	
	35,0	147	1,5	40			4865	
	28,0	177	1,2	50			5241	
	23,3	200	1,0	60			5569	
	60,0	98	2,4	15	NMRV 075	90S6	4065	153
	45,0	126	1,9	20			4474	
	36,0	153	1,4	25			4820	
	30,0	174	1,5	30			5122	
	22,5	216	1,1	40			5637	
	18,7	280	0,9	75	PC 080 - NMRV 075	80B4	6000	160
	15,6	313	1,0	90			6375	
	35,0	141	1,6	80	NMRV 090	80A2	5383	154
	28,0	166	1,2	100			5799	
	28,0	184	1,8	50	NMRV 090	80B4	5799	154
	23,3	212	1,5	60			6163	
	17,5	258	1,1	80			6783	
	14,0	302	0,9	100			7306	
	30,0	179	2,6	30	NMRV 090	90S6	5667	154
	22,5	226	1,8	40			6238	
	18,0	271	1,4	50			6719	
	15,0	306	1,1	60			7140	
	15,6	327	1,7	90	PC 080 - NMRV 090	80B4	7054	160
	11,7	405	1,2	120			7764	
	9,3	483	0,9	150			8180	
	7,8	543	0,7	180			8180	
	7,0	549	1,1	400	NMRV 040-090	71C2	8180	164
	5,6	642	0,9	500			8180	
	17,5	274	1,8	80	NMRV 110	80B4	8571	155
	14,0	322	1,4	100			9232	
	15,0	325	1,9	60	NMRV 110	90S6	9023	155
	11,3	401	1,3	80			9931	
	9,0	462	1,1	100			10320	
	11,7	430	1,9	120	PC 080 - NMRV 110	80B4	9811	161
	9,3	506	1,6	150			10320	
	7,8	580	1,2	180			10320	
	5,8	700	0,9	240			10320	
	12,4	393	2,8	72,6	PC 090 - NMRV 110	90S6	9614	161
	9,3	508	2,0	96,8			10320	
	7,4	607	1,6	121			10320	
	6,2	682	1,3	145,2			10320	
	4,6	832	0,9	193,6			10320	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,75	9,3	446	2,5	300	NMRV 050-110	80A2	10320	164
	7,0	563	1,8	400			10320	
	5,6	687	1,5	500			10320	
	4,7	871	1,3	300	NMRV 050-110	80B4	10320	164
	3,5	1126	0,9	400			10320	
	11,3	407	2,1	80	NMRV 130	90S6	12989	156
	9,0	470	1,7	100			13500	
	5,8	712	1,4	240	PC 080 - NMRV 130	80B4	13500	161
	4,7	813	1,1	300			13500	
	12,4	399	4,4	72,6	PC 090 - NMRV 130	90S6	12575	161
	9,3	508	3,2	96,8			13500	
	7,4	607	2,6	121			13500	
	6,2	682	2,1	145,2			13500	
	4,6	832	1,5	193,6			13500	
	3,7	944	1,2	242			13500	
	2,8	1358	1,1	500	NMRV 063-130	80B4	13500	164
	2,3	1631	1,0	600			13500	
	1,9	2005	0,9	750			13500	
	1,6	2283	0,8	900			13500	
	2,8	1291	1,8	500	NMRV 063-150	80B4	18000	165
	2,3	1529	1,7	600			18000	
	1,9	1783	1,3	750			18000	
	1,6	2215	0,9	900			18000	
	1,2	2680	1,0	1200			18000	
0,92	280,0	28	2,2	5	NMRV 050	80C4	1577	150
	186,7	41	1,7	7,5			1805	
	140,0	54	1,3	10			1987	
	93,3	77	1,0	15			2274	
	140,0	54	1,3	10	MCV050	M80C4	1987	151
	93,3	77	1,0	15			2274	
	140,0	55	2,4	10	NMRV 063	80C4	2597	152
	93,3	78	1,8	15			2973	
	70,0	102	1,3	20			3272	
	56,0	122	1,1	25			3524	
	46,7	139	1,1	30			3745	
	35,0	176	0,8	40			4122	
	70,0	103	2,0	20	NMRV 075	80C4	3862	153
	56,0	126	1,6	25			4160	
	46,7	143	1,6	30			4421	
	35,0	181	1,2	40			4865	
	28,0	217	1,0	50			5241	
	23,3	245	0,8	60			5569	
	18,7	344	0,7	75	PC 080 - NMRV 075	80C4	6000	160
	15,6	384	0,8	90			6375	
	28,0	226	1,5	50	NMRV 090	80C4	5799	154
	23,3	260	1,2	60			6163	
	17,5	316	0,9	80			6783	
	15,6	401	1,4	90	PC 080 - NMRV 090	80C4	7054	160
	11,7	497	1,0	120			7764	
	9,3	593	0,8	150			8180	

Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
0,92	17,5	336	1,5	80	NMRV 110	80C4	8571	155
	14,0	395	1,2	100			9232	
	18,7	367	2,2	75	PC 080 - NMRV 110	80C4	8388	161
	11,7	527	1,5	120			9811	
	9,3	621	1,3	150			10320	
	7,8	712	1,0	180			10320	
	4,7	1069	1,0	300	NMRV 050-110	80C4	10320	164
	3,5	1382	0,7	400			10320	
	7,8	712	1,5	180	PC 080 - NMRV 130	80C4	13500	161
	5,8	874	1,1	240			13500	
	4,7	998	0,9	300			13500	
	3,5	1398	1,2	400	NMRV 063-130	80C4	13500	164
	2,8	1665	0,9	500			13500	
	2,8	1583	1,5	500	NMRV 063-150	80C4	18000	165
	2,3	1875	1,4	600			18000	
	1,9	2188	1,1	750			18000	
	1,6	2717	0,8	900			18000	
	1,2	3288	0,8	1200			18000	
1,1	560,0	17	2,6	5	NMRV 050	80B2	1251	150
	373,3	25	2,1	7,5			1433	
	280,0	33	1,6	10			1577	
	186,7	48	1,2	15			1805	
	140,0	62	0,9	20			1987	
	280,0	33	1,6	10	MCV050	M80B2	1577	151
	186,7	48	1,2	15			1805	
	186,7	48	2,1	15	NMRV 063	80B2	2359	152
	140,0	63	1,6	20			2597	
	112,0	77	1,2	25			2797	
	93,3	88	1,4	30			2973	
	70,0	113	1,0	40			3272	
	120,0	76	2,0	7,5	NMRV 063	90L6	2734	152
	90,0	99	1,5	10			3009	
	60,0	142	1,1	15			3444	
	45,0	180	0,8	20			3791	
	186,7	50	2,6	7,5	NMRV 063	90S4	2359	152
	140,0	65	2,0	10			2597	
	93,3	93	1,5	15			2973	
	70,0	122	1,1	20			3272	
	56,0	146	0,9	25			3524	
	46,7	167	1,0	30			3745	
	112,0	78	1,9	25	NMRV 075	80B2	3302	153
	93,3	90	1,9	30			3509	
	70,0	116	1,4	40			3862	
	56,0	139	1,1	50			4160	
	46,7	160	0,9	60			4421	
	90,0	100	2,3	10	NMRV 075	90L6	3551	153
	60,0	144	1,6	15			4065	
	45,0	184	1,3	20			4474	
	36,0	225	1,0	25			4820	
	30,0	256	1,0	30			5122	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
1,1	93,3	96	2,1	15	NMRV 075	90S4	3509	153
	70,0	123	1,7	20			3862	
	56,0	150	1,3	25			4160	
	46,7	171	1,3	30			4421	
	35,0	216	1,0	40			4865	
	35,0	207	1,1	80	NMRV 090	80B2	5383	154
	28,0	244	0,8	100			5799	
	36,0	231	1,6	25	NMRV 090	90L6	5333	154
	30,0	263	1,8	30			5667	
	22,5	331	1,2	40			6238	
	18,0	397	1,0	50			6719	
	15,0	448	0,8	60			7140	
	35,0	225	1,6	40	NMRV 090	90S4	5383	154
	28,0	270	1,3	50			5799	
	23,3	311	1,0	60			6163	
	22,5	345	2,0	40	NMRV 110	90L6	7882	155
	18,0	414	1,6	50			8491	
	15,0	476	1,3	60			9023	
	11,3	588	0,9	80			9931	
	28,0	281	2,1	50	NMRV 110	90S4	7328	155
	23,3	324	1,7	60			7787	
	17,5	402	1,2	80			8571	
	14,0	473	1,0	100			9232	
	12,4	576	1,9	72,6	PC 090 - NMRV 110	90L6	9614	161
	9,3	746	1,4	96,8			10320	
	7,4	890	1,1	121			10320	
	6,2	1000	0,9	145,2			10320	
	19,3	392	2,2	72,6	PC 090 - NMRV 110	90S4	8298	161
	14,5	508	1,6	96,8			9133	
	11,6	599	1,3	121			9838	
	9,6	686	1,0	145,2			10320	
	7,2	828	0,8	193,6			10320	
	9,3	654	1,7	300	NMRV 050-110	80B2	10320	164
	7,0	845	1,2	400			10320	
	5,6	1007	1,0	500			10320	
	17,5	408	2,1	80	NMRV 130	90S4	11210	156
	14,0	480	1,5	100			12076	
	11,3	598	1,4	80	NMRV 130	90L6	12989	156
	9,0	689	1,1	100			13500	
	12,4	585	3,0	72,6	PC 090 - NMRV 130	90L6	12575	161
	9,3	746	2,2	96,8			13500	
	7,4	890	1,7	121			13500	
	6,2	1000	1,4	145,2			13500	
	4,6	1220	1,0	193,6			13500	
	19,3	398	3,5	72,6	PC 090 - NMRV 130	90S4	10853	161
	14,5	508	2,6	96,8			11945	
	11,6	608	2,0	121			12868	
	9,6	686	1,6	145,2			13500	
	7,2	843	1,2	193,6			13500	
	5,8	962	0,9	242			13500	

Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
1,1	4,7	1312	1,3	300	NMRV 063-130	90S4	13500	164
	3,5	1671	1,0	400			13500	
	2,8	1991	0,8	500			13500	
	9,3	753	3,1	150	NMRV 063-150	90S4	18000	165
	7,0	966	2,4	200			18000	
	5,6	1175	1,7	250			18000	
	4,7	1364	1,7	300			18000	
	3,5	1619	1,6	400			18000	
	2,8	1893	1,2	500			18000	
	2,3	2242	1,2	600			18000	
	1,9	2616	0,9	750			18000	
1,5	560,0	23	1,9	5	NMRV 050	80C2	1251	150
	373,3	35	1,5	7,5			1433	
	280,0	45	1,2	10			1577	
	186,7	65	0,9	15			1805	
	280,0	45	1,2	10	MCV050	M80C2	1577	151
	186,7	65	0,9	15			1805	
	186,7	68	1,9	7,5	NMRV 063	90L4	2359	152
	140,0	89	1,5	10			2597	
	93,3	127	1,1	15			2973	
	70,0	166	0,8	20			3272	
	373,3	35	2,7	7,5	NMRV 063	90S2	1873	152
	280,0	46	2,1	10			2061	
	186,7	66	1,6	15			2359	
	140,0	86	1,2	20			2597	
	112,0	105	0,9	25			2797	
	93,3	120	1,0	30			2973	
	120,0	105	2,0	7,5	NMRV 075	100LA6	3227	153
	90,0	137	1,7	10			3551	
	60,0	196	1,2	15			4065	
	56,0	189	0,8	50	NMRV 075	80C2	4160	153
	46,7	218	0,7	60			4421	
	140,0	90	2,2	10	NMRV 075	90L4	3065	153
	93,3	130	1,5	15			3509	
	70,0	168	1,3	20			3862	
	56,0	205	1,0	25			4160	
	46,7	233	1,0	30			4421	
	280,0	46	3,1	10	NMRV 075	90S2	2433	153
	186,7	67	2,2	15			2785	
	140,0	87	1,8	20			3065	
	112,0	106	1,4	25			3302	
	93,3	123	1,4	30			3509	
	70,0	158	1,0	40			3862	
	90,0	138	2,7	10	NMRV 090	100LA6	3929	154
	60,0	201	2,1	15			4498	
	45,0	258	1,5	20			4951	
	36,0	314	1,2	25			5333	
	30,0	358	1,3	30			5667	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
1,5	70,0	172	2,1	20	NMRV 090	90L4	4273	154
	56,0	210	1,6	25			4603	
	46,7	239	1,7	30			4891	
	35,0	307	1,2	40			5383	
	28,0	368	0,9	50			5799	
	23,3	424	0,8	60			6163	
	56,0	194	1,4	50	NMRV 090	90S2	4603	154
	46,7	227	1,1	60			4891	
	45,0	264	2,4	20	NMRV 110	100LA6	6256	155
	36,0	322	2,0	25			6739	
	30,0	363	2,0	30			7161	
	22,5	471	1,5	40			7882	
	18,0	565	1,2	50			8491	
	15,0	649	1,0	60			9023	
	35,0	319	1,9	40	NMRV 110	90L4	6803	155
	28,0	384	1,6	50			7328	
	23,3	442	1,3	60			7787	
	17,5	548	0,9	80			8571	
	46,7	236	1,8	60	NMRV 110	90S2	6181	155
	35,0	299	1,3	80			6803	
	28,0	353	1,0	100			7328	
	19,3	535	1,6	72,6	PC 090 - NMRV 110	90L4	8298	161
	14,5	693	1,2	96,8			9133	
	11,6	817	1,0	121			9838	
	9,6	936	0,8	145,2			10320	
	9,3	891	1,2	300	NMRV 050-110	80C2	10320	164
	7,0	1153	0,9	400			10320	
	5,6	1373	0,7	500			10320	
	22,5	478	2,3	40	NMRV 130	100LA6	10309	156
	18,0	573	1,8	50			11105	
	15,0	659	1,4	60			11801	
	11,3	815	1,1	80			12989	
	17,5	557	1,5	80	NMRV 130	90L4	11210	156
	14,0	655	1,1	100			12076	
	19,3	542	2,6	72,6	PC 090 - NMRV 130	90L4	10853	161
	14,5	693	1,9	96,8			11945	
	11,6	830	1,5	121			12868	
	9,6	936	1,1	145,2			13500	
	7,2	1149	0,8	193,6			13500	
	9,3	915	1,9	300	NMRV 063-130	90S2	13500	164
	7,0	1166	1,4	400			13500	
	5,6	1389	1,1	500			13500	
	4,7	1789	1,0	300	NMRV 063-130	90L4	13500	164
	3,5	2279	0,7	400			13500	
	9,3	1026	2,3	150	NMRV 063-150	90L4	18000	165
	7,0	1317	1,8	200			18000	
	5,6	1602	1,3	250			18000	
	4,7	1860	1,3	300			18000	
	3,5	2208	1,2	400			18000	
	2,8	2582	0,9	500			18000	
	2,3	3057	0,9	600			18000	

Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
1,8	186,7	81	1,6	7,5	NMRV 063	90LL4	2359	152
	140,0	107	1,2	10			2597	
	93,3	153	0,9	15			2973	
	186,7	82	2,3	7,5	NMRV 075	90LL4	2785	153
	140,0	108	1,8	10			3065	
	93,3	157	1,3	15			3509	
	70,0	201	1,0	20			3862	
	56,0	246	0,8	25			4160	
	46,7	280	0,8	30			4421	
	70,0	206	1,7	20	NMRV 090	90LL4	4273	154
	56,0	252	1,4	25			4603	
	46,7	287	1,4	30			4891	
	35,0	368	1,0	40			5383	
	28,0	442	0,8	50			5799	
	56,0	258	2,3	25	NMRV 110	90LL4	5816	155
	35,0	383	1,6	40			6803	
	28,0	460	1,3	50			7328	
	23,3	530	1,1	60			7787	
	19,3	642	1,4	72,6	PC 090 - NMRV 110	90LL4	8298	161
	14,5	832	1,0	96,8			9133	
	11,6	981	0,8	121			9838	
	17,5	668	1,3	80	NMRV 130	90LL4	11210	156
	14,0	786	0,9	100			12076	
	19,3	651	2,2	72,6	PC 090 - NMRV 130	90LL4	10853	161
	14,5	832	1,6	96,8			11945	
	11,6	995	1,2	121			12868	
	9,6	1123	1,0	145,2			13500	
	9,3	1232	1,9	150	NMRV 063-150	90LL4	18000	165
	7,0	1581	1,5	200			18000	
	5,6	1923	1,1	250			18000	
	4,7	2232	1,0	300			18000	
	3,5	2649	1,0	400			18000	
	2,8	3098	0,8	500			18000	
2,2	373,3	51	1,8	7,5	NMRV 063	90L2	1873	152
	280,0	67	1,5	10			2061	
	186,7	97	1,1	15			2359	
	373,3	51	2,5	7,5	NMRV 075	90L2	2210	153
	280,0	68	2,1	10			2433	
	186,7	98	1,5	15			2785	
	140,0	128	1,3	20			3065	
	112,0	156	1,0	25			3302	
	93,3	180	0,9	30			3509	
	186,7	100	1,8	7,5	NMRV 075	100LA4	2785	153
	140,0	132	1,5	10			3065	
	93,3	191	1,0	15			3509	
	186,7	101	2,9	7,5	NMRV 090	100LA4	3081	154
	140,0	134	2,3	10			3391	
	93,3	194	1,9	15			3882	
	70,0	252	1,4	20			4273	
	56,0	308	1,1	25			4603	
	46,7	351	1,2	30			4891	




Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
2,2	120,0	156	2,2	7,5	NMRV 090	112M6	3570	154
	90,0	203	1,8	10			3929	
	60,0	294	1,4	15			4498	
	45,0	378	1,0	20			4951	
	140,0	131	2,0	20	NMRV 090	90L2	3391	154
	112,0	159	1,6	25			3653	
	93,3	185	1,7	30			3882	
	70,0	237	1,2	40			4273	
	56,0	285	0,9	50			4603	
	70,0	255	2,2	20	NMRV 110	100LA4	5399	155
	56,0	315	1,9	25			5816	
	46,7	356	1,8	30			6181	
	35,0	468	1,3	40			6803	
	28,0	563	1,1	50			7328	
	23,3	648	0,9	60			7787	
	90,0	205	3,0	10	NMRV 110	112M6	4965	155
	60,0	298	2,2	15			5684	
	45,0	388	1,6	20			6256	
	36,0	473	1,4	25			6739	
	30,0	532	1,4	30			7161	
	112,0	163	2,7	25	NMRV 110	90L2	4616	155
	93,3	187	2,6	30			4905	
	70,0	246	1,9	40			5399	
	56,0	296	1,5	50			5816	
	46,7	347	1,2	60			6181	
	38,6	398	1,8	72,6	PC 090 - NMRV 110	90L2	6586	161
	28,9	516	1,3	96,8			7249	
	23,1	617	1,1	121			7809	
	35,0	468	2,2	40	NMRV 130	100LA4	8897	156
	28,0	563	1,7	50			9584	
	23,3	648	1,4	60			10185	
	17,5	816	1,0	80			11210	
	36,0	479	2,2	25	NMRV 130	112M6	8814	156
	30,0	546	2,1	30			9366	
	22,5	700	1,6	40			10309	
	18,0	840	1,2	50			11105	
	15,0	966	1,0	60			11801	
	35,0	438	1,3	80	NMRV 130	90L2	8897	156
	28,0	525	1,0	100			9584	
	38,6	409	2,9	72,6	PC 090 - NMRV 130	90L2	8614	161
	28,9	545	2,0	96,8			9481	
	23,1	654	1,6	121			10213	
	19,3	752	1,3	145,2			10853	
	28,0	570	2,5	50	NMRV 150	100LA4	13103	157
	23,3	657	1,9	60			13924	
	17,5	816	1,4	80			15325	
	14,0	960	1,0	100			16508	


Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
3	373,3	70	1,9	7,5	NMRV 075	100LA2	2210	153
	280,0	92	1,6	10			2433	
	186,7	137	1,4	7,5			2785	
	140,0	180	1,1	10	NMRV 075	100LB4	3065	153
	93,3	261	0,8	15			3509	
	373,3	71	3,0	7,5			2446	
	280,0	92	2,6	10	NMRV 090	100LA2	2692	154
	186,7	138	2,1	7,5			3081	
	140,0	182	1,7	10			3391	
	93,3	264	1,4	15	NMRV 090	100LB4	3882	154
	70,0	344	1,0	20			4273	
	56,0	420	0,8	25			4603	
	46,7	479	0,9	30	NMRV 090	100LB4	4891	
	93,3	264	2,2	15			4905	155
	70,0	348	1,6	20	NMRV 110	100LB4	5399	
	56,0	430	1,4	25			5816	
	46,7	485	1,3	30			6181	155
	35,0	638	1,0	40	NMRV 110	132S6	6803	
	28,0	767	0,8	50			7328	
	120,0	212	2,7	7,5			4511	155
	90,0	280	2,2	10	NMRV 110	132S6	4965	
	60,0	406	1,6	15			5684	
	45,0	528	1,2	20			6256	156
	56,0	430	2,2	25	NMRV 130	100LB4	7607	
	46,7	491	2,1	30			8084	
	35,0	638	1,6	40			8897	156
	28,0	767	1,3	50	NMRV 130	132S6	9584	
	23,3	884	1,0	60			10185	
	17,5	1113	0,8	80			11210	156
	90,0	280	3,4	10	NMRV 130	132S6	6494	
	60,0	406	2,6	15			7434	156
	45,0	535	1,9	20			8182	
	36,0	653	1,6	25	NMRV 150	100LB4	8814	157
	30,0	745	1,6	30			9366	
	22,5	955	1,2	40			10309	
	28,0	778	1,8	50	NMRV 150	100LB4	13103	157
	23,3	896	1,4	60			13924	
	17,5	1113	1,0	80			15325	
	14,0	1310	0,8	100			16508	
4	373,3	93	1,4	7,5	NMRV 075	112M2	2210	153
	280,0	123	1,2	10			2433	
	186,7	182	1,0	7,5	NMRV 075	112M4	2785	153
	140,0	240	0,8	10			3065	
	373,3	94	2,2	7,5	NMRV 090	112M2	2446	154
	280,0	123	1,9	10			2692	
	186,7	184	1,6	7,5	NMRV 090	112M4	3081	154
	140,0	243	1,3	10			3391	
	93,3	352	1,0	15	NMRV 090	112M4	3882	154
	70,0	458	0,8	20			4273	



Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
4	140,0	243	2,1	10	NMRV 110	112M4	4285	155
	93,3	352	1,6	15			4905	
	70,0	464	1,2	20			5399	
	56,0	573	1,0	25			5816	
	46,7	647	1,0	30			6181	
	120,0	283	2,0	7,5	NMRV 110	132MA6	4511	155
	90,0	374	1,7	10			4965	
	60,0	541	1,2	15			5684	
	56,0	573	1,6	25	NMRV 130	112M4	7607	156
	46,7	655	1,6	30			8084	
	35,0	851	1,2	40			8897	
	28,0	1023	1,0	50			9584	
	23,3	1179	0,8	60			10185	
	120,0	287	3,1	7,5	NMRV 130	132MA6	5901	156
	90,0	374	2,6	10			6494	
	60,0	541	2,0	15			7434	
	45,0	713	1,5	20			8182	
	36,0	870	1,2	25			8814	
	28,0	1037	1,4	50	NMRV 150	112M4	13103	157
	23,3	1195	1,1	60			13924	
	17,5	1484	0,8	80			15325	
4,8	186,7	221	1,3	7,5	NMRV 090	112MS4	3081	154
	140,0	291	1,1	10			3391	
	93,3	422	0,9	15			3882	
	186,7	221	2,2	7,5	NMRV 110	112MS4	3893	155
	140,0	291	1,8	10			4285	
	93,3	422	1,3	15			4905	
	70,0	557	1,0	20			5399	
	56,0	688	0,9	25			5816	
	56,0	688	1,4	25	NMRV 130	112MS4	7607	156
	46,7	786	1,3	30			8084	
	35,0	1022	1,0	40			8897	
	28,0	1228	0,8	50			9584	
	28,0	1244	1,1	50	NMRV 150	112MS4	13103	157
	23,3	1434	0,9	60			13924	
5,5	186,7	253	1,9	7,5	NMRV 110	132S4	3893	155
	140,0	334	1,6	10			4285	
	93,3	484	1,2	15			4905	
	70,0	638	0,9	20			5399	
	140,0	334	2,5	10	NMRV 130	132S4	5605	156
	93,3	490	1,9	15			6416	
	70,0	645	1,4	20			7062	
	56,0	788	1,2	25			7607	
	46,7	900	1,2	30			8084	
	35,0	1171	0,9	40			8897	
	70,0	645	2,0	20	NMRV 150	132S4	9654	157
	56,0	788	1,5	25			10400	
	46,7	934	1,3	30			11051	
	35,0	1171	1,3	40			12163	
	28,0	1426	1,0	50			13103	
	23,3	1643	0,8	60			13924	



Prestazioni / Performance / Leistungen / Performances / Prestaciones

P1 kW	n2 1/min	M2 Nm	f.s.	i			Fr2 N	
7,5	186,7	345	1,4	7,5	NMRV 110	132M4	3893	155
	140,0	455	1,1	10			4285	
	93,3	660	0,9	15			4905	
	186,7	349	2,1	7,5	NMRV 130	132M4	5092	156
	140,0	455	1,8	10			5605	
	93,3	668	1,4	15			6416	
	70,0	880	1,0	20			7062	
	56,0	1074	0,9	25			7607	
	46,7	1228	0,8	30			8084	
	35,0	1596	0,7	40			8897	
	70,0	880	1,5	20	NMRV 150	132M4	9654	157
	56,0	1074	1,1	25			10400	
	46,7	1274	0,9	30			11051	
	35,0	1596	1,0	40			12163	
9,2	186,7	428	1,8	7,5	NMRV 130	132L4	5092	156
	140,0	559	1,5	10			5605	
	93,3	819	1,1	15			6416	
	70,0	1079	0,8	20			7062	
	56,0	1318	0,7	25			7607	
	70,0	1079	1,2	20	NMRV 150	132L4	9654	157
	56,0	1318	0,9	25			10400	
	46,7	1563	0,8	30			11051	
	35,0	1958	0,8	40			12163	
11	186,7	512	2,3	7,5	NMRV 150	160M4	6962	157
	140,0	675	1,8	10			7663	
	93,3	990	1,3	15			8771	
	70,0	1291	1,0	20			9654	
	56,0	1576	0,8	25			10400	
15	186,7	698	1,7	7,5	NMRV 150	160L4	6962	157
	140,0	921	1,3	10			7663	
	93,3	1351	0,9	15			8771	
	70,0	1760	0,7	20			9654	